Nama : Yohanes Dimas Pratama

NIM : A11.2021.13254

Kelompok : 4207

UTS PWL Semester 2


Data login:


Username: dimaspratama@gmail.com


Password: admin

Hasil coding:











Coding:

Delete_barang.php

```
<?php
session_start();
include 'koneksi.php';
//empty does both of the checks you are doing at once
//check if user is logged in first
if(empty($_SESSION['email'])) {
    //give error and start redirection to login page
    //you may never see this `echo` because the redirect may happen too fast
    echo "Please log in first to see this page.";
    header('Location: login.php');
    //kill page because user is not logged in and is waiting for redirection
    die();
if($_SESSION['peran'] != 'admin') {
    die("Access Denied, you're not admin!");
echo "Welcome to the member's area, " . $_SESSION['email'] . "!";
if (isset($_GET['id'])) {
   $kode = $ GET['id'];
} else {
   die("Error. NO Id Selected! ");
<html>
   <title>Delete Barang</title>
</head>
<body>
    <?php
    //proses delete barang
   if($_SESSION['peran'] == 'admin') {
       if (!empty($kode) && $kode != "") {
```

```
$query = "DELETE FROM barang WHERE kode_barang=$kode";
            $gambar=$_GET["gambar"];
            $sql = mysqli_query($conn, $query);
            if ($sql) {
                echo "<h2><font color=blue>Barang telah berhasil
dihapus</font></h2>";
            } else {
                echo "<h2><font color=red>Barang gagaldihapus</font></h2>";
            unlink("images/".$gambar);
            echo "Klik <a href='home.php'>di
    sini</a> untuk kembali ke halaman display barang";
            header("Location: home.php");
        } else {
            die("Access Denied");
    } else {
        die("Access Denied");
</body>
</html>
```

Editbarang.php

```
<?php
session_start();
include 'koneksi.php';

//empty does both of the checks you are doing at once
//check if user is logged in first
if (empty($_SESSION['email'])) {

    //give error and start redirection to login page
    //you may never see this `echo` because the redirect may happen too fast
    echo "Please log in first to see this page.";
    header('Location: login.php');

    //kill page because user is not logged in and is waiting for redirection
    die();
}</pre>
```

```
if ($ SESSION['peran'] != 'admin') {
    die("Access Denied, you're not admin!");
if (isset($ GET['id'])) {
    $kode = $ GET['id'];
    $query = "select * from barang where kode_barang=$kode";
    $sql = mysqli query($conn, $query);
    while ($hasil = mysqli_fetch_array($sql)) {
        $kode = $hasil['kode_barang'];
        $nama barang = ($hasil['nama']);
        $gambar = ($hasil['gambar']);
        $harga = $hasil['harga'];
        $stok = $hasil['jml_stok'];
} else {
    die("Error. NO Id Selected! ");
if (isset($ POST['sub'])) {
    $ekstensi_diperbolehkan = array('png', 'jpg');
    $query = "select * from barang where kode_barang=$kode";
    $sql = mysqli_query($conn, $query);
    while ($hasil = mysqli fetch array($sql)) {
        $gambarLama = ($hasil['gambar']);
    $gambar = $_FILES['gambar']['name'];
    $x = explode('.', $gambar);
    $ekstensi = strtolower(end($x));
    $file_tmp = $_FILES['gambar']['tmp_name'];
    if ($gambar = $_FILES['gambar']['name'] == "" || $gambar =
$_FILES['gambar']['name'] == null) {
        $nama_barang = $_POST['nama'];
        $harga = $ POST['harga'];
        $stok = $_POST['stok'];
        $gambar = $gambarLama;
        move_uploaded_file($file_tmp, 'images/' . $gambar);
        $sql = "UPDATE barang SET nama='$nama_barang', gambar='$gambar',
harga=$harga, jml_stok=$stok WHERE kode_barang=$kode";
        $result = mysqli_query($conn, $sql);
        if ($result) {
            echo "<script>alert('Data berhasil diupdate!')</script>";
        } else {
            echo "<script>alert('Data gagal ditambahkan!')</script>";
```

```
} else {
        $nama barang = $ POST['nama'];
        $harga = $ POST['harga'];
        $stok = $ POST['stok'];
        $gambar = $_FILES['gambar']['name'];
        if (in array($ekstensi, $ekstensi diperbolehkan) === true) {
            move_uploaded_file($file_tmp, 'images/' . $gambar);
            $sql = "UPDATE barang SET nama='$nama_barang', gambar='$gambar',
harga=$harga, jml stok=$stok WHERE kode barang=$kode";
            $result = mysqli_query($conn, $sql);
            if ($result) {
                echo "<script>alert('Data berhasil diupdate!')</script>";
            } else {
                echo "<script>alert('Data gagal ditambahkan!')</script>";
        } else {
            echo '<div class="alert alert-danger">Ekstensi gambar yang
diperbolehkan hanya .jpg dan .png</div>';
<html>
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-</pre>
to-fit=no">
    <title>Edit Barang</title>
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Roboto|Varela+Round|Open+Sans">
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/icon?family=Material+Icons">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scri</pre>
pt>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></sc</pre>
ript>
   <style>
```

```
body {
            color: #404E67;
            background: #F5F7FA;
            font-family: 'Open Sans', sans-serif;
        img {
            max-width: 50%;
            height: auto;
    </style>
</head>
<body>
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-md-6">
                <div class="card">
                     <header class="card-header">
                         <a href="home.php" class="float-right btn btn-outline-
primary mt-1">Kembali ke display barang</a>
                         <h4 class="card-title mt-2">Tambah Barang</h4>
                    </header>
                     <article class="card-body">
                         <form action="" method="POST" enctype="multipart/form-</pre>
data">
                             <div class="form-group">
                                 <label>Kode Barang</label>
                                 <input type="text" class="form-control" name="n1"</pre>
value="<?php echo $kode; ?>" disabled>
                             </div>
                             <div class="form-group">
                                 <label>Nama Barang</label>
                                 <input type="text" class="form-control"</pre>
name="nama" value="<?php echo $nama barang; ?>">
                             </div>
                             <div class="form-group">
                                 <label>Gambar</label>
                                 <img src="images/<?php echo $gambar ?>">
                                 <br>
                                 <br>
                                 <input type="file" name="gambar" value="<?php</pre>
echo $gambar; ?>">
```

```
</div>
                             <div class="form-group">
                                  <label>Harga Jual</label>
                                  <input type="text" class="form-control"</pre>
name="harga" value="<?php echo $harga; ?>">
                             </div>
                             <div class="form-group">
                                  <label>Stok</label>
                                  <input type="text" class="form-control"</pre>
name="stok" value="<?php echo $stok; ?>">
                             </div>
                             <div class="form-group">
                                  <button type="submit" class="btn btn-primary"</pre>
name="sub"> Tambah </button>
                                  <button type="submit" class="btn btn-secondary"</pre>
name="res"> Reset </button>
                             </div>
                         </form>
                     </article>
                 </div>
            </div>
        </div>
    </div>
</body>
</html>
```

Home.php

```
<?php
session_start();
include 'koneksi.php';
if (empty($_SESSION['email'])) {
    echo "Please log in first to see this page.";
    header('Location: login.php');
    die();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8"></head>
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Home</title>
    <script language="javascript">
        function tanya() {
            if (confirm("Apakah anda yakin akan menghapus data ini?")) {
                return true;
            } else {
                return false;
    </script>
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Roboto|Varela+Round|Open+Sans">
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/icon?family=Material+Icons">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scri</pre>
pt>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></sc</pre>
ript>
    <style>
        body {
            color: #404E67;
            background: black;
            font-family: 'Open Sans', sans-serif;
        .table-wrapper {
            width: 700px;
            margin: 30px auto;
            background: #fff;
            padding: 20px;
            box-shadow: 0 1px 1px rgba(0, 0, 0, .05);
```

```
.table-title {
    padding-bottom: 10px;
    margin: 0 0 10px;
.table-title h2 {
    margin: 6px 0 0;
    font-size: 22px;
.table-title .add-new {
    float: right;
    height: 30px;
    font-weight: bold;
    font-size: 12px;
    text-shadow: none;
   min-width: 100px;
    border-radius: 50px;
   line-height: 13px;
.table-title .add-new i {
    margin-right: 4px;
table.table {
    table-layout: fixed;
table.table tr th,
table.table tr td {
    border-color: #e9e9e9;
table.table th i {
    font-size: 13px;
    margin: 0 5px;
    cursor: pointer;
table.table th:last-child {
    width: 100px;
```

```
table.table td a {
    cursor: pointer;
    display: inline-block;
   margin: 0 5px;
   min-width: 24px;
table.table td a.add {
    color: #27C46B;
table.table td a.edit {
    color: #FFC107;
table.table td a.delete {
    color: #E34724;
table.table td i {
   font-size: 19px;
table.table td a.add i {
   font-size: 24px;
   margin-right: -1px;
    position: relative;
   top: 3px;
table.table .form-control {
   height: 32px;
   line-height: 32px;
    box-shadow: none;
   border-radius: 2px;
table.table .form-control.error {
    border-color: #f50000;
table.table td .add {
    display: none;
```

```
img {
           max-width: 100%;
           height: auto;
    </style>
</head>
<body>
<div class="container-lg">
       <div class="table-responsive">
           <div class="table-wrapper bg-success bg-opacity-25 p-4 text-dark"</pre>
style="border-radius: 0px 20px">
           You're login as <b><?php echo $_SESSION['peran']?></b>
               <div class="table-title">
                   <div class="row">
                       <div class="col-sm-8">
                           <h2><b>Menu Makanan Khas Daerah</b></h2>
                       </div>
                       <?php
                       if ($_SESSION['peran'] == "admin") {
                           <div class="col-sm-4">
                               <a href="tambahbarang.php">
                                   <button type="button" class="btn btn-info</pre>
add-new" style="border-radius: 0px 10px"><i class="fa fa-plus"></i> Tambah
Barang</button>
                               </a>
                           </div>
                       <?php
                   </div>
               </div>
               <table class="table table-borderedc text-center table-dark table-
striped">
                           Kode Barang
                           Gambar
                           Nama Barang
                           Harga
                           Stok
                           <?php
                           if ($_SESSION['peran'] == 'admin') {
```

```
echo "Keterangan";
                      </thead>
                  $query = "SELECT * FROM barang";
                      $sql = mysqli query($conn, $query);
                      while ($hasil = mysqli_fetch_array($sql)) {
                          $kode = $hasil['kode_barang'];
                          $gambar = $hasil['gambar'];
                          $nama_barang = stripslashes($hasil['nama']);
                          $harga = $hasil['harga'];
                          $stok = $hasil['jml_stok'];
                          <?php echo $kode ?>
                              <img src="images/<?php echo $gambar?>">
                              <?php echo $nama_barang ?>
                              <?php echo $harga ?>
                              <?php echo $stok ?>
                              if ($ SESSION['peran'] == 'admin') {
                                     <a class="edit" title="Edit" data-</pre>
toggle="tooltip" href='editbarang.php?id=<?php echo $kode ?>'><i class="material-</pre>
icons"></i></a>
                                     <a class="delete" title="Delete" data-</pre>
toggle="tooltip" href='delete_barang.php?id=<?php echo $kode ?>&gambar=<?php echo</pre>
$gambar;?>' onClick='return tanya()'><i class="material-icons">&#xE872;</i></a>
                                 <?php
                          <?php } ?>
                  <a href="logout.php">
                  <button type="button" class="btn btn-danger" style="border-</pre>
radius: 0px 10px">Log out</button>
               </a>
           </div>
```

Koneksi.php

Login.php

```
<?php
include "koneksi.php";

error_reporting(0);

session_start();

if (isset($_SESSION['email'])) {
    header("Location: home.php");
}

if (isset($_POST['submit'])) {
    $email = $_POST['email'];
    $password = $_POST['password'];

$sql = "SELECT * FROM user WHERE email='$email' AND password='$password'";</pre>
```

```
$result = mysqli_query($conn, $sql);
    if (\$result > 0) {
        $row = mysqli_fetch_assoc($result);
        $ SESSION['email'] = $row['email'];
        $_SESSION['peran'] = $row['peran'];
        header("Location: home.php");
    } else {
        echo "<script>alert('Username dan password salah!, silahkan coba
lagi.')</script>";
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Login</title>
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scri</pre>
pt>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></sc</pre>
ript>
   <style>
        body{
            background-color: black;
        .login-form {
            width: 340px;
            margin: 50px auto;
            font-size: 15px;
        .login-form form {
            margin-bottom: 15px;
            background: #f7f7f7;
```

```
box-shadow: 0px 2px 2px rgba(0, 0, 0, 0.3);
            padding: 30px;
        .login-form h2 {
           margin: 0 0 15px;
        .form-control,
        .btn {
           min-height: 38px;
           border-radius: 2px;
        .btn {
           font-size: 15px;
           font-weight: bold;
   </style>
</head>
<body>
   <div class="login-form">
       <form action="" method="POST" style="border-radius: 10px 30px">
           <h2 class="text-center">Wellcome!</h2>
            Please sign in.
            <div class="form-group">
               <input type="email" class="form-control" placeholder="E-mail"</pre>
name="email" required="required">
           </div>
            <div class="form-group">
               <input type="password" class="form-control"</pre>
placeholder="Password" name="password" required="required">
           </div>
            <div class="form-group">
               <button type="submit" name="submit" class="btn btn-primary btn-</pre>
block">Log in</putton>
            </div>
       </form>
        Belum punya akun? <a</pre>
href="register.php">Register disini!</a>
   </div>
</body>
</html>
```

Logout.php

```
<?php
session_start();
session_destroy();
header("Location: login.php");
?>
```

Register.php

```
<?php
include "koneksi.php";
if (isset($ SESSION['email'])) {
    header("Location: displaybarang.php");
if (isset($_POST['register'])) {
    $nama= $_POST['nama'];
    $email = $_POST['email'];
    $telp = $_POST['telp'];
    $password = $ POST['password'];
    $peran = $_POST['peran'] ?? null;
    if($email == "" || $nama == "" || $password == "" || $telp == "" || $peran ==
null){
        echo "<script>alert('Data tidak boleh kosong!')</script>";
    } else {
        $sql = "INSERT INTO user (kode_user, nama, email, telp, password, peran)
VALUES (NULL, '$nama', '$email', '$telp', '$password', '$peran')";
        $result = mysqli_query($conn, $sql);
        if ($result > 0) {
            echo "<script>alert('Data berhasil ditambahkan!')</script>";
        } else {
            echo "<script>alert('Data gagal ditambahkan!')</script>";
<!DOCTYPE html>
<html lang="en">
```

```
<meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register</title>
    <link href="//maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"</pre>
rel="stylesheet" id="bootstrap-css">
    <script
src="//maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
    <link rel="stylesheet"</pre>
href="https://use.fontawesome.com/releases/v5.0.8/css/all.css">
</head>
<body>
    <div class="container">
        <br>
        <div class="row justify-content-center">
            <div class="col-md-6">
                <div class="card">
                     <header class="card-header">
                         <h4 class="card-title mt-2">Sign up</h4>
                     </header>
                     <article class="card-body">
                         <form action="" method="POST">
                             <div class="form-group">
                                 <label for="">Nama</label>
                                 <input type="text" class="form-control"</pre>
name="nama" placeholder="">
                             </div>
                             <div class="form-group">
                                 <label>E-mail</label>
                                 <input type="email" class="form-control"</pre>
name="email" placeholder="">
                             </div>
                             <div class="form-group">
                                 <label>No. Telp</label>
                                 <input type="text" class="form-control"</pre>
name="telp" placeholder="">
                             </div>
                             <div class="form-group">
                                 <label>Password</label>
```

```
<input type="password" class="form-control"</pre>
name="password" placeholder="">
                             </div>
                             <div class="form-group">
                                 <label class="form-check form-check-inline">
                                      <input class="form-check-input" type="radio"</pre>
name="peran" value="admin">
                                      <span class="form-check-label"> Admin </span>
                                 </label>
                                 <label class="form-check form-check-inline">
                                      <input class="form-check-input" type="radio"</pre>
name="peran" value="user">
                                      <span class="form-check-label"> User</span>
                                 </label>
                             </div>
                             <div class="form-group">
                                 <button type="submit" class="btn btn-primary btn-</pre>
block" name="register"> Register </button>
                             </div>
                         </form>
                     </article>
                     <div class="border-top card-body text-center">Sudah punya
akun? <a href="login.php">Log In</a></div>
                </div>
            </div>
        </div>
    </div>
</body>
</html>
```

Tambahbarang.php

```
<?php
session_start();
include 'koneksi.php';

//empty does both of the checks you are doing at once
//check if user is logged in first
if (empty($_SESSION['email'])) {

    //give error and start redirection to login page
    //you may never see this `echo` because the redirect may happen too fast
    echo "Please log in first to see this page.";</pre>
```

```
header('Location: login.php');
    //kill page because user is not logged in and is waiting for redirection
    die();
if ($ SESSION['peran'] != 'admin') {
    die("Access Denied, you're not admin!");
if (isset($ POST['sub'])) {
    $ekstensi_diperbolehkan = array('png', 'jpg');
    $gambar = $_FILES['gambar']['name'] ?? null;
    $x = explode('.', $gambar);
    $ekstensi = strtolower(end($x));
    $file_tmp = $_FILES['gambar']['tmp_name'];
    if (empty($gambar)) {
        echo "<script>alert('Please choose a file..!')</script>";
    } else {
        $kode = $_POST['kode'];
        $nama_barang = $_POST['nama'];
        $harga = $_POST['harga'];
        $stok = $ POST['stok'];
        if (in array($ekstensi, $ekstensi diperbolehkan) === true) {
            move_uploaded_file($file_tmp, 'images/' . $gambar);
            $sql = "INSERT INTO barang (kode_barang, nama, harga, jml_stok,
gambar) VALUES ($kode, '$nama_barang', $harga, $stok, '$gambar')";
            $result = mysqli_query($conn, $sql);
            if ($result) {
                echo "<script>alert('Data berhasil ditambahkan!')</script>";
            } else {
                echo "<script>alert('Data gagal ditambahkan!')</script>";
        } else {
            echo '<div class="alert alert-danger">Ekstensi gambar yang
diperbolehkan hanya .jpg dan .png</div>';
<!DOCTYPE html>
<html lang="en">
```

```
<meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Tambah Barang</title>
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/css?family=Roboto|Varela+Round|Open+Sans">
    <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css">
    <link rel="stylesheet"</pre>
href="https://fonts.googleapis.com/icon?family=Material+Icons">
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <script src="https://code.jquery.com/jquery-3.5.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"></scri</pre>
pt>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/js/bootstrap.min.js"></sc</pre>
ript>
    <style>
        body {
            color: #404E67;
            background: black;
            font-family: 'Open Sans', sans-serif;
    </style>
</head>
<body>
    <div class="container">
        <br>
        <div class="row justify-content-center">
            <div class="col-md-6">
                <div class="card">
                     <header class="card-header">
                         <a href="home.php" class="float-right btn btn-outline-</pre>
primary mt-1">Kembali ke display barang</a>
                         <h4 class="card-title mt-2">Tambah Barang</h4>
                    </header>
```

```
<article class="card-body">
                         <form action="" method="POST" enctype="multipart/form-</pre>
data">
                              <div class="form-group">
                                  <label>Kode Barang</label>
                                  <input type="text" class="form-control"</pre>
name="kode" placeholder="">
                              </div>
                              <div class="form-group">
                                  <label>Nama Barang</label>
                                  <input type="text" class="form-control"</pre>
name="nama" placeholder="">
                              </div>
                              <div class="form-group">
                                  <label>Harga</label>
                                  <input type="text" class="form-control"</pre>
name="harga" placeholder="">
                              </div>
                              <div class="form-group">
                                  <input type="file" name="gambar">
                              </div>
                              <div class="form-group">
                                  <label>Jumlah Stok</label>
                                  <input type="text" class="form-control"</pre>
name="stok" placeholder="">
                              </div>
                              <div class="form-group">
                                  <button type="submit" class="btn btn-primary"</pre>
name="sub"> Tambah </button>
                                  <button type="submit" class="btn btn-secondary"</pre>
name="res"> Reset </button>
                             </div>
                         </form>
                     </article>
                 </div>
            </div>
        </div>
    </div>
</body>
</html>
```