

NOTES:

LOT AREA: 2.237 AC.
DISTURBED AREA: 19,602 sq ft
PROPOSED HOUSE ELEVATIONS:
FIRST FLOOR: 141
BASEMENT: 132
GARAGE: 139

1. THIS IS A PLOT PLAN ONLY AND SHOULD NOT BE USED AS A COMPUTATION SHEET FOR STAKEOUT.
2. PRIOR TO STAKING THE HOUSE, ALL DIMENSIONS SHALL BE VERIFIED ON THE FOUNDATION PLANS OF THE PROPOSED HOUSE AND ACCURATE LOCATION OF THE BUILDING COMPUTED.
3. THIS IS NOT A BOUNDARY SURVEY OR LOT STAKEOUT. NO TITLE RESEARCH FURNISHED TO OR DONE BY THIS OFFICE.
4. THIS LOT SHALL BE GRADED TO DRAIN SURFACE WATER AWAY FROM FOUNDATION WALLS. THE GRADE AWAY FROM THE FOUNDATION SHALL FALL A MINIMUM OF 6" WITHIN THE FIRST 10'.

LEGEND
→ earth berm
-LOD- limit of disturbance
⊕ perc test

GENERAL NOTES FOR HEALTH DEPARTMENT APPROVAL:


1. THIS LOT IS SERVED BY AN INDIVIDUAL SEPTIC DISPOSAL SYSTEM AND A PUBLIC WATER SYSTEM. THIS PLAT CONFORMS WITH THE ST. MARY'S COUNTY COMPREHENSIVE WATER AND SEWER PLAN.
2. THE HEALTH DEPARTMENT APPROVAL CERTIFIES THAT THE LOT SHOWN HEREON IS IN CONFORMANCE WITH PERTINENT LAWS AND REGULATIONS AS OF THE APPROVAL DATE. HOWEVER, THIS APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS.
3. THIS LOT IS SERVED BY AN INDIVIDUAL SEPTIC DISPOSAL SYSTEM AND A PUBLIC WATER SYSTEM. THIS PLAT CONFORMS WITH THE ST. MARY'S COUNTY COMPREHENSIVE WATER AND SEWER PLAN.
4. THE HEALTH DEPARTMENT APPROVAL CERTIFIES THAT THE LOT SHOWN HEREON IS IN CONFORMANCE WITH PERTINENT LAWS AND REGULATIONS AS OF THE APPROVAL DATE. HOWEVER, THIS APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS. APPROVAL IS SUBJECT TO CHANGE IN SUCH LAWS AND REGULATIONS.
5. UNLESS OTHERWISE SHOWN THERE ARE NO WELL OR SEPTIC SYSTEMS WITHIN 100 FEET OF THE PROPOSED SEPTIC SYSTEM.
6. HOUSE SHALL BE LIMITED TO 4 BEDROOMS.

HEALTH DEPARTMENT:

SANITARIAN: *Sheryl Shubert*

DATE: 8-25-10

WATER CATEGORY: W-3
SEWER CATEGORY: NPS



PROFESSIONAL CERTIFICATION: I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 26877, EXPIRATION DATE: JUNE 30, 2012.



Date: 8/10

R. A. BARRETT
& ASSOCIATES, INC.
ENGINEERS & SURVEYORS
100 JIBSAIL DR., SUITE 103
PRINCE FREDERICK, MD 20678
410-257-2255 301-855-5554 FAX: 410-257-3782

SITE PLAN

LOT 104
PHASE 2
BEN OAKS

5th District,

St. Mary's County, Maryland

TAX MAP 9, PARCEL 379
TAX I.D. #: 05-066931
ADDRESS: 39670 Claire's Drive

DATE: 8/10
SCALE: 1" = 50'
DRAWN BY: GN
DRAWING #: 13552
FILE #: SM 0036
JOB #: 13552