
## 构建本地git目录

```
MINGW64:,
                                                 ____/game_neuradyn...
                                                                                  X
[trains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/
estDir
$ mkdir WeChat
[trains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir
$ 11
total 0
drwxr-xr-x 1 Itrains 197121 0 Apr 7 10:10 WeChat/
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir
$ git init
game_neuradynamia/testDir/.git/
[trains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/
estDir (master)
$ 1s -1A
total 4
drwxr-xr-x 1 Itrains 197121 0 Apr
                                    7 10:10 .git/
drwxr-xr-x 1 Itrains 197121 0 Apr 7 10:10 WeChat/
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ 11 .git/
total 7
-rw-r--r-- 1 Itrains 197121 23 Apr
-rw-r--r-- 1 Itrains 197121 130 Apr
                                      7 10:10 HEAD
7 10:10 config
7 10:10 description
-rw-r--r-- 1 Itrains 197121
                             73 Apr
                                      7 10:10 hooks/
7 10:10 info/
7 10:10 object
7 10:10 refs/
drwxr-xr-x 1 Itrains 197121
                               0 Apr
drwxr-xr-x 1 Itrains 197121
drwxr-xr-x 1 Itrains 197121
                               0 Apr
                                         10:10 objects/
                               0 Apr
drwxr-xr-x 1 Itrains 197121
                               0 Apr
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ |
```

```
21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/
estDir (master)
$ 设置用户名和用户邮件^C
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ git config user.name itrains
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ git config user.email 2545531794@qq.com
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master) $ 设置当前操作系统的用户名和用户邮件^C
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ git config --global user.name itrains
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ git config --global user.email 2545531794@qq.com
```



```
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t
estDir (master)
$ cd ~

Itrains@LAPTOP-R21BFTSM MINGW64 ~
$ cat .gitconfig
[core]
        editor = \"D:\\Microsoft VS Code\\bin\\code\" --wait
[user]
        name = itrains
        email = 2545531794@qq.com
```

### 级别优先级

- ◆ 就近原则:项目级别优先于系统用户级别,二者都有时采用项目级别的签名
- ◆ 如果只有系统用户级别的签名,就以系统用户级别的签名为准
- ◆ 二者都没有不允许

#### 查看状态与添加文件到git版本管理

```
[trains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/
 stDir (master)
$ git status
On branch master
No commits yet
nothing to commit (create/copy files and use "git add" to track)
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/
estDir (master)
$ vim good.txt
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/
estDir (master)
$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
```

```
trains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/t:
 estDir (master)
$ git commit good.txt
warning: LF will be replaced by CRLF in good.txt.
The file will have its original line endings in your working directory
hint: Waiting for your editor to close the file...
 ヾ 文件(E) 编辑(E) 选择(S) 查看(V) 转到(G) 运行(R) 终端(I) 帮助(H)
                                                                                                COMMIT

    ≡ COMMIT_EDITMSG ×

                                                           <sup>,</sup> game_neuradynamia > testDir > .git >   ≡  COM
 \mathcal{Q}
                # Please enter the commit message for your changes. Lines starting
                # with '#' will be ignored, and an empty message aborts the commit.
 وړ
                # On branch master
                # Changes to be committed:
                # new file: good.txt
 ĹΘ
                # Hello, this is my first time to use git commit
          12
```


```
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/testDir (master)

$ git commit good.txt
warning: LF will be replaced by CRLF in good.txt.
The file will have its original line endings in your working directory
Aborting commit due to empty commit message.

Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/testDir (master)

$ git commit -m "My second commit, modify good.txt" good.txt
warning: LF will be replaced by CRLF in good.txt.
The file will have its original line endings in your working directory
[master (root-commit) 70cf8b3] My second commit, modify good.txt

1 file changed, 1 insertion(+)
create mode 100644 good.txt
```



# 将git与github连接

把github上面的仓库克隆到本地 git clone 网址.git

```
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia $ git clone https://github.com/wfhhisagony/game_neuradynamia.git Cloning into 'game_neuradynamia'... remote: Enumerating objects: 6, done. remote: Counting objects: 100% (6/6), done. remote: Compressing objects: 100% (4/4), done. remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 Receiving objects: 100% (6/6), done.
```


```
git add * (注:别忘记后面的.,此操作是把Test文件夹下面的文件都添加进来)
git commit -m "提交信息" (注:"提交信息"里面换成你需要,如"first commit")
git push -u origin master (注:此操作目的是把本地仓库push到github上面,此步骤需要你输入帐号和密码)
```

```
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/g
ame_neuradynamia (main)
$ git add .
```

```
Itrains@LAPTOP-R21BFTSM MINGW64 ~/Desktop/mycode/Qt/learning/game_neuradynamia/game_neuradynamia (main)

§ git commit -m "first commit"
[main 1f6c11c] first commit

12 files changed, 768 insertions(+)
create mode 100644 game_neuradynamia.pro
create mode 100644 game_neuradynamia.pro.user
create mode 100644 gametimer.cpp
create mode 100644 gametimer.h
create mode 100644 main.cpp
create mode 100644 mainwindow.cpp
create mode 100644 mainwindow.ui
create mode 100644 mainwindow.ui
create mode 100644 other/doc/ReadMe.md
create mode 100644 "\345\256\236\351\252\214\344\270\200 Git&Github.docx"
create mode 100644 "\345\256\236\351\252\214\344\270\212\344\274\240\350\207
\263github\346\223\215\344\275\234.md"
```



#### 设置SSH KEY



