


The Excel add-in I wish I'd had at every project deadline.

A free ribbon tab for finance and FP&A work: more than 100 one-click commands for formats, formulas and pivot tables, plus a LAMBDA library, Monte Carlo simulation, time series forecasting and panel charts.



Every deadline, the same fights with Excel.

The macro you wrote at 11pm lives in one workbook, on one laptop.

Your best LAMBDA is buried in Name Manager, with no note of what it does.

Simulation means a paid add-in, or a model nobody else can open.

XL Edge fixes all three, **for free.**

Six tools. One ribbon tab.

Format Tools

Page 3

Color-code a model by what each cell holds, and cycle number formats and scales from the keyboard.

Format Pivot Table

Page 4

Lays out every pivot table in the file and picks each field's number format from its name.

Monte Carlo and Time Series

Pages 6–8

Forty-one distributions, five copulas, risk measures and finished charts, plus forecasts with a band and statistical diagnostics, as native LAMBDA formulas that run for anyone who opens the file.

Formula Tools

Page 3

Wrap, convert, re-reference and rescale every formula in a selection at once.

LAMBDA Studio

Page 5

A searchable library for your custom LAMBDA functions: inject, share, or pull more from GitHub.

Panel Charts

Page 9

A grid of small charts, sized by you when you run it, on one shared scale in a single native chart.

Free.

MIT licensed: use it and change it however you like. No sign-up, no trial, no marketing emails, and it will never be a commercial product.

The everyday work, one click at a time.

Most of the tab is for jobs you do every day: formatting a schedule, fixing formulas, tidying an export. Two menus hold 55 of the commands.

Format Tools

23 commands

Financial Formatting colors each cell by what it holds

1,250 Typed-in number

=B4*C4 Formula

=Inputs!C7 Other sheet

=[Budget.xlsx]Plan!D9 Other file

=B4*1.05 Number in a formula

Ctrl Shift 1 steps through number formats

1,234 \$1,234 12.5% 8x ▲ 1,234 ▼ (12.5%)

Ctrl Shift 2 rescales

1,234,567 1,234.6K 1.2M 0.0B

- Blue-and-black inputs and formulas on a selection
- Cycle font, size, font color and fill color
- Remove empty rows and columns, borders, custom styles
- Set row heights and column widths; paste column widths

Formula Tools

32 commands

Wrap with IFERROR

=B4/C4 → =IFERROR(B4/C4,0)

Wrap with Round

=B4*C4 → =ROUND(B4*C4,2)

Change SUM to SUBTOTAL

=SUM(D4:D9) → =SUBTOTAL(9,D4:D9)

Formulas to absolute refs

=B4*C4 → =\$B\$4*\$C\$4

Remove same-sheet refs

=Model!D4 → =D4

Works on the whole selection. Cells already wrapped are skipped, so running it twice is safe.

- Fill right or down into empty cells only, never over data
- Multiply or divide by 1,000, or by any value
- Exact copy: move formulas without shifting references
- List a formula as text beside it, for review
- Trim, prefix, suffix, remove characters, five case changes
- Fill blanks with a value, or replace them with zero

Nine shortcuts

1 Number format 2 Number scale 3 Font size 4 Font 6 Font color
7 Fill color R Fill right D Fill down U Formula bar

All with Ctrl Shift. XL Edge hands the keys back to Excel when it unloads.

Quickly format every pivot table in the file. **One click.**

Excel starts every pivot table in compact layout and General format. Format Pivot Table fixes every one in the workbook, and picks each value field's number format from its name.

Before: Excel's defaults

Row Labels ☐	Revenue	Revenue PY	Var	Var %	Margin %
North	1284300	1196550	87750	0.073335841	0.344997275
South	942180	978400	-36220	-0.037019624	0.320002547
East	1105760	1021900	83860	0.082062824	0.354995659
West	688420	702310	-13890	-0.019777591	0.319005839
Grand Total	4020660	3899160	121500	0.031160558	0.337439624

After: one click on Format Pivot Table

Region	Revenue	Revenue PY	Var	Var %	Margin %
North	1,284,300	1,196,550	▲ 87,750	7.3%	34.5%
South	942,180	978,400	▼ (36,220)	(3.7%)	32.0%
East	1,105,760	1,021,900	▲ 83,860	8.2%	35.5%
West	688,420	702,310	▼ (13,890)	(2.0%)	31.9%
Grand Total	4,020,660	3,899,160	▲ 121,500	3.1%	33.7%

Sample data. Var is Revenue less Revenue PY; Var % is Var over Revenue PY.

The field name picks the format


Name contains	Shows as
Var %	7.3% (3.7%)
Var	▲ 87,750 ▼ (36,220)
%, Pct, Rate, Ratio, CAGR	34.5%
Factor	1.250
Year	2026
Anything else	1,284,300 (36,220) -

And, on every pivot table

- ✓ Tabular layout, with real column headers.
- ✓ Header rows wrapped, centered, and set to one height.
- ✓ Row labels left, numbers right.
- ✓ Expand and collapse buttons hidden.
- ✓ Widths stop autofitting, so a refresh keeps the layout.
- ✓ Every pivot on every sheet, in one pass.

LAMBDAs are brilliant. Managing them isn't.

Custom LAMBDA functions live in Name Manager, one workbook at a time, in a text box with nowhere to record what they do. Moving one to another workbook means copying strings by hand. LAMBDA Studio gives them a real library, right in the ribbon.



Filter the library, pick a function from the dropdown, and inject it into the active workbook, or bring the active workbook's LAMBDAs back into the library.

Quickly move LAMBDA formulas between workbooks.

Bring in from A GitHub gist, an Excel file, or the workbook you're in.

Your library Searchable, described, and yours to rename, edit or delete.

Send out to Any open workbook, an Excel file for a colleague, or gist text for GitHub.

Every move is the same three fields: name, formula, description. Adding a new source later is one function, not a new menu.

Five LAMBDAs to start

fxZScore
Z-score against the full population.

fxZ0utlier, ...High, ...Low
Outlier flags by the z-score method.


fxSlicerSelection
The slicer items applied to a set of CUBE formulas.

fx.Risk...λ × 136
The Monte Carlo and statistical library ships inside XL Edge too, but stays out of your list: each command installs only the functions it needs.

Import and export in two formats: an **Excel workbook** to hand to a colleague, or **Advanced Formula Environment gist text** to publish on GitHub.

Monte Carlo functionality in spillable dynamic arrays.

Pick one of 41 distributions, answer the prompts, and XL Edge writes an ordinary LAMBDA formula into the cell.




Continuous Beta, Cauchy, Chi-squared, Cumulative, Erlang, Exponential, F, Gamma, Gumbel, Half-Cauchy, Half-normal, Half-Student t, Inverse chi-squared, Inverse gamma, Inverse Gaussian, Laplace, Logistic, Lognormal, Metalog, Noncentral beta, Noncentral F, Noncentral t, Normal, Pareto, PERT, Skew normal, SPT metalog, Student t, Triangular, Truncated normal, Uniform, Weibull

Discrete Benford, Bernoulli, Binomial, Discrete, Discrete Uniform, Geometric, Hypergeometric, Negative Binomial, Poisson

```
=fx.RiskPertλ($C$4, $C$5, $C$6, MC_Trials, 7)
```

The trial count lives in one name, MC_Trials. Each input gets its own stream id, so inputs stay independent.



Mean	P50	P90	Trials
105.1	103.9	122.7	10,000

Real output from `fx.RiskPertλ`: a project cost estimated at 80 / 100 / 150, 10,000 trials. Illustrative inputs.

A simulation you can hand to anyone


- ✓ One cell spills every trial.
- ✓ Seeded, not RAND: trials hold still on recalculation.
- ✓ The functions live in the workbook, so the model runs without XL Edge. Only the ones it uses are installed.
- ✓ One click adds statistics for one result or several, histogram data, or VaR, CVaR and Expected Shortfall.

Conventions follow XLRisk (MIT) and @RISK. Full reference on the project page.

Monte Carlo models with modern formulas and without a costly add-in.

Correlated inputs that properly move together.

A distribution describes one input. A copula describes how inputs move together, so price and volume, or claim frequency and severity, are not sampled as if they were unrelated. Then one click turns the trials into a native Excel chart that redraws whenever the model changes.




Five copulas, chosen by the tails


Copula	Use it when
Gaussian	The standard: symmetric, no extra tail dependence
Student t	Extremes coincide in both tails
Clayton	Inputs crash together
Gumbel	Inputs boom together
Frank	Symmetric, with lighter tails than the Gaussian

Clayton and Frank also run negative for two inputs: price up, volume down. Each copula spills one column of correlated uniforms per input, fed into the distributions you already chose.

Many Monte Carlo applications lack this robust suite of tools.



Outcome histogram: the central 80% in colour, P10, P50 and P90 marked. Synthetic inputs.




Tornado: grey is an input in its lowest 10% of trials, orange its highest. Synthetic inputs.

Monte Carlo charts in one click


- ✓ Histogram with its S-curve, outcome histogram at P10 / P50 / P90, tornado, and a fan chart for time series.
- ✓ Native Excel charts reading a live spill, with the title linked to a cell: change the model or the seed and they redraw.

Forecasts with a band, not a single number.


Two more Tools fly-outs take simulation past a single period. Insert Time Series simulates paths, fits them to your history and forecasts seasonal series. Insert Statistical Diagnostics checks the inputs before you trust them.



SARIMA: fit 108 months, forecast 24 with a P10 to P90 band. Synthetic data.



Fan chart: the P10 to P90 band, the median, and the plan. Synthetic data.



Time series, from the Tools menu

Group	What it writes
Simulate paths	GBM, jump-diffusion, two mean-reverting models, ARMA, ARIMA, GARCH
Fit to a history	The parameters for each, from your data
Seasonal ARIMA	Fit, forecast with a band, simulate, backtest, rank models
Diagnostics	Correlation, covariance, normality, VIF, eigenvalues, outliers


The same rules as the Monte Carlo functions

- ✓ One cell spills every path: one row per trial, one column per period.
- ✓ Seeded and non-volatile, and only the functions a model uses are installed.
- ✓ A correlation matrix from your history feeds straight into a copula.

Any grid. One scale. One object.

Copy a chart across a grid and every copy gets its own value axis, rescaling on its own. XL Edge builds a panel chart as **one native Excel chart**, so every panel is always on the same scale.

You set the rows and columns each time you run it, up to 8×6 . Select your data, or start with nothing and paste over a placeholder block. It lands on its own sheet, set up to print on one landscape page.



One example: a 4×4 grid from Tools → Create Panel Chart. Line and bar orientations. Sample data.

And the rest of the 100+.

Page setup

Standard page setup on every selected sheet

Switch portrait or landscape

Update the left or right footer

Clear footers

Insert the company name

Files and sheets

Copy sheets to a new file without formulas

Remove formulas from a selection, sheet or file

Shrink an Excel file

Unmerge selected sheets or all sheets

Unmerge and center across

Everything else

Center across selection

Light underline under a range

Insert a symbol from a list

Toggle gridlines; expand the formula bar

Read cell contents aloud

Plus many more...

Know the scope.

Most tooltips say exactly what a command touches: **the selection, the worksheet, or the whole workbook**. Commands that delete rows or columns ask you to confirm first.

100+ productivity macros built to a modern standard.

Years of late-night macros, refactored with Claude Code against my own written standard for speed, reliability and maintainability. The refactor fixed real bugs along the way:

- ✓ Canceling *Wrap with Round* used to write `=ROUND(..., False)` into the cell.
- ✓ Six wrap and sign macros forced manual calculation back to automatic, and could leave it stuck on manual after an error.
- ✓ *Remove Negative Signs* silently wiped every formula in the selection before it started.

```
' Type:=1 makes Excel police the input as a
' number for us. Cancel returns Boolean False
' -- the old version concatenated that straight
' into the formula and produced =ROUND(...,False).
v = Application.InputBox( _
    prompt:=..., title:=TITLE_TXT, _
    Default:="0", Type:=1)
```

```
If VarType(v) = vbBoolean Then Exit Sub
```

From `Wrap_with_Round`, `modProductivity_Code.bas`. Comment re-wrapped and prompt text shortened to fit.

23 VBA modules • MIT license • Source on GitHub

Get XL Edge. It's free.

1 Download the .xlam

From the project page, or the GitHub releases page.

2 Right-click the file → Properties → tick Unblock → OK

Windows blocks macros in files downloaded from the internet. Skip this and the tab won't appear.

3 Double-click to load it

Or add it permanently: File → Options → Add-ins → Excel Add-ins → Go → Browse.

Project page edgewisedata.com/projects/xl-edge

Source github.com/wfphillips128/xl-edge-excel-addin

Windows desktop Excel 2016 or later, or Microsoft 365, with macros enabled.
LAMBDA features need Microsoft 365 or Excel 2024. No Mac or web version.



Scan for the download