Submission Worksheet

Submission Data

Course: IT202-450-M2025
Assignment: IT202 Module 3 HTML, CSS, JS Challenges
Student: Wilfer G. (wg99)
Status: Submitted | **Worksheet Progress:** 100+%
Potential Grade: 11.00/10.00 (110.00%)
Received Grade: 0.00/10.00 (0.00%)
Started: 6/16/2025 1:13:46 PM
Updated: 6/16/2025 6:15:56 PM
Grading Link: https://learn.ethereallab.app/assignment/v3/IT202-450-M2025/it202-module-3-html-css-js-challenges/grading/wg99
View Link: https://learn.ethereallab.app/assignment/v3/IT202-450-M2025/it202-module-3-html-css-js-challenges/view/wg99

Instructions

- Overview Link: https://youtu.be/Dyl6dg1Xybo

1. Ensure you read all instructions and objectives before starting.
2. Create a new branch from `dev` called `M3-Homework`
    1. `git checkout dev` (ensure proper starting branch)
    2. `git pull origin dev` (ensure history is up to date)
    3. `git checkout -b M3-Homework` (create and switch to branch)
3. Copy the template code from here: GitHub Repository - M3 Homework
    - It includes Challenges 1-3, `util.js`, and `styles.css`. Put all into an `M3` folder or similar inside your `public_html`
    - Immediately record to history
        - [ ] `git add public_html`
        - [ ] `git commit -m "adding M3 HW baseline files"`
        - [ ] `git push origin M3-Homework`
        - [ ] Create a Pull Request from `M3-Homework` to `dev` and keep it open
4. Fill out the below worksheet
    - Each Problem requires the following as you work
        - [ ] Ensure there's a comment with your UCID, date, and brief summary of how the problem was solved
        - [ ] Update ucid in header tag
        - [ ] Code solution (add/commit periodically as needed) (style and/or script tags)
5. Once finished, click "Submit and Export"
6. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
    1. `git add .`
    2. `git commit -m "adding PDF"`
    3. `git push origin M3-Homework`
    4. On Github merge the pull request from `M3-Homework` to `dev`
    5. On Github create a pull request from `dev` to `prod` and immediately merge. (This will trigger the `prod`

deploy to make the heroku prod links work)

7. Upload the same PDF to Canvas
8. Sync Local
    1. `git checkout dev`
    2. `git pull origin dev`

Section #1: (3 pts.) Challenge 1 - Fixed Header, Content, Footer

Progress: 100%

☰ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- #1 The header and footer should remain FIXED in place (top and bottom of page respectively)
- #2 The content area should SCROLL independently (nothing should be pushed off screen and the browser WINDOW scrollbar shouldn't appear)
- #3 The entire page should always take up the full viewport height
- #4 The borders around header,main,footer should remain intact and visible, this will help show that the challenges were solved correctly
- Add code to solve the problem (add/commit as needed)

🖼 Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on Heroku dev after a manual deploy) 1. Ensure url is visible in the browser's address bar

the whole output



```
/* Wgod - 30%-60.-11.:full-page layout with scrollable content */
html, body {
  margin: 0;
  padding: 0;
  height: 100vh;
  overflow: hidden; /* Prevent window scrollbar */
  font-family: sans-serif;
}

header, footer, main {
  border: 2px solid black;
  padding: 10px;
  box-sizing: border-box;
}
    You, 37 minutes ago • solved challenge 1
header {
  position: fixed;
  top: 0;
```

the solution

```
<style>
  footer {
    position: fixed;
    bottom: 0;
    left: 0;
    right: 0;
    height: 40px;
    background: #f0f0f0;
    z-index: 1;
  }

  main {
    margin: 0px 0px 0;
    top: 60px;
    bottom: 40px;
    left: 0;
    right: 0;
    overflow-y: auto;
    background: #fff;
  }

  .content {
    padding: 20px;
  }
</style>      You, 14 minutes ago • added problems
```

another image

Saved: 6/16/2025 1:44:26 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework-related branch from GitHub (should end in `.html`)
- Direct link to the file on Heroku Prod (Just grab the base prod url and manually enter the path to the file)

URL #1
https://it202-738691a16289.herokuapp.com/M3/challenge1.html

URL
https://it202-738691a16289.herol

URL #2
https://github.com/wg99nj/IT202-M3-Homework/public_html/M3/challenge1.html

URL
https://github.com/wg99nj/IT202-

Saved: 6/16/2025 1:44:26 PM

Part 3:

Progress: 100%

Details:
Briefly explain `how` the code solves the challenge(s) (note: this isn't the same as `what` the code does)

Your Response:

The code uses fixed positioning to keep the header and footer always visible, and makes the main content scroll separately using overflow-y: auto. It made sure the full page takes up 100% of the

content scroll separately using overflow-y: auto. It made sure the full page takes up 100% of the viewport height and keeps borders around each section to clearly show everything stays in place while scrolling.

Saved: 6/16/2025 1:44:26 PM

Section #2: (3 pts.) Challenge 2 - Header, Content, And Sidebars

Progress: 100%

Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
  - #1: Header is at the top
  - #2: Content takes up the rest of the height
  - #3: Both sidebars docked to the respective side and take up 15% width; Content area should utilize the remaining width
- Using JavaScript complete the following
  - #4: Attach the appropriate event listener to the buttons
  - #5: Individual toggle the respective panel between collapsed and uncollapsed (Don't lose the button in the process)
  - #6: The content should adjust based on the status of the respective sidebars (i.e., take up more left, right, or both space)
- Add code to solve the problem (add/commit as needed)

Part 1:

Progress: 100%

Details:
Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on Heroku dev after a manual deploy) 1. Ensure url is visible in the browser's address bar

```
<script>
// wg99 - 2025-06-16: Add sidebar toggle logic
  // Left sidebar toggle
  document.querySelector("#left-sidebar button").addEventListener("click", () => {
    const sidebar = document.getElementById("left-sidebar");
    sidebar.classList.toggle("collapsed");
```

```
    const btn = sidebar.querySelector("button");
    btn.innerHTML = sidebar.classList.contains("collapsed") ? "&lt;" : "&gt;";
  });

  // Right sidebar toggle
  document.querySelector("#right-sidebar button").addEventListener("click", () => {
    const sidebar = document.getElementById("right-sidebar");
    sidebar.classList.toggle("collapsed");

    const btn = sidebar.querySelector("button");
    btn.innerHTML = sidebar.classList.contains("collapsed") ? "&gt;" : "&lt;";
  });
</script>
```

(method) Element.addEventListener(type: string, listener: Eve
options?: boolean | AddEventListenerOptions): void (+1 overlo

the script

```
<style>
  /* wg99 - 2025-06-16: Custom layout stylings */
  /* Layout container */
  .container {
    display: flex;
    height: calc(100vh - 40px); /* Adjust for header height if needed */
  }

  header {
    height: 40px;
    border: 2px solid white;
  }

  aside {
    width: 15%;
    min-width: 50px;
    border: 2px solid white;
    display: flex;
    flex-direction: column;
    align-items: center;
    transition: width 0.3s ease;
  }

  main.content {
    flex-grow: 1;
```

the style

```
<style>
  aside {
    flex-shrink: 0;
    align-items: center;
    transition: width 0.3s ease;
  }

  main.content {
    flex-grow: 1;
    border: 2px solid white;
    padding: 1em;
    overflow-y: auto;
  }

  aside button {
    margin: 10px 0;
    z-index: 1;
  }

  aside.collapsed ul {
    display: none;
  }
</style>
```

another image

the output

Saved: 6/16/2025 5:46:23 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework-related branch from GitHub (should end in `.html`)
- Direct link to the file on Heroku Prod (Just grab the base prod url and manually enter the path to the file)

URL #1

https://github.com/wg99nj/IT202-2025M3-Homework/public_html/M3/challenge2.html

URL

https://github.com/wg99nj/IT202-

URL #2

URL #2

https://it202-738691a16289.herokuapp.com/challenge2.html

https://it202-738691a16289.herol

Saved: 6/16/2025 5:46:23 PM

Part 3:

Progress: 100%

Details:
Briefly explain `how` the code solves the challenge(s) (note: this isn't the same as `what` the code does)

Your Response:

This code solves the challenge by creating a flexible layout where the header stays at the top and the content fills the remaining space beside two sidebars. The CSS ensures both sidebars are fixed at 15% width and can collapse without breaking the layout. JavaScript adds interactive buttons that let each sidebar collapse independently, and when they do, the content area automatically expands to use the freed up space keeping everything responsive and usable.

Saved: 6/16/2025 5:46:23 PM

Section #3: (3 pts.) Challenge 3 - Carousel Layout With Swiping

Progress: 100%

Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
  - #1 Header should be at the top
  - #2 Carousel should take up full width
  - #3 Buttons should be centered
  - #4 Carousel panels should fill the full height of the carousel
  - #5 Carousel content should be centered (vertical and horizontal)
- Using JavaScript complete the following
  - #4 Attach appropriate event listeners to each button
  - #5 Cycle through each panel, showing only 1 at a time
  - #6 Ensure that the panels loop when reaching the last or first one
- Add code to solve the problem (add/commit as needed)

Part 1:

Progress: 100%

Details:

Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on Heroku dev after a manual deploy) 1. Ensure url is visible in the browser's address bar

```
<!-- JS: Carousel Logic -->
<script>
  // UCID: wgyy | Date: 2025-06-16
  const panels = document.querySelectorAll('.panel');
  let currentIndex = 0;

  function updateCarousel() {
    panels.forEach((panel, index) => {
      panel.style.display = index === currentIndex ? 'block' : 'none';
    });
  }

  document.getElementById('prevBtn').addEventListener('click', () => {
    currentIndex = (currentIndex - 1 + panels.length) % panels.length;
    updateCarousel();
  });

  document.getElementById('nextBtn').addEventListener('click', () => {
    currentIndex = (currentIndex + 1) % panels.length;
    updateCarousel();
  });

  updateCarousel();
```

the solution

```
<style>
  /* UCID: wgyy | Date: 2025-06-16 */
  header {
    text-align: center;
    padding: 2rem;
    background: rgba(0,0,0,0.[illegible]);
  }

  .carousel-buttons {
    display: flex;
    justify-content: center;
    gap: 10px;
    margin: 2rem 0;
  }

  .carousel {
    width: 100%;
    display: flex;
    justify-content: center;
  }

  .carousel-container {
    width: 90%;
    max-width: 900px;
```

the css

```
    .carousel {
      width: 100%;
      display: flex;
      justify-content: center;
    }

    .carousel-container {
      width: 90%;
      max-width: 900px;
      min-height: 200px;
      background: rgba(0,0,0,0.[illegible]);
      display: flex;
      [illegible]
      justify-content: center;
    }

    .panel {
      display: none;
      width: 100%;
      [illegible]
      [illegible]
      padding: 2rem;
    }
  </style>
```

another image for the css



the output

Saved: 6/16/2025 6:02:07 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework-related branch from GitHub (should end in `.html`)
- Direct link to the file on Heroku Prod (Just grab the base prod url and manually enter the path to the file)

URL #1
https://it202-738691a16289.herokuapp.com/M3/challenge3.html

URL
https://it202-738691a16289.herol

URL #2
https://github.com/wg99nj/IT202-2025-M3-Homework/public_html/M3/challenge3.html

URL
https://github.com/wg99nj/IT202-

Saved: 6/16/2025 6:02:07 PM

Part 3:

Progress: 100%

Details:
Briefly explain `how` the code solves the challenge(s) (note: this isn't the same as `what` the code does)

Your Response:

This code solves the challenge by showing only one panel at a time and letting users move through them using buttons. It keeps the layout clean with the header on top, centered buttons, and a full-width carousel. When reaching the first or last panel, it loops smoothly, so the user can keep cycling through the content.

Saved: 6/16/2025 6:02:07 PM

Task #2 (+ 1.01 pts.) - Extra Credit - Challenge 7

Progress: 100%

Details:

- Allow mouse swipe on the carousel to cycle through the panels, similar to how the buttons would work

Part 1:

Progress: 100%

Details:

1. Snippet of relevant code showing solution (with ucid/date comment)

```
// UCID: wg99 | Date: 2025-06-16
let startX = 0;
const container = document.querySelector('.carousel-container');

container.addEventListener('touchstart', (e) => {
  startX = e.touches[0].clientX;
});

container.addEventListener('touchend', (e) => {
  let endX = e.changedTouches[0].clientX;
  let deltaX = startX - endX;

  if (Math.abs(deltaX) > 50) {
    if (deltaX > 0) {
      currentIndex = (currentIndex + 1) % panels.length; // swipe left
    } else {
      currentIndex = (currentIndex - 1 + panels.length) % panels.length; // swipe
    }
    updateCarousel();
  }
});
</script>
```

problem 3 but with the extra credit

Saved: 6/16/2025 6:08:59 PM

Part 2:

Progress: 100%

Details:
Briefly explain `how` the code solves the challenge(s) (note: this isn't the same as `what` the code does)

Your Response:

This version adds swipe support so users can slide between panels on touchscreens, making the carousel more interactive. It still cycles through one panel at a time using buttons or gestures and wraps around when reaching the end or beginning.

Saved: 6/16/2025 6:08:59 PM

Section #4: (1 pt.) Misc

Progress: 100%

Task #1 (0.33 pts.) - Github Details

Progress: 100%

Part 1:

Progress: 100%

Details:
From the Commits tab of the Pull Request screenshot the commit history



the git history pull request

Saved: 6/16/2025 6:12:35 PM

Part 2:

Progress: 100%

Details:
Include the link to the Pull Request (should end in `/pull/#`)

URL #1
https://github.com/wg99nj/IT202-2025/pull/8

URL
https://github.com/wg99nj/IT202-

Saved: 6/16/2025 6:12:35 PM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click `Projects` and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



the wakatime



editing hours

Saved: 6/16/2025 6:14:17 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to create a responsive carousel layout using HTML, CSS, and JavaScript, including how to cycle through content panels with buttons and implement looping behavior. I also learned how to detect touch gestures for swipe functionality to improve user interaction on mobile devices.

Saved: 6/16/2025 6:14:38 PM

Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part of the assignment was setting up the basic HTML structure and styling the layout with CSS, such as positioning the header and centering the buttons. These steps were straightforward and didn't require some complex logic.

Saved: 6/16/2025 6:15:36 PM

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part was implementing the swipe functionality for extra credit. It required handling touch events, calculating swipe direction, and integrating it smoothly with the existing carousel logic to ensure accurate panel switching on both desktop and mobile devices.

Saved: 6/16/2025 6:15:56 PM