



FACT SHEET

IMMUNIZATION BRANCH • CALIFORNIA DEPARTMENT OF PUBLIC HEALTH
850 Marina Bay Parkway, Building P • Richmond, CA 94804 • www.getimmunizedca.org

August 2014

How Is California Doing on the National Immunization Survey?

Vaccination coverage in California is at or near all-time high levels. California's goal for the year 2020 is 90% coverage for all individual vaccines and 80% coverage for all childhood vaccine series by 19-35 months of age. The Immunization Branch, local health departments, and physicians are working together to get more children vaccinated on time and to protect them from vaccine-preventable diseases.

ESTIMATED PERCENT OF CALIFORNIA CHILDREN AGE 19–35 MONTHS VACCINATED, BY VACCINE AND SERIES¹

Year of Survey	2009	2010	2011	2012	2013
Time of Birth	Jan 2006- July 2008	Jan 2007- July 2009	Jan 2008- July 2010	Jan 2009- July 2011	Jan 2010- July 2012
4+DTaP	83.4 (±4.7)	79.7 (±5.5)	87.7 (±3.9)	81.6 (±6.6)	83.1 (±6.4)
3+Polio	91.8 (±3.5)	91.0 (±3.6)	94.1 (±2.5)	92.0 (±3.7)	90.5 (±5.4)
1+MMR	89.8 (±3.7)	91.4 (±3.5)	91.0 (±3.7)	91.5 (±4.3)	90.7 (±5.3)
3+Hib²	-	64.4 (±6.5)	81.9 (±4.5)	81.6 (±5.8)	90.9 (±5.3)
3+HepB	90.3 (±3.7)	90.1 (±3.8)	90.3 (±3.2)	89.1 (±4.2)	91.1 (±5.2)
1+Var	90.4 (±3.7)	88.9 (±4.4)	91.8 (±2.8)	90.8 (±4.3)	90.4 (±5.3)
4+PCV³	79.8 (±5.1)	83.5 (±4.8)	86.1 (±4.0)	81.3 (±5.7)	79.1 (±7.1)
4:3:1:3:3:1⁴	74.9 (±5.2)	71.3 (±6.2)	80.4 (±4.7)	71.8 (±7.1)	81.9 (±6.4)
4:3:1:3:3:1:4⁵	68.7 (±5.7)	68.6 (±6.3)	77.4 (±5.0)	66.8 (±7.5)	72.6 (±7.6)

1. The National Immunization Survey (NIS) provides national and state estimates of vaccination coverage—including new vaccines as they are licensed and recommended for use (www.cdc.gov/vaccines/stats-surv/nis/default.htm#nis). Numbers preceding vaccine indicate the number of doses. Abbreviations are: DTaP for any diphtheria and tetanus toxoids and pertussis vaccines; Polio for any poliovirus vaccine; MMR for measles-mumps-rubella vaccine; Hib for *Haemophilus influenzae* type b vaccine; HepB for hepatitis B vaccine; Var for varicella vaccine; and PCV for pneumococcal conjugate vaccine.

2. Full series Hib: ≥3 or ≥4 doses of Hib vaccine depending on product type received (includes primary series plus the booster dose)

3. Four or more doses of PCV.

4. Four or more doses of DTaP, three or more doses of Polio, one or more doses of MMR, three or more doses of Hib, three or more doses of HepB, and one or more doses of Var.

5. Four or more doses of DTaP, three or more doses of Polio, one or more doses of MMR, three or more doses of Hib, three or more doses of HepB, one or more doses of Var., and 4 or more doses of pneumococcal conjugate vaccine (PCV).