

GENERAL

Manufacturer	FOSSiBOT
Model	F106 Pro
Brand	FOSSiBOT
Resolution	2408x1080
Platform	mt6768
Android	14
API	34
Kernel	5.10.198-android12-9-00085-g226a9632f13d-ab11136126 #1 SMP PREEMPT Wed Nov 22 14:16:37 UTC 2023
Touchscreen	ILITEK_TDDI (i2c 0-0041)
Accelerometer	ACCELEROMETER
Als/ps	LIGHT
Magnetometer	MAGNETOMETER
Gyroscope	GYROSCOPE
Lens AF	MAINAF (i2c 2-000c)
Charger	USE PMIC
NFC	st21nfc (i2c 3-0008)
Fingerprint	madev (spi0.0)
Other	fsa4480-driver (i2c 6-0042) speaker_amp (i2c 7-0034) unk10 (i2c 4-0010) unk1a (i2c 2-001a) unk2d (i2c 4-002d) unk30 (i2c 4-0030) unk34 (i2c 5-0034) unk4e (i2c 5-004e) unk50 (i2c 2-0050) unk50 (i2c 4-0050) unk52 (i2c 4-0052) unk65 (i2c 3-0065)
Wi-Fi	CONSYS_MT6768
Sound	mt6768mt6358
RAM	8 GB
Flash	EMMC

SOC

SoC	Helio G85
CPU	MT6769V/CZ
Vendor	MediaTek
Model	MT6769
Cores	8
big.LITTLE	2 clusters
Clusters	2 x 2.00 GHz 6 x 1.80 GHz
Family	Cortex-A75 Cortex-A55
Mode	64-bit
Machine	aarch64
ABI	arm64-v8a
Instructions	fp asimd evtstrm aes pmull sha1 sha2 crc32 atomics fphp asimdhp cpuid asimdrdm lrcpc dcpop asimddp
Process technology	12 nm
Manufacturing	TSMC 12FFC
Revision	r3p1 r1p0
Clock speed	500 - 2000 MHz
GPU	Mali-G52 MC2
Vendor	ARM
OpenGL ES	ARM
Vulkan	1.1

SYSTEM

Manufacturer	FOSSiBOT
Model	F106 Pro
Brand	FOSSiBOT
Android	14
API	34
Codename	U

Device	F106_Pro
Product	F106_Pro_ROW
Board	g2306dmd_v1_gc_qc_f06pro_k5_u
Build	UP1A.231005.007
Java VM	ART 2.1.0
Security	2024-10-05
Baseband	MOLY.LR12A.R3.MP.V306.4,MOLY.LR12A.R3.MP.V306.4
GPS	MTK_MNLD_default,MNL_VER_default / 2020
Build type	user
Tags	release-keys
Incremental	2024134
Fingerprint	FOSSiBOT/F106_Pro_ROW/F106_Pro:14/UP1A.231005.007/2024134:user/release-keys
Build date	22.10.2024
Builder	xie_j@newServer4
Google Play Services	25.38.30 (190400-807569344)
Language	български
Timezone	Централноевропейско стандартно време (GMT+01:00)
Uptime	0 days 14:18

SCREEN

Resolution	2408x1080
Ratio	20.1 : 9
Diagonal	~ 6.53" / 166 mm
Size	71 x 150 mm
Density	480 (xxhdpi)
X DPI	386
Y DPI	408
PPI	404
Refresh rate	60.0 Hz
Modes	1080x2408@60.0 Hz

CAMERA

Supported	48.0 MP OmniVision ov48b_mipi_raw 20.0 MP Sony imx350_mipi_raw 16.0 MP Sony imx471_mipi_raw
SOFTWARE	
Camera	0 - BACK
Resolution	48.0 MP (8000x6000)
Aperture	f/1.8
Focal length	3.32 mm
Focal length (equivalent 35 mm)	25.7 mm
Focus modes	infinity, auto, macro, continuous-video, continuous-picture
Sensor size	4.48x3.36
Diagonal	5.6 mm
Pixel size	~0.56 µm
Optical format	~1/2.86" (1/3.21")
Zoom	8.0x
Image formats	RAW_SENSOR, JPEG, YUV_420_888, YV12
Angle of view	80.3° (D) 68.0° (H)
Crop factor	7.7x
ISO	100-15500
Color filter	BGGR
Orientation	90
Flash	yes
Video	Full HD 1920x1080@30fps HD 1280x720@120fps HD 1280x720@30fps
Camera2 API	full(3)
Camera	1 - FRONT
Resolution	16.2 MP (4656x3488)
Aperture	f/1.8
Focal length	1.99 mm
Focal length (equivalent 35 mm)	26.4 mm
Focus modes	infinity
Sensor size	2.61x1.96

Diagonal	3.26 mm
Pixel size	~0.56 μm
Optical format	~1/4.9" (1/5.51")
Zoom	4.0x
Image formats	JPEG, YUV_420_888, YV12
Angle of view	78.7° (D) 66.5° (H)
Crop factor	13.3x
ISO	100-16000
Color filter	BGGR
Orientation	270
Flash	no
Video	Full HD 1920x1080@30fps HD 1280x720@30fps
Camera2 API	full

BATTERY

Level	7 %
Health	Good
Status	Discharging
Power source	Battery
Technology	Li-ion
Temperature	28.0 °C
Voltage	3628 mV
Discharge speed	793.4 mA
Power profile	12000 mAh

WI-FI

Connection	
IPv4	192.168.1.250
IPv6	fe80::718:57c4:689f:6163
Link speed	390 Mbps
Standard	802.11ac

Frequency	5260 MHz
Channel	52
Signal	-46 dBm
Level	99 %
Wi-Fi 5 (802.11ac)	
Band 5 GHz	+
Band 6 GHz	-
Wi-Fi Direct	+
WPA3	+

INPUT

mtk-kpd id: 2 vendor: 0 product: 0 9a244e01c90550ca2eb2798ffe20d8731e811765
mtk-pmic-keys id: 3 vendor: 1 product: 1 485d69228e24f5e46da1598745890b214130dbc4
custom_key2 id: 4 vendor: 0 product: 0 touch: 2408x1080 15c1020fbb1b74c02acd85183c877f4d41051638
chipone-tddi id: 5 vendor: 0 product: 0 touch: 2408x1080 93e5de292b7fd3af75f1bfb74d1723edcbc2ebee
mt6768-mt6358 Headset Jack id: 6 vendor: 0 product: 0 f6d782b1dd5214443b4c9c2a2feb156eeb81d4b2
madev id: 7 vendor: 0 product: 0 6e687c668d87f7a84f420f31851eb0fabcb6ebb08

CODECS

c2.mtk.mp3.decoder	audio/mpeg
OMX.MTK.AUDIO.DECODER.MP3	audio/mpeg
c2.mtk.adpcm-dvi-ima.decoder	audio/x-adpcm-dvi-ima
OMX.MTK.AUDIO.DECODER.ADPCM.DVI	audio/x-adpcm-dvi-ima
c2.mtk.adpcm-ms.decoder	audio/x-adpcm-ms

OMX.MTK.AUDIO.DECODER.ADPCM.MS	audio/x-adpcm-ms
c2.mtk.alac.decoder	audio/alac
OMX.MTK.AUDIO.DECODER.ALAC	audio/alac
c2.mtk.ape.decoder	audio/ape
OMX.MTK.AUDIO.DECODER.APE	audio/ape
c2.android.aac.decoder	audio/mp4a-latm
OMX.google.aac.decoder	audio/mp4a-latm
c2.android.amrnb.decoder	audio/3gpp
OMX.google.amrnb.decoder	audio/3gpp
c2.android.amrwb.decoder	audio/amr-wb
OMX.google.amrwb.decoder	audio/amr-wb
c2.android.flac.decoder	audio/flac
OMX.google.flac.decoder	audio/flac
c2.android.g711.alaw.decoder	audio/g711-alaw
OMX.google.g711.alaw.decoder	audio/g711-alaw
c2.android.g711.mlaw.decoder	audio/g711-mlaw
OMX.google.g711.mlaw.decoder	audio/g711-mlaw
c2.android.mp3.decoder	audio/mpeg
OMX.google.mp3.decoder	audio/mpeg
c2.android.opus.decoder	audio/opus
OMX.google.opus.decoder	audio/opus
c2.android.raw.decoder	audio/raw
OMX.google.raw.decoder	audio/raw
c2.android.vorbis.decoder	audio/vorbis
OMX.google.vorbis.decoder	audio/vorbis
OMX.MTK.AUDIO.DECODER.GSM	audio/gsm
c2.mtk.avc.decoder	video/avc
OMX.MTK.VIDEO.DECODER.AVC	video/avc
c2.mtk.h263.decoder	video/3gpp
OMX.MTK.VIDEO.DECODER.H263	video/3gpp
c2.mtk.hevc.decoder	video/hevc
OMX.MTK.VIDEO.DECODER.HEVC	video/hevc

c2.mtk.mpeg2.decoder	video/mpeg2
OMX.MTK.VIDEO.DECODER.MPEG2	video/mpeg2
c2.mtk.mpeg4.decoder	video/mp4v-es
OMX.MTK.VIDEO.DECODER.MPEG4	video/mp4v-es
c2.mtk.vc1.decoder	video/x-ms-wmv
OMX.MTK.VIDEO.DECODER.VC1	video/x-ms-wmv
c2.mtk.vp9.decoder	video/x-vnd.on2.vp9
OMX.MTK.VIDEO.DECODER.VP9	video/x-vnd.on2.vp9
c2.mtk.vpx.decoder	video/x-vnd.on2.vp8
OMX.MTK.VIDEO.DECODER.VPX	video/x-vnd.on2.vp8
c2.android.av1-dav1d.decoder	video/av01
c2.android.avc.decoder	video/avc
OMX.google.h264.decoder	video/avc
c2.android.h263.decoder	video/3gpp
OMX.google.h263.decoder	video/3gpp
c2.android.hevc.decoder	video/hevc
OMX.google.hevc.decoder	video/hevc
c2.android.mpeg4.decoder	video/mp4v-es
OMX.google.mpeg4.decoder	video/mp4v-es
c2.android.vp8.decoder	video/x-vnd.on2.vp8
OMX.google.vp8.decoder	video/x-vnd.on2.vp8
c2.android.vp9.decoder	video/x-vnd.on2.vp9
OMX.google.vp9.decoder	video/x-vnd.on2.vp9
c2.android.av1.decoder	video/av01
c2.android.aac.encoder	audio/mp4a-latm
OMX.google.aac.encoder	audio/mp4a-latm
c2.android.amrnb.encoder	audio/3gpp
OMX.google.amrnb.encoder	audio/3gpp
c2.android.amrwb.encoder	audio/amr-wb
OMX.google.amrwb.encoder	audio/amr-wb
c2.android.flac.encoder	audio/flac
OMX.google.flac.encoder	audio/flac

c2.android.opus.encoder	audio/opus
c2.mtk.avc.encoder	video/avc
OMX.MTK.VIDEO.ENCODER.AVC	video/avc
c2.mtk.h263.encoder	video/3gpp
OMX.MTK.VIDEO.ENCODER.H263	video/3gpp
c2.mtk.hevc.encoder	video/hevc
OMX.MTK.VIDEO.ENCODER.HEVC	video/hevc
c2.mtk.mpeg4.encoder	video/mp4v-es
OMX.MTK.VIDEO.ENCODER.MPEG4	video/mp4v-es
c2.android.av1.encoder	video/av01
c2.android.avc.encoder	video/avc
OMX.google.h264.encoder	video/avc
c2.android.h263.encoder	video/3gpp
OMX.google.h263.encoder	video/3gpp
c2.android.hevc.encoder	video/hevc
c2.android.mpeg4.encoder	video/mp4v-es
OMX.google.mpeg4.encoder	video/mp4v-es
c2.android.vp8.encoder	video/x-vnd.on2.vp8
OMX.google.vp8.encoder	video/x-vnd.on2.vp8

GL EXTENSIONS

GL_EXT_debug_marker
GL_ARM_rgba8
GL_ARM_mali_shader_binary
GL_OES_depth24
GL_OES_depth_texture
GL_OES_depth_texture_cube_map
GL_OES_packed_depth_stencil
GL_OES_rgb8_rgba8
GL_EXT_read_format_bgra
GL_OES_compressed_paletted_texture
GL_OES_compressed_ETC1_RGB8_texture

GL_OES_standard_derivatives

GL_OES_EGL_image

GL_OES_EGL_image_external

GL_OES_EGL_image_external_essl3

GL_OES_EGL_sync

GL_OES_texture_npot

GL_OES_vertex_half_float

GL_OES_required_internalformat

GL_OES_vertex_array_object

GL_OES_mapbuffer

GL_EXT_texture_format_BGRA8888

GL_EXT_texture_rg

GL_EXT_texture_type_2_10_10_10_REV

GL_OES_fbo_render_mipmap

GL_OES_element_index_uint

GL_EXT_shadow_samplers

GL_OES_texture_compression_astc

GL_KHR_texture_compression_astc_ldr

GL_KHR_texture_compression_astc_hdr

GL_KHR_texture_compression_astc_sliced_3d

GL_EXT_texture_compression_astc_decode_mode

GL_EXT_texture_compression_astc_decode_mode_rgb9e5

GL_KHR_debug

GL_EXT_occlusion_query_boolean

GL_EXT_disjoint_timer_query

GL_EXT_blend_minmax

GL_EXT_discard_framebuffer

GL_OES_get_program_binary

GL_OES_texture_3D

GL_EXT_texture_storage

GL_EXT_multisampled_render_to_texture

GL_EXT_multisampled_render_to_texture2

GL_OES_surfaceless_context
GL_OES_texture_stencil8
GL_EXT_shader_pixel_local_storage
GL_ARM_shader_framebuffer_fetch
GL_ARM_shader_framebuffer_fetch_depth_stencil
GL_ARM_mali_program_binary
GL_EXT_sRGB
GL_EXT_sRGB_write_control
GL_EXT_texture_sRGB_decode
GL_EXT_texture_sRGB_R8
GL_EXT_texture_sRGB_RG8
GL_KHR_blend_equation_advanced
GL_KHR_blend_equation_advanced_coherent
GL_OES_texture_storage_multisample_2d_array
GL_OES_shader_image_atomic
GL_EXT_robustness
GL_EXT_draw_buffers_indexed
GL_OES_draw_buffers_indexed
GL_EXT_texture_border_clamp
GL_OES_texture_border_clamp
GL_EXT_texture_cube_map_array
GL_OES_texture_cube_map_array
GL_OES_sample_variables
GL_OES_sample_shading
GL_OES_shader_multisample_interpolation
GL_EXT_shader_io_blocks
GL_OES_shader_io_blocks
GL_EXT_tessellation_shader
GL_OES_tessellation_shader
GL_EXT_primitive_bounding_box
GL_OES_primitive_bounding_box
GL_EXT_geometry_shader

GL_OES_geometry_shader
GL_ANDROID_extension_pack_es31a
GL_EXT_gpu_shader5
GL_OES_gpu_shader5
GL_EXT_texture_buffer
GL_OES_texture_buffer
GL_EXT_copy_image
GL_OES_copy_image
GL_EXT_shader_non_constant_global_initializers
GL_EXT_color_buffer_half_float
GL_EXT_unpack_subimage
GL_EXT_color_buffer_float
GL_EXT_YUV_target
GL_OVR_multiview
GL_OVR_multiview2
GL_OVR_multiview_multisampled_render_to_texture
GL_KHR_robustness
GL_KHR_robust_buffer_access_behavior
GL_EXT_draw_elements_base_vertex
GL_OES_draw_elements_base_vertex
GL_EXT_protected_textures
GL_EXT_buffer_storage
GL_EXT_external_buffer
GL_EXT_EGL_image_array
GL_EXT_texture_filter_anisotropic
GL_ARM_texture_unnormalized_coordinates
GL_EXT_shader_framebuffer_fetch

DEVICE FEATURES

android.hardware.audio.output
android.hardware.bluetooth
android.hardware.bluetooth_le

android.hardware.camera
android.hardware.camera.any
android.hardware.camera.autofocus
android.hardware.camera.capability.manual_post_processing
android.hardware.camera.capability.manual_sensor
android.hardware.camera.capability.raw
android.hardware.camera.flash
android.hardware.camera.front
android.hardware.camera.level.full
android.hardware.faketouch
android.hardware.fingerprint
android.hardware.hardware_keystore
android.hardware.location
android.hardware.location.gps
android.hardware.location.network
android.hardware.microphone
android.hardware.nfc
android.hardware.nfc.any
android.hardware.nfc.hce
android.hardware.nfc.hcef
android.hardware.opengles.aep
android.hardware.ram.normal
android.hardware.screen.landscape
android.hardware.screen.portrait
android.hardware.se.omapi.uicc
android.hardware.security.model.compatible
android.hardware.sensor.accelerometer
android.hardware.sensor.compass
android.hardware.sensor.gyroscope
android.hardware.sensor.light
android.hardware.sensor.proximity
android.hardware.sensor.stepcounter

android.hardware.sensor.stepdetector
android.hardware.telephony
android.hardware.telephony.cdma
android.hardware.telephony.gsm
android.hardware.telephony.ims
android.hardware.touchscreen
android.hardware.touchscreen.multitouch
android.hardware.touchscreen.multitouch.distinct
android.hardware.touchscreen.multitouch.jazzhand
android.hardware.usb.accessory
android.hardware.usb.host
android.hardware.vulkan.compute
android.hardware.vulkan.level
android.hardware.vulkan.version
android.hardware.wifi
android.hardware.wifi.direct
android.hardware.wifi.passpoint
android.software.activities_on_secondary_displays
android.software.adoptable_storage
android.software.app_enumeration
android.software.app_widgets
android.software.autofill
android.software.backup
android.software.cant_save_state
android.software.companion_device_setup
android.software.connectionservice
android.software.controls
android.software.cts
android.software.device_admin
android.software.device_lock
android.software.file_based_encryption
android.software.home_screen

android.software.incremental_delivery
android.software.input_methods
android.software.ipsec_tunnels
android.software.live_wallpaper
android.software.managed_users
android.software.midi
android.software.opengles.deqp.level
android.software.picture_in_picture
android.software.print
android.software.secure_lock_screen
android.software.securely_removes_users
android.software.verified_boot
android.software.voice_recognizers
android.software.vulkan.deqp.level
android.software.webview
android.software.window_magnification
com.google.android.apps.dialer.SUPPORTED
com.google.android.contacts.feature.SIM_WRITE
com.google.android.feature.ASI
com.google.android.feature.D2D_CABLE_MIGRATION_FEATURE
com.google.android.feature.GMSEXPRESS_PLUS_BUILD
com.google.android.feature.PERSONAL_SAFETY
com.google.android.feature.TURBO_PRELOAD
com.google.android.feature.WELLBEING
com.google.android.googlequicksearchbox.OEM_SMARTSPACE_WIDGET
com.hongxiangyuan.hardware.display.camera_notch
com.nxp.mifare

DEVICES

I2C:

i2c-0:
0x41 ILITEK_TDDI

i2c-2:
0xc MAINAF 0x1a unk1a 0x50 unk50
i2c-3:
0x8 st21nfc 0x65 unk65
i2c-4:
0x10 unk10 0x2d unk2d 0x30 unk30 0x50 unk50 0x52 unk52
i2c-5:
0x34 unk34 0x4e unk4e
i2c-6:
0x42 fsa4480-driver
i2c-7:
0x34 speaker_amp

SPI:
madev (spi0.0)