SAT−EN: 2−year EFS risk and molecular correlates


Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

2YR





131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

SAT−EN: 3−year EFS risk and molecular correlates

Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification


C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

3YR

Hallmark pathways (P < 0.001)



miRNA abundance



131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

SAT−EN: 4−year EFS risk and molecular correlates


Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

4YR





131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

SAT−EN: 5−year EFS risk and molecular correlates


Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

5YR





131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

Overall Cox−EN: 2−year EFS risk and molecular correlates


Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

2YR





131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

Overall Cox−EN: 3−year EFS risk and molecular correlates

Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification


C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

3YR

Hallmark pathways (P < 0.001)



miRNA abundance



131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

Overall Cox−EN: 4−year EFS risk and molecular correlates

Correlation Positive Negative $-\log_{10}(p)$ 0 1 2 3 4 5

Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

4YR

Hallmark pathways (P < 0.001)

C
- Apical surface *** p=0.000181

De
- Myogenesis *** p=0.000479
- Pancreas beta cells *** p=0.000329

M
- Bile acid metabolism *** p=0.000785

Pr
- MYC targets V2 *** p=0.000678

S
- Wnt beta catenin signaling *** p=0.000277
- KRAS signaling dn *** p=0.000319

−0.4 −0.2 0.0 0.2 0.4
Spearman's ρ


miRNA abundance

- hsa−mir−9−2 ***
- hsa−mir−9−3 ***
- hsa−mir−3074 ***
- hsa−mir−9−1 ***
- hsa−mir−363 ***
- hsa−mir−18b ***
- hsa−mir−20b ***
- hsa−mir−106a ***
- hsa−mir−1254−1 ***
- hsa−mir−502 ***
- hsa−mir−139 **
- hsa−mir−146a **
- hsa−mir−1270 **
- hsa−mir−199b **
- hsa−mir−181c **
- hsa−mir−199a−2 **
- hsa−mir−199a−1 **
- hsa−mir−126 **
- hsa−mir−30d ***
- hsa−mir−3151 ***

−0.5 −0.3 −0.1 0.1 0.3 0.5
Spearman's ρ

131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only
Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

Overall Cox−EN: 5−year EFS risk and molecular correlates



131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

TransCox EN (local): 2−year EFS risk and molecular correlates


Correlation ■ Positive ■ Negative $-\log_{10}(p)$ • 0 ● 1 ● 2 ● 3 ● 4 ● 5


Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

2YR





131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

TransCox EN (local): 3−year EFS risk and molecular correlates

Correlation Positive Negative $-\log_{10}(p)$ 0 1 2 3 4 5

Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

3YR

Hallmark pathways (P < 0.001)

C

Apical surface *** p=0.000606

S

Wnt beta catenin signaling *** p=0.000379

KRAS signaling dn *** p=0.000921

−0.4 −0.2 0.0 0.2 0.4

Spearman's ρ

miRNA abundance

hsa−mir−9−2 ***
hsa−mir−9−3 ***
hsa−mir−9−1 ***
hsa−mir−1254−1 ***
hsa−mir−3074 ***
hsa−mir−363 ***
hsa−mir−18b ***
hsa−mir−196b ***
hsa−mir−20b ***
hsa−mir−106a ***
hsa−mir−30d *
hsa−mir−181c **
hsa−mir−199b **
hsa−mir−126 **
hsa−mir−504 **
hsa−mir−3151 **
hsa−mir−199a−2 **
hsa−mir−199a−1 **
hsa−mir−143 **
hsa−mir−139 ***

−0.5 −0.3 −0.1 0.1 0.3 0.5

Spearman's ρ

131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

TransCox EN (local): 4−year EFS risk and molecular correlates

Correlation Positive Negative $-\log_{10}(p)$ 0 1 2 3 4 5

Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

4YR

Hallmark pathways (P < 0.001)

C

Apical surface *** p=0.000532

S

Wnt beta catenin signaling *** p=0.000336

KRAS signaling dn *** p=0.000849

−0.4 −0.2 0.0 0.2 0.4

Spearman's ρ

miRNA abundance

hsa−mir−9−2 ***
hsa−mir−9−3 ***
hsa−mir−9−1 ***
hsa−mir−3074 ***
hsa−mir−1254−1 ***
hsa−mir−363 ***
hsa−mir−18b ***
hsa−mir−196b ***
hsa−mir−20b ***
hsa−mir−106a ***
hsa−mir−30d **
hsa−mir−199b **
hsa−mir−181c **
hsa−mir−126 **
hsa−mir−3151 **
hsa−mir−504 **
hsa−mir−199a−2 **
hsa−mir−199a−1 **
hsa−mir−143 **
hsa−mir−139 ***

−0.5 −0.3 −0.1 0.1 0.3 0.5

Spearman's ρ

131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001

TransCox EN (local): 5−year EFS risk and molecular correlates

Correlation Positive Negative $-\log_{10}(p)$ 0 1 2 3 4 5

Orange miRNAs: HMDD v4 AML−associated precursor families

Hallmark pathway classification

C: Cellular component
De: Development
Dn: DNA damage
I: Immune
M: Metabolic
Pa: Pathway
Pr: Proliferation
S: Signaling

5YR

Hallmark pathways (P < 0.001)

C

Apical surface *** p=0.000649

S

Wnt beta catenin signaling *** p=0.000398

KRAS signaling dn *** p=0.000921

−0.4 −0.2 0.0 0.2 0.4

Spearman's ρ

miRNA abundance

hsa−mir−9−2 ***
hsa−mir−9−3 ***
hsa−mir−9−1 ***
hsa−mir−1254−1 ***
hsa−mir−3074 ***
hsa−mir−363 ***
hsa−mir−18b ***
hsa−mir−196b ***
hsa−mir−20b ***
hsa−mir−106a ***
hsa−mir−30d *
hsa−mir−181c **
hsa−mir−199b **
hsa−mir−126 **
hsa−mir−504 **
hsa−mir−3151 **
hsa−mir−199a−2 **
hsa−mir−199a−1 **
hsa−mir−143 **
hsa−mir−139 ***

−0.5 −0.3 −0.1 0.1 0.3 0.5

Spearman's ρ

131 unique held−out Black TARGET−AML patients | Primary specimens | EFS only

Shown mRNA pathways: nominal P <0.001 | miRNA unchanged | * p<0.05; ** p<0.005; *** p<0.001