

Theory: Writing files

🕒 13 minutes

0 / 5 problems solved

Skip this topic

Start practicing

4429 users solved this topic. Latest completion was about 1 hour ago.

Now that we've learned how to create and manage files, let's discuss how to write text to a file. Java provides different ways for doing it and in this lesson, we will consider two of the simplest ways: using the `java.io.FileWriter` and the `java.io.PrintWriter` classes. The techniques of the work are absolutely clear.

§1. The FileWriter class

The class `FileWriter` has a set of constructors to write characters and string to a specified file:

- `FileWriter(String fileName);`
- `FileWriter(String fileName, boolean append);`
- `FileWriter(File file);`
- `FileWriter(File file, boolean append);`

Two constructors take an additional parameter `append` that indicates whether to append (`true`) or overwrite (`false`) an existing file.

All these constructors can throw an `IOException` for several reasons:

- if the named file exists but it is a directory;
- if a file does not exist and cannot be created;
- if a file exists but cannot be opened.

In this lesson, sometimes we will skip the exception handling mechanism to simplify our examples.

Let's consider the following code:

```
1 File file = new File("/home/username/path/to/your/file.txt");
2 FileWriter writer = new FileWriter(file); // overwrites the file
3
4 writer.write("Hello");
5 writer.write("Java");
6
7 writer.close();
```

If the specified file does not exist, it will be created after executing this code. If the file already exists, this code overwrites the data.

The file will contain the text `HelloJava`.

If you want to append some new data, you should specify the second argument as `true`.

```
1 File file = new File("/home/username/path/to/your/file.txt");
2
3 FileWriter writer = new FileWriter(file, true); // appends text to the file
4
5 writer.write("Hello, World\n");
6 writer.close();
```

This code appends a new line to the file. Run it multiple times to see what happens. Note that here we are using Unix-like OS line breakers. There is a difference between line break characters:

- `\n` Unix-like OS
- `\r\n` Windows OS

§2. Closing a FileWriter

It is important to close a `FileWriter` after using to avoid the resource leak. It is done by invoking the `close` method:

Current topic:

[Writing files](#) ...

Topic depends on:

- ✓

Formatted output ...
- ✗

Exception handling ...
- ✗

Files ...
- Stage 7

Topic is required for:

- Output streams ...
- Input streams ...

Table of contents:

- 1 Writing files
- §1. The FileWriter class
- §2. Closing a FileWriter
- §3. The PrintWriter class
- Feedback & Comments

```
1 | writer.close();
```

Since Java 7, the convenient way to close an object of `FileWriter` is to use the `try-with-resources` statement.

```
1 | File file = new File("/home/username/path/to/your/file.txt");
2 |
3 | try (FileWriter writer = new FileWriter(file)) {
4 |     writer.write("Hello, World");
5 | } catch (IOException e) {
6 |     System.out.printf("An exception occurs %s", e.getMessage());
7 | }
```

It will close the writer automatically.

§3. The PrintWriter class

The `PrintWriter` class allows you to write formatted data to a file. It can output strings, primitive types and even an array of characters. The class provides several overloaded methods: `print`, `println` and `printf`.

```
1 | File file = new File("/home/art/Documents/file.txt");
2 | try (PrintWriter printWriter = new PrintWriter(file)) {
3 |     printWriter.print("Hello"); // prints a string
4 |
5 |     printWriter.println("Java"); // prints a string and then terminates the line
6 |     printWriter.println(123); // prints a number
7 |
8 |     printWriter.printf("You have %d %s", 400, "gold coins"); // prints a formatted
9 | } catch (IOException e) {
10 |     System.out.printf("An exception occurs %s", e.getMessage());
11 | }
```

This example first creates an instance of `File` and, second, a `PrintWriter` in the `try-with-resources` statement to close it correctly. It writes `"Hello"` and `"Java"` in the same line, and then `123` on a new line. This example also calls the advanced `printf` method which can format a text using `%d`, `%s` and so on. Finally, the `PrintWriter` is closed.

The result contains:

```
1 | HelloJava
2 | 123
3 | You have 400 gold coins
```

The class has several constructors. Some of them are similar to `FileWriter`'s constructors:

- `PrintWriter(String fileName);`
- `PrintWriter(File file);`

Others allow to pass `FileWriter` as a class that extends `Writer` abstract class:

- `PrintWriter(Writer writer);`

`FileWriter` and `PrintWriter` both extend `Writer` abstract class and have many similarities. However, `PrintWriter` is more of a high-level one and provides several useful methods. Among them are formatting methods and overloaded print methods for writing primitive types.

[Report a typo](#)

365 users liked this theory. **4** didn't like it. What about you?



Start practicing

[Comments \(12\)](#)

[Hints \(0\)](#)

[Useful links \(0\)](#)

[Show discussion](#)