

Java → Basic syntax and simple programs → Operations on primitive types → [Floating-point types](#)

4391 users solved this problem. Latest completion was about 3 hours ago.

# Floating-point types → Distance

Easy ? ⌚ 3 minutes

Write a program that reads the distance between the two cities in miles and the travel time by bus in hours, and outputs the average speed of the bus.

**Note:** there is NO need to give any explanations during input and output.

 Report a typo

Sample Input 1:

100

2

Sample Output 1:

50.0

↩ Write a program

[Code Editor](#)

[IDE](#)

Java

```
1 import java.util.Scanner;
2
3 class Main {
4     public static void main(String[] args) {
5         Scanner scanner = new Scanner(System.in);
6         // put your code here
7         double distance = scanner.nextDouble();
8         double time = scanner.nextDouble();
9         System.out.println(distance / time);
10        scanner.close();
11    }
12 }
13
```

✓ Correct.

That's an awesome solution! What do you think about showing it off? [Post it to Solutions](#) so other learners can enjoy it too.

319 users liked this problem. 6 didn't like it. What about you?



Continue

Solve again

Solutions (70)

Time limit: 5 seconds    Memory limit: 256 MB

[Comments \(6\)](#)

[Hints \(1\)](#)

[Useful links \(0\)](#)

[Solutions \(70\)](#)

[Show discussion](#)