tanaguru

MY PROJECTS   GOV.UK   RESULTS OF AUDIT (SCOPE=PAGE)

gov.uk

Relaunch audit

Export : **Ods** / **Csv** / **Pdf**

Accessibility Fails: Invalid Values and Code
last updated: 27 February 2015

Language of content

html element has an invalid value in the lang attribute

This page has a lang attribute set to an invalid value

Url : http://aduggin.github.io/accessibility-fails/invalid.html
Code HTML
Created on : July 6, 2016 4:59:40 PM

Referential : RGAA 3.0
Level : AA
Details

TanaguruMeter
92%

Passed	12
Failed	1
Not Applicable	124
Pre-qualified	5
Not tested	132

Chart categories: Images, Frames, Colours, Multimedia, Tables, Links, Scripts, Mandatory elements, Structuration of information, Presentation of information, Forms, Navigation, Consultation

Display

View by   ○ criteria   ● tests

Theme
All Themes

☐ Passed
☑ Failed
☑ Pre-qualified
☐ Not Applicable
☐ Not tested

Update

Detailed results   Expand all   Collapse all

▼ **Theme 7 : Scripts**   ✓ 0   ✗ 0   ? 1   NA 0   ⊘ 12

   ▼ **7.4.1** ⬀   Does each script initiating a change of context meet one of the following conditions?   ?   i
- The user is warned by a text about the script action and the kind of change before it is activated
- The change of context is initiated by an explicit button (`input` tag of type submit, button or image, or `button` tag)
- The change of context is initiated by an explicit link

None of the suspected patterns for the test 7.4.1 have been detected, please check manually.

Theme 8 : Mandatory elements
✓ 5   ✗ 1   ? 2   NA 3   ⊘ 3

8.4.1 ↗   For each Web page with a <u>default human language</u>, does the <u>language code</u> meet the following conditions?   ✗   i
- The <u>language code</u> is valid
- The <u>language code</u> is appropriate

1 element tested
    1 element failed

The language specification is malformed.

Specified language	Snippet	Line
foobar	`<html xmlns="http://www.w3.org/1999/xhtml" lang="foobar"> <head> <title>Accessibility Fails: Invalid Values and Code</title> <link href="css/normalize.css" rel="stylesheet" />[...]</html>`	<u>Line 2</u>

8.6.1 ↗   For each Web page with a <u>page title</u> (`title` tag), is the content of this tag relevant?   ?   i

1 element tested
    1 element nmi

Check the pertinence of the following `title` :

Textual content of the tag	Snippet	Line
Accessibility Fails: Invalid Values and Code	`<title>Accessibility Fails: Invalid Values and Code</title>`	<u>Line 4</u>

8.9.1 ↗   On each Web page, tags must not be used (except `div`, `span` and `table`) <u>only for layout</u>. Has this rule been followed?   ?   i

23 elements tested
    1 element nmi

None of the <u>suspected patterns for the test 8.9.1</u> have been detected, please check manually.

Theme 9 : Structuration of information
✓ 2   ✗ 0   ? 1   NA 0   ⊘ 8

9.1.4 ↗   On each Web page, is each <u>heading</u> (`h1` to `h6` tag or a tag with an ARIA `role="heading"` associated to an `aria-level` property) relevant?   ?   i

3 elements tested
    3 elements nmi

Check the pertinence of the following headings (`h` tags) :

Textual content of the tag	Tag	Snippet	Line
Accessibility Fails: Invalid Values and Code	h1	`<h1>Accessibility Fails: Invalid Values and Code</h1>`	<u>Line 9</u>
Language of content	h2	`<h2>Language of content</h2>`	<u>Line 11</u>
html element has an invalid value in the lang attribute	h3	`<h3>html element has an invalid value in the lang attribute</h3>`	<u>Line 12</u>

Theme 13 : Consultation
✓ 0   ✗ 0   ? 1   NA 7   ⊘ 13

13.2.1 ↗   On each Web page, for each new window opening launched via a link (target="_blank" attribute) or a JavaScript command, is the user warned?   ?   i

Check user is warned if a javascript command prompts a new window :

© 2009-2016 Tanaguru.com - Powered By Tanaguru v3.4.1 - Available under GNU AGPL v3