



To develop and maintain the site we 'll use GitHub, which allows for multiple users to make changes and updates easily, with comment on any code change, multiple branches for development and local experimentation and many more. The instructions above refer to the installation of GitHub Desktop for easy usage via GUI instead of the traditional terminal:


- Go to: <https://desktop.github.com/>
 - Click on:




- Save the .exe file and run it.
 - When the app starts, click on:




- A webpage opens, click on:




- Enter your credentials and click Sign in:

The GitHub Desktop sign-in interface. At the top is the GitHub Octocat logo in a white circle. Below it, the text "Sign in to GitHub to continue to GitHub Desktop" is displayed. There are two input fields: "Username or email address" with the text "whatisafter" entered, and "Password" which is masked with dots. A "Forgot password?" link is next to the password field. At the bottom is a green "Sign in" button.

- Allow the site to open the respective links with the GitHub Desktop App. The following screenshots are for Firefox; other browsers follow a similar procedure:
 - Click on “Always allow...” and then “Choose Application”



- Select GitHub Desktop, click on “Always use...” and then “Open Link”:



- On the next window, select the appropriate e-mail (in this case whatisafter@gmail.com) and click “Fiinish”:

Configure Git

This is used to identify the commits you create. Anyone will be able to see this information if you publish commits.

- ☒ Use my GitHub account name and email address
☐ Configure manually

Name

whatisafter


Email

whatisaftersite@gmail.com


Finish

Cancel


- On the next window, select the desired branch(es) to clone (just the whatisafter/forty-jekyll-theme for now):



- Choose your desired path for the GitHub folder to be created. The path must end in \GitHub\forty-jekyll-theme:



- External repos like the forty-jekyll-theme need to be forked (homemade ones don't). Select "For my own purposes" and click "Continue":




GitHub is now installed and configured 😊


Let's see the basic usage:

Make a change to a file in the repo folder, to update an element on the site. The change is automatically detected by the GitHub Desktop app. To make the change effective, we need to “push” the changed files to out online repo. To do that:

- Update the summary of the change (use an indicative title), eg: “minor label change”
- Insert in a simple, informative description, eg: “category label change: from “All posts” to “artwork”
- Click “Commit to master”:




- Click “Push origin”:




- Wait for a couple of minutes for the change(s) to be visible on the site!

The platform where the “front end” of the site is developed, is Jekyll (using Ruby, html, etc..). The following instructions refer to Ruby Windows installation, to make the creation of Jekyll pages possible:


- Click on <https://github.com/oneclick/rubyinstaller2/releases/download/RubyInstaller-3.0.1-1/rubyinstaller-devkit-3.0.1-1-x64.exe> to download the .exe file. Save and run it. Choose “I accept the License” and click “Next”:




- Click “Install”:



- Click Next:



- Wait for the installation to complete and then, on the RubyInstaller2 terminal that pops up, press Enter:



- When the installation finishes, press Enter again and the terminal will close:


```
C:\WINDOWS\system32\cmd.exe
warning: gawk-5.1.0-1 is up to date -- skipping
warning: grep-3.0-2 is up to date -- skipping
warning: libtool-2.4.6-11 is up to date -- skipping
warning: m4-1.4.18-2 is up to date -- skipping
warning: make-4.3-1 is up to date -- skipping
warning: patch-2.7.6-1 is up to date -- skipping
warning: sed-4.8-1 is up to date -- skipping
warning: texinfo-6.7-3 is up to date -- skipping
warning: texinfo-tex-6.7-3 is up to date -- skipping
warning: wget-1.21.1-2 is up to date -- skipping
warning: mingw-w64-x86_64-binutils-2.36.1-3 is up to date -- skipping
warning: mingw-w64-x86_64-crt-git-9.0.0.6158.1c773877-1 is up to date -- skipping
warning: mingw-w64-x86_64-gcc-10.2.0-10 is up to date -- skipping
warning: mingw-w64-x86_64-gcc-libs-10.2.0-10 is up to date -- skipping
warning: mingw-w64-x86_64-headers-git-9.0.0.6158.1c773877-1 is up to date -- skipping
warning: mingw-w64-x86_64-libmangle-git-9.0.0.6158.1c773877-1 is up to date -- skipping
warning: mingw-w64-x86_64-libwinpthread-git-9.0.0.6158.1c773877-1 is up to date -- skipping
warning: mingw-w64-x86_64-make-4.3-1 is up to date -- skipping
warning: mingw-w64-x86_64-tools-git-9.0.0.6158.1c773877-1 is up to date -- skipping
warning: mingw-w64-x86_64-winpthreads-git-9.0.0.6158.1c773877-1 is up to date -- skipping
warning: pkgconf-1.7.3-2 is up to date -- skipping
warning: mingw-w64-x86_64-pkgconf-1.7.3-6 is up to date -- skipping
there is nothing to do
Install MSYS2 and MINGW development toolchain succeeded

1 - MSYS2 base installation
2 - MSYS2 system update (optional)
3 - MSYS2 and MINGW development toolchain


Which components shall be installed? If unsure press ENTER [ ] ridk install
```

- Open a new terminal (Search for “cmd” or press WinKey + R, type cmd and click OK)
 - Type “gem install jekyll bundler” and press Enter:

```
Command Prompt
Microsoft Windows [Version 10.0.19041.1052]
(c) Microsoft Corporation. All rights reserved.

C:\Users\iChone_Gz>gem install jekyll bundler
```

- On the same terminal, when the gems installation completes, type `jeekyll -v` and press Enter:



```
Command Prompt
Parsing documentation for http_parser.rb-0.6.0
unknown encoding name "chunked\r\n\r\n25" for ext/ruby_http_parser/vendor/http-parser-java/tools/parse_tests.rb, skipping
Installing ri documentation for http_parser.rb-0.6.0
Parsing documentation for eventmachine-1.2.7-x64-mingw32
Installing ri documentation for eventmachine-1.2.7-x64-mingw32
Parsing documentation for em-websocket-0.5.2
Installing ri documentation for em-websocket-0.5.2
Parsing documentation for colorator-1.1.0
Installing ri documentation for colorator-1.1.0
Parsing documentation for public_suffix-4.0.6
Installing ri documentation for public_suffix-4.0.6
Parsing documentation for addressable-2.7.0
Installing ri documentation for addressable-2.7.0
Parsing documentation for jeekyll-4.2.0
Installing ri documentation for jeekyll-4.2.0
Done installing documentation for unicode-display_width, terminal-table, safe_yaml, rouge, forwardable-extended, pathuti
l, mercenary, liquid, kramdown, kramdown-parser-gfm, ffi, rb-inotify, rb-fsevent, listen, jeekyll-watch, sassc, jeekyll-sa
ss-converter, concurrent-ruby, i18n, http_parser.rb, eventmachine, em-websocket, colorator, public_suffix, addressable,
jeekyll after 18 seconds
Fetching bundler-2.2.21.gem
Successfully installed bundler-2.2.21
Parsing documentation for bundler-2.2.21
Installing ri documentation for bundler-2.2.21
Done installing documentation for bundler after 3 seconds
27 gems installed

C:\Users\iChone_Gz>jeekyll -v
```

- If everything goes as planned, the message `Jeekyll 4.2.0` is shown.
- To create a new page from scratch, follow the steps from 7 and on, from these [instructions](#)