Three Points of Contact

HAZARD: Fall Risk on Stairs

RISKS:

- Serious injuries from falls
- Potential recordable incidents
- Lost time accidents

SAFETY PROCEDURE:

1. Maintain three points of contact at all times
2. Use handrails when available
3. Face the stairs when ascending/descending
4. Keep hands free - use tool belts or hoisting lines
5. Never rush or skip steps
6. Inspect stairs before use

CONSEQUENCES:

Falls can result in fractures, head injuries, or fatalities. Following proper stair safety procedures is critical for preventing workplace accidents.

These guidelines are provided by 1st Response Occupational for general educational and awareness purposes only. They do not represent a comprehensive or site-specific safety program and may not address every hazard, procedure, or regulatory requirement.
Use of this material does not create any contractual obligation, employment relationship, or guarantee of injury prevention. Employers and workers are responsible for complying with all applicable federal, state, and local safety regulations, including OSHA standards, and for maintaining their own safety programs and training.
By downloading or using this material, you acknowledge that 1st Response Occupational assumes no liability for actions taken or omitted based on this information.

Fall Protection Systems

HAZARD: Fall from Elevated Surface

RISKS:

- Serious injuries from falls over 4 feet
- Potential fatalities
- OSHA violations and fines

SAFETY PROCEDURE:

1. Inspect railings before use
2. Ensure 42" minimum height
3. Check for secure connections
4. Verify mid-rails and toe boards
5. Report damaged railings immediately
6. Use additional fall protection if required
7. Never lean over or sit on railings

CONSEQUENCES:

Falls from height are a leading cause of construction fatalities. Proper fall protection systems are essential for worker safety.

These guidelines are provided by 1st Response Occupational for general educational and awareness purposes only. They do not represent a comprehensive or site-specific safety program and may not address every hazard, procedure, or regulatory requirement.
Use of this material does not create any contractual obligation, employment relationship, or guarantee of injury prevention. Employers and workers are responsible for complying with all applicable federal, state, and local safety regulations, including OSHA standards, and for maintaining their own safety programs and training.
By downloading or using this material, you acknowledge that 1st Response Occupational assumes no liability for actions taken or omitted based on this information.

Personal Protective Equipment

HAZARD: Multiple Exposure Risks

RISKS:

- Head injuries (potentially fatal without hard hats)
- Reduced visibility without high-vis clothing
- Eye injuries from debris or UV exposure
- Hand injuries from cuts, crushing, electrical hazards

REQUIRED PPE:

1. Hard Hat - ANSI/ISEA Z89.1 compliant
2. High-Visibility Safety Vest - Class 2 minimum
3. Safety Glasses - ANSI Z87.1+ rated
4. Work Gloves - Task-appropriate protection
5. Steel-toe boots - ASTM F2413 compliant

CONSEQUENCES:

Failure to wear PPE can result in severe injuries or death.
PPE is your last line of defense against workplace hazards.

These guidelines are provided by 1st Response Occupational for general educational and awareness purposes only. They do not represent a comprehensive or site-specific safety program and may not address every hazard, procedure, or regulatory requirement.
Use of this material does not create any contractual obligation, employment relationship, or guarantee of injury prevention. Employers and workers are responsible for complying with all applicable federal, state, and local safety regulations, including OSHA standards, and for maintaining their own safety programs and training.
By downloading or using this material, you acknowledge that 1st Response Occupational assumes no liability for actions taken or omitted based on this information.

Proper Vehicle Backing Procedures

HAZARD: Vehicle Collision Risk

RISKS:

- Pedestrian injuries or fatalities
- Property damage
- Equipment damage

SAFETY PROCEDURE:

1. Always back into parking spaces
2. Use a spotter when available
3. Walk around vehicle before backing
4. Check mirrors and blind spots
5. Back slowly with windows down
6. Sound horn before backing
7. Park in designated areas only

CONSEQUENCES:

Vehicle accidents can cause serious injuries and expensive damage. Proper backing procedures save lives and prevent costly incidents.



These guidelines are provided by 1st Response Occupational for general educational and awareness purposes only. They do not represent a comprehensive or site-specific safety program and may not address every hazard, procedure, or regulatory requirement.
Use of this material does not create any contractual obligation, employment relationship, or guarantee of injury prevention. Employers and workers are responsible for complying with all applicable federal, state, and local safety regulations, including OSHA standards, and for maintaining their own safety programs and training.
By downloading or using this material, you acknowledge that 1st Response Occupational assumes no liability for actions taken or omitted based on this information.