



Sheet: /
File: Tph_Synth_Featherwing.kicad_sch

Title: 3-Phase Synth FeatherWing


Size: A4	Date: 2026-10-28	**Rev: 0.4**
KiCad E.D.A. 10.0.3		Id: 1/6




Sheet: /Feathewing Headers/
File: featherwing.kicad_sch

Title: 3-Phase Synth FeatherWing

Size: A4	Date: 2026-10-28	**Rev: 0.4**
KiCad E.D.A. 10.0.3		Id: 2/6








Sheet: /Boost_Converter/
File: boost_converter.kicad_sch

Title: 3-Phase Synth FeatherWing

Size: A4	Date: 2026-10-28	**Rev: 0.4**
KiCad E.D.A. 10.0.3		Id: 3/6









Sheet: /DAC Based AC Generator/
File: dac_ac_gen.kicad_sch


Title: 3-Phase Synth FeatherWing

Size: A4	Date: 2026-10-28	**Rev: 0.4**
KiCad E.D.A. 10.0.3		Id: 4/6






Sheet: /Negative Rail Generator/		
File: negative_rail.kicad_sch		
Title: 3-Phase Synth FeatherWing		
Size: A4	Date: 2026-10-28	**Rev: 0.4**
KiCad E.D.A. 10.0.3		Id: 5/6




Pot controlled inverting amplifier



IAC_in is actually a voltage input used to control
the Howland Current Pump (improved with trim-pots).
The voltage can be tapped to control the current output.

Voltage controlled constant AC current-source



Dual-voltage opamp power rails




Figure 6. The "Improved Howland" with Trim for Z_{OUT}

Sheet: /Controlled Gain Output/		
File: quad_opamp_gain.kicad_sch		
Title: 3-Phase Synth FeatherWing		
Size: A4	Date: 2026-10-28	**Rev: 0.4**
KiCad E.D.A. 10.0.3		Id: 6/6