

# BRG-008

## Research Packet

Domain: bridge  
Included Runs: 3  
Generated: 2026-07-16T01:37:47+09:00

### Experiment Overview

| Setting    | Value              |
|------------|--------------------|
| Checkpoint | novaAnimeXL_iLV190 |
| Sampler    | Euler a            |
| Scheduler  | Automatic          |
| Steps      | 20                 |
| CFG        | 4.5                |
| Size       | 1024x1024          |

### Conditions


| Run       | Condition   | Unique prompt phrase | Seed       | Status   |
|-----------|-------------|----------------------|------------|----------|
| BRG-008-A | Condition A | (shared prompt only) | 742249515  | OBSERVED |
| BRG-008-B | Condition B | head back            | 1694907226 | OBSERVED |
| BRG-008-C | Condition C | head tilted back     | 2821588859 | OBSERVED |

# BRG-008-A

Condition: Condition A

Status: OBSERVED

Unique prompt phrase: (shared prompt only)



## Positive Prompt

1girl, silver hair, bob cut,  
plain oversized white t-shirt,  
black shorts,  
simple background,  
on back, arched back, leaning back, body bridge, spread legs

## Computed Aggregate

| Metric                        | Counts                                               |
|-------------------------------|------------------------------------------------------|
| body_state                    | lying=6                                              |
| body_orientation              | face_up=6                                            |
| head_orientation              | extended_backward=1; rotated_left=4; rotated_right=1 |
| torso_arch                    | medium=4; strong=2                                   |
| hip_elevation                 | medium=2; unclear=4                                  |
| support_structure             | back_and_foot=2; mixed=4                             |
| support_orientation           | inferior_foot_support=2; unclear=4                   |
| left_hand_surface_contact     | floor=5; not_visible=1                               |
| right_hand_surface_contact    | floor=1; not_visible=5                               |
| left_forearm_surface_contact  | floor=5; not_visible=1                               |
| right_forearm_surface_contact | floor=1; not_visible=5                               |
| left_foot_surface_contact     | floor=2; not_visible=4                               |
| right_foot_surface_contact    | not_visible=6                                        |
| foot_contact_mode             | forefoot=1; not_visible=4; sole=1                    |
| head_surface_contact          | unclear=6                                            |
| shoulder_surface_contact      | unclear=6                                            |
| knee_surface_contact          | absent=6                                             |
| elbow_state                   | asymmetric=4; bent=1; unclear=1                      |
| knee_state                    | asymmetric=4; unclear=2                              |
| leg_spacing                   | wide=6                                               |
| support_evidence_visibility   | out_of_frame=4; partial=2                            |
| contact_load (hands)          | light=6; unclear=6                                   |
| primary_morphology            | lying_arch=4; supine_bridge_like=2                   |
| secondary_morphology          | lying_arch=2; lying_pose=4                           |

## Optional Face Module Aggregate

Visible face-state counts only. Emotion meaning, Prompt causality, and research interpretation are not assessed.

| Face Metric           | Counts                                                                      |
|-----------------------|-----------------------------------------------------------------------------|
| neck_extension        | medium = 4 / 6<br>strong = 1 / 6<br>weak = 1 / 6                            |
| chin_elevation        | elevated = 4 / 6<br>neutral = 1 / 6<br>strongly_elevated = 1 / 6            |
| face_orientation      | three_quarter = 2 / 6<br>upward_facing = 2 / 6<br>visually_inverted = 2 / 6 |
| face_visibility       | clear = 5 / 6<br>partial = 1 / 6                                            |
| gaze_direction        | not_visible = 1 / 6<br>toward_camera = 5 / 6                                |
| eyelid_state          | not_visible = 1 / 6<br>open = 5 / 6                                         |
| mouth_state           | closed = 6 / 6                                                              |
| facial_foreshortening | strong = 1 / 6<br>weak = 5 / 6                                              |
| facial_distortion     | none = 6 / 6                                                                |

# BRG-008-B

Condition: Condition B

Status: OBSERVED

Unique prompt phrase: head back



## Positive Prompt

1girl, silver hair, bob cut,  
plain oversized white t-shirt,  
black shorts,  
simple background,  
on back, arched back, leaning back, body bridge, spread legs,

head back

## Computed Aggregate

| Metric                        | Counts                          |
|-------------------------------|---------------------------------|
| body_state                    | lying=6                         |
| body_orientation              | face_up=6                       |
| head_orientation              | extended_backward=6             |
| torso_arch                    | medium=6                        |
| hip_elevation                 | unclear=6                       |
| support_structure             | mixed=6                         |
| support_orientation           | unclear=6                       |
| left_hand_surface_contact     | floor=3; not_visible=3          |
| right_hand_surface_contact    | floor=1; not_visible=5          |
| left_forearm_surface_contact  | floor=3; not_visible=3          |
| right_forearm_surface_contact | floor=1; not_visible=5          |
| left_foot_surface_contact     | floor=1; not_visible=5          |
| right_foot_surface_contact    | not_visible=6                   |
| foot_contact_mode             | forefoot=1; not_visible=5       |
| head_surface_contact          | unclear=6                       |
| shoulder_surface_contact      | unclear=6                       |
| knee_surface_contact          | absent=6                        |
| elbow_state                   | asymmetric=2; bent=1; unclear=3 |
| knee_state                    | asymmetric=1; unclear=5         |
| leg_spacing                   | wide=6                          |
| support_evidence_visibility   | out_of_frame=5; partial=1       |
| contact_load (hands)          | light=4; unclear=8              |
| primary_morphology            | lying_arch=6                    |
| secondary_morphology          | lying_pose=6                    |

## Optional Face Module Aggregate

Visible face-state counts only. Emotion meaning, Prompt causality, and research interpretation are not assessed.


| Face Metric           | Counts                                                       |
|-----------------------|--------------------------------------------------------------|
| neck_extension        | medium = 1 / 6<br>strong = 5 / 6                             |
| chin_elevation        | elevated = 1 / 6<br>strongly_elevated = 5 / 6                |
| face_orientation      | upward_facing = 5 / 6<br>visually_inverted = 1 / 6           |
| face_visibility       | clear = 1 / 6<br>heavily_occluded = 3 / 6<br>partial = 2 / 6 |
| gaze_direction        | not_visible = 5 / 6<br>toward_camera = 1 / 6                 |
| eyelid_state          | not_visible = 5 / 6<br>open = 1 / 6                          |
| mouth_state           | closed = 3 / 6<br>not_visible = 3 / 6                        |
| facial_foreshortening | strong = 5 / 6<br>weak = 1 / 6                               |
| facial_distortion     | none = 6 / 6                                                 |

# BRG-008-C

Condition: Condition C

Status: OBSERVED

Unique prompt phrase: head tilted back



## Positive Prompt

1girl, silver hair, bob cut,  
plain oversized white t-shirt,  
black shorts,  
simple background,  
on back, arched back, leaning back, body bridge, spread legs,

head tilted back



## Computed Aggregate

| Metric                        | Counts                                      |
|-------------------------------|---------------------------------------------|
| body_state                    | lying=6                                     |
| body_orientation              | face_up=6                                   |
| head_orientation              | extended_backward=5; rotated_left=1         |
| torso_arch                    | medium=4; strong=2                          |
| hip_elevation                 | high=1; low=1; unclear=4                    |
| support_structure             | back_and_foot=1; mixed=5                    |
| support_orientation           | mixed_support=1; unclear=5                  |
| left_hand_surface_contact     | floor=4; not_visible=2                      |
| right_hand_surface_contact    | floor=3; not_visible=3                      |
| left_forearm_surface_contact  | floor=4; not_visible=2                      |
| right_forearm_surface_contact | floor=3; not_visible=3                      |
| left_foot_surface_contact     | floor=1; not_visible=5                      |
| right_foot_surface_contact    | floor=1; not_visible=5                      |
| foot_contact_mode             | mixed=1; not_visible=5                      |
| head_surface_contact          | unclear=6                                   |
| shoulder_surface_contact      | unclear=6                                   |
| knee_surface_contact          | absent=6                                    |
| elbow_state                   | asymmetric=1; bent=1; straight=2; unclear=2 |
| knee_state                    | bent=2; unclear=4                           |
| leg_spacing                   | wide=6                                      |
| support_evidence_visibility   | clear=1; out_of_frame=3; partial=2          |
| contact_load (hands)          | light=7; unclear=5                          |
| primary_morphology            | glute_bridge_like=2; lying_arch=4           |
| secondary_morphology          | lying_pose=4; supine_bridge_like=2          |

## Optional Face Module Aggregate

Visible face-state counts only. Emotion meaning, Prompt causality, and research interpretation are not assessed.

| Face Metric           | Counts                                                                                                     |
|-----------------------|------------------------------------------------------------------------------------------------------------|
| neck_extension        | medium = 2 / 6<br>strong = 2 / 6<br>weak = 2 / 6                                                           |
| chin_elevation        | elevated = 3 / 6<br>neutral = 1 / 6<br>strongly_elevated = 2 / 6                                           |
| face_orientation      | profile = 2 / 6<br>three_quarter = 1 / 6<br>upward_facing = 3 / 6                                          |
| face_visibility       | clear = 4 / 6<br>partial = 2 / 6                                                                           |
| gaze_direction        | eyes_closed = 1 / 6<br>not_visible = 1 / 6<br>sideward = 2 / 6<br>toward_camera = 1 / 6<br>unclear = 1 / 6 |
| eyelid_state          | closed = 1 / 6<br>not_visible = 1 / 6<br>open = 3 / 6<br>unclear = 1 / 6                                   |
| mouth_state           | closed = 5 / 6<br>slightly_open = 1 / 6                                                                    |
| facial_foreshortening | strong = 3 / 6<br>weak = 3 / 6                                                                             |
| facial_distortion     | none = 6 / 6                                                                                               |

# Cross-condition Mechanical Counts

Direct counts from observation.json only. No success judgment or research interpretation is applied.

| Metric                   | BRG-008-A                             | BRG-008-B              | BRG-008-C                            |
|--------------------------|---------------------------------------|------------------------|--------------------------------------|
| body_state               | lying=6                               | lying=6                | lying=6                              |
| hip_elevation            | medium=2; unclear=4                   | unclear=6              | high=1; low=1; unclear=4             |
| support_structure        | back_and_foot=2; mixed=4              | mixed=6                | back_and_foot=1; mixed=5             |
| hand_contact             | floor=6; not_visible=6                | floor=4; not_visible=8 | floor=7; not_visible=5               |
| contact_load             | light=6; unclear=6                    | light=4; unclear=8     | light=7; unclear=5                   |
| head_surface_contact     | unclear=6                             | unclear=6              | unclear=6                            |
| shoulder_surface_contact | unclear=6                             | unclear=6              | unclear=6                            |
| primary_morphology       | lying_arch=4;<br>supine_bridge_like=2 | lying_arch=6           | glute_bridge_like=2;<br>lying_arch=4 |

# Face Module Cross-condition Counts

Direct visible-state counts from face-observation.json. Run columns are mechanically aligned with the manifest conditions; no Phrase effect or emotion meaning is inferred.

| Metric                | BRG-008-A                                                                   | BRG-008-B                                                    | BRG-008-C                                                                                                  |
|-----------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| neck_extension        | medium = 4 / 6<br>strong = 1 / 6<br>weak = 1 / 6                            | medium = 1 / 6<br>strong = 5 / 6                             | medium = 2 / 6<br>strong = 2 / 6<br>weak = 2 / 6                                                           |
| chin_elevation        | elevated = 4 / 6<br>neutral = 1 / 6<br>strongly_elevated = 1 / 6            | elevated = 1 / 6<br>strongly_elevated = 5 / 6                | elevated = 3 / 6<br>neutral = 1 / 6<br>strongly_elevated = 2 / 6                                           |
| face_orientation      | three_quarter = 2 / 6<br>upward_facing = 2 / 6<br>visually_inverted = 2 / 6 | upward_facing = 5 / 6<br>visually_inverted = 1 / 6           | profile = 2 / 6<br>three_quarter = 1 / 6<br>upward_facing = 3 / 6                                          |
| face_visibility       | clear = 5 / 6<br>partial = 1 / 6                                            | clear = 1 / 6<br>heavily_occluded = 3 / 6<br>partial = 2 / 6 | clear = 4 / 6<br>partial = 2 / 6                                                                           |
| gaze_direction        | not_visible = 1 / 6<br>toward_camera = 5 / 6                                | not_visible = 5 / 6<br>toward_camera = 1 / 6                 | eyes_closed = 1 / 6<br>not_visible = 1 / 6<br>sideward = 2 / 6<br>toward_camera = 1 / 6<br>unclear = 1 / 6 |
| eyelid_state          | not_visible = 1 / 6<br>open = 5 / 6                                         | not_visible = 5 / 6<br>open = 1 / 6                          | closed = 1 / 6<br>not_visible = 1 / 6<br>open = 3 / 6<br>unclear = 1 / 6                                   |
| mouth_state           | closed = 6 / 6                                                              | closed = 3 / 6<br>not_visible = 3 / 6                        | closed = 5 / 6<br>slightly_open = 1 / 6                                                                    |
| facial_foreshortening | strong = 1 / 6<br>weak = 5 / 6                                              | strong = 5 / 6<br>weak = 1 / 6                               | strong = 3 / 6<br>weak = 3 / 6                                                                             |
| facial_distortion     | none = 6 / 6                                                                | none = 6 / 6                                                 | none = 6 / 6                                                                                               |

# Observation Boundaries

Visual artifacts and observed morphologies are image observations. Prompt / Concept Leakage is a separate research-stage assessment.

| Run       | Uncertain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Visual Artifacts | Prompt / Concept Leakage | Primary Morphologies                                        | Secondary Morphologies                              |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------|-------------------------------------------------------------|-----------------------------------------------------|
| BRG-008-A | <p>P1 head_surface_contact/shoulder_surface_contact/contact_load: Hair and clothing obscure direct boundaries, and arm contact does not reveal a weight-transfer path.</p> <p>P2 head_surface_contact/shoulder_surface_contact/contact_load: Hair and clothing obscure direct boundaries, and arm load contribution is indeterminate.</p> <p>P3 hip_elevation/support_orientation/contact_load: Close crop and clothing hide the pelvis boundary and support evidence.</p> <p>P4 hip_elevation/support_orientation/contact_load: Clothing and crop obscure the pelvis boundary and complete load path.</p> <p>P5 hip_elevation/support_orientation/contact_load: Shadow, clothing, and crop prevent direct confirmation.</p> <p>P6 hip_elevation/support_orientation/contact_load: Angle, clothing, and crop prevent direct confirmation.</p>                                                                                                                                 | none observed    | not assessed             | <p>lying_arch = 4 / 6</p> <p>supine_bridge_like = 2 / 6</p> | <p>lying_arch = 2 / 6</p> <p>lying_pose = 4 / 6</p> |
| BRG-008-B | <p>P1 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Clothing, hair, and crop hide the required direct boundaries and load path.</p> <p>P2 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Clothing and hair hide direct boundaries; visible limb contact does not establish load.</p> <p>P3 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Clothing and crop hide direct boundaries and complete support evidence.</p> <p>P4 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Close crop and occlusion hide the required evidence.</p> <p>P5 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Clothing, hair, and crop prevent direct confirmation.</p> <p>P6 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Close crop and occlusion hide the required evidence.</p> | none observed    | not assessed             | <p>lying_arch = 6 / 6</p>                                   | <p>lying_pose = 6 / 6</p>                           |

| Run       | Uncertain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Visual Artifacts | Prompt / Concept Leakage | Primary Morphologies                                       | Secondary Morphologies                                      |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|--------------------------|------------------------------------------------------------|-------------------------------------------------------------|
| BRG-008-C | <p>P1 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Clothing, hair, and crop hide the required direct boundaries and load path.</p> <p>P2 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Close crop and occlusion hide the required evidence.</p> <p>P3 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Close crop and occlusion hide the required evidence.</p> <p>P4 head_surface_contact/shoulder_surface_contact/contact_load: Hair and clothing obscure direct contact boundaries, and arm contact does not establish load.</p> <p>P5 head_surface_contact/shoulder_surface_contact/contact_load: Hair and clothing obscure direct contact boundaries, and arm contact does not establish load.</p> <p>P6 hip_elevation/head_surface_contact/shoulder_surface_contact/support_orientation: Clothing, hair, and crop prevent direct confirmation.</p> | none observed    | not assessed             | <p>glute_bridge_like = 2 / 6</p> <p>lying_arch = 4 / 6</p> | <p>lying_pose = 4 / 6</p> <p>supine_bridge_like = 2 / 6</p> |