
whatwg / dom

DOM Standard https://dom.spec.whatwg.org/

#whatwg #dom #standard



■ README.md

This repository hosts the DOM Standard.

Code of conduct

We are committed to providing a friendly, safe, and welcoming environment for all. Please read and respect the WHATWG Code of Conduct.

© Contribution opportunities

Folks notice minor and larger issues with the DOM Standard all the time and we'd love your help fixing those. Pull requests for typographical and grammar errors are also most welcome.

Issues labeled "good first issue" are a good place to get a taste for editing the DOM Standard and providing a pull request.

We'd be happy to mentor you through this process. If you're interested and need help getting started, leave a comment on the issue or ask around on IRC.

Pull requests

In short, change dom.bs and submit your patch, with a good commit message. Consider reading through the WHATWG FAQ if you are new here.

Please add your name to the Acknowledgments section in your first pull request, even for trivial fixes. The names are sorted lexicographically.

Building "locally"

For quick local iteration, run make. To verify your changes locally, run make deploy. See more in the WHATWG Contributor Guidelines.

Formatting

Use a column width of 100 characters.

Do not use newlines inside "inline" elements, even if that means exceeding the column width requirement.

Using newlines between "inline" element tag names and their content is also forbidden. (This actually alters the content, by adding spaces.) That is

```
<a>token</a>
```

is fine and

is not.

```
<a>token
```

is not.

An element always has a <p> element inside it, unless it's a child of <ul class=brief> .

If a "block" element contains a single "block" element, do not put it on a newline.

Do not indent for anything except a new "block" element. For instance

```
For each <var>token</var> in <var>tokens</var>, in given order, that is not in <a>tokens</a>, append <var>token</var> to <a>tokens</a>.
```

is not indented, but

```
For each <var>token</var> in <var>tokens</var>, run these substeps:

    Ii>If <var>token</var> is the empty string, <a>throw</a> a {{SyntaxError}} exception.
```

is.

End tags may be included (if done consistently) and attributes may be quoted (using double quotes), though the prevelant theme is to omit end tags and not quote attributes (unless they contain a space).

Merge policy

If you can commit to this repository, see the WHATWG Maintainer Guidelines.

Tests

Tests can be found in the $\, \mbox{dom/} \, \mbox{directory of web-platform-tests/wpt} \; .$