

- These notes target win10. It is necessary to have Python installed before installing jupyter. Currently all is working well with latest python, version 3.10.2.
- Do not use conda. Strip everything mentioning conda from the machine. (Think of the gigs you'll save.)
- Do not install with 'pip install notebook' . This installs to interior of Python folder and the paths to the effective custom.css are not available. Instead install with 'pip install jupyter'.
- The custom.css page at <https://gist.github.com/atsukoba/beb7ec3fd1927dacf2f6df4b0f209f22> is the only one found which can effectively access font styles for Code, *and* Code Output. An edited version of the file is included in this repository. The chosen version goes in the folder \Users\'name'\.jupyter\custom. The 'custom' folder may need to be created. Font family and font weight are immediately controllable via custom.css, but font size seems resistant.
- Instead of putting the desired fonts into a separate font folder within .jupyter/custom, putting them right into the main 'custom' folder is preferable. The 'fonts' folder is unnecessary. Normally, only one font face, such as 'regular' is required, alternatives being cast on the fly.
- The last two bullets above apply only to Code cells, unfortunately. It is still important to be able to change the font characteristics of Markdown cells. Corrective action is shown in the image below, which depicts the governing code corresponding to a vanilla Markdown cell. It is actually specifying addition of a colored rectangle superimposed with text, but the color used is so light that it reads as white (with the rectangle color adjustable). As you can see, font family, size, and weight can be assigned. In this case an extremely low weight is chosen, because Bookerly font is already semi-bold (you are reading it now). Note that the font color tag must be placed directly before the first text word.

```
<div style="background: #FEFEFE;
          font-family: Bookerly;
          font-size: 16px;
          font-weight: 100;
          padding: 4px 2px 4px 4px;
          border: 1px solid #FEFEFE;
          margin-left: 1px;
          margin-right: 50px;"

  <font color='blue'>Text as shown in a generic markdown cell.
</font>

</div>
```

- Other concerns. To get the notebook to open in a non-Edge browser, edit the Properties dialog of one of the runtimes in C:\Users\'name'\AppData\Roaming\jupyter\runtime with directions that it be opened by the desired browser.
- Remember that any changes for a notebook must be saved (File > Save_and_Checkpoint) before clicking on 'Reload'.
- When saving a file, it is important to include the .ipynb extension, otherwise Jupyter cannot decipher it properly on opening.
- Instead of disseminating via PDF it is preferable to disseminate with raw notebooks. Give people the true goods. It is recognized that in some cases it is necessary to resort to PDF.
- Matplotlib has changed recently. The three lines below are common ones when using matplotlib:
import matplotlib.pyplot as plt
import matplotlib.ticker as ticker
%config InlineBackend.figure_formats = ['svg']
- The above lines set up the matplotlib svg terminal. The svg format rules. When converting a pdf to svg in Inkscape, select Poppler/Cairo import. Find a tutorial describing use of Object > Clip to free the content area from the parent sheet, then resize the supporting document to reduce margins to minimum before exporting as svg. If the image imported into Jupyter needs to have small left margin, for example, make sure there is lots of righthand blank space in the svg when exported from Inkscape. (Or find a smarter way to position images.)
- Ridiculously obvious but still . . . When running a notebook, remember that it is necessary to Shift + Enter to reawaken a python cell.

Last edited on 24 Feb 2022