

Remember, Record, Resist:

A Self-Contained QR-Code Archival System for Long-Term Information Preservation

A.K.A LYRA PHASMA

Supervisor:

PLACEHOLDER: Supervisor

A thesis submitted in partial fulfilment of the requirements for the degree of

Bachelor of Science in Computer Science


PLACEHOLDER: University

College of Engineering and Information Technology

Department of Information Technology

Submission Date

2027



Statement of Originality I hereby declare that: This Thesis represents my original work, and to my best knowledge contains no materials previously published or written by another author, except where I have acknowledged the ideas, words, or materials of other authors. This Thesis do not contain materials or substantial proportions of material which has been accepted for the award of any other degree or diploma at this university or any other education institution, except where I have provided due acknowledgement in this Thesis. Where another author's ideas have been presented in this Thesis, I have acknowledged the author's ideas by citing them in the prescribed style and format. Where another author's words have been presented in this Thesis, I have acknowledged the author's words by using appropriate quotation devices and citations in the prescribed style and format. have obtained permission from the author/s or publisher/s to include any copyrighted material/s in this Thesis manuscript. Portions of this Thesis include materials covered under open licenses (e.g., Unicode License MIT License), which are used in compliance with their respective terms, with full attribution provided in the Bibliography and Appendices.

To my parents, who gave me life and strength; to my beloved who brings stillness in my torrential storm; and to those who have endured — the fallen, the widowed, the forgotten, whose stories deserve to be remembered and retold. May this work stand as a small act of remembrance.
and to those who have endured — the fallen, the widowed, the forgotten, whose stories deserve to be remembered and retold.

Acknowledgements Waffle, waffle.





Table of Contents

St	atem	nent of	Orig	inalit	t y														i
De	edica	tion																	ii
Αc	knov	wledge	men	ts															iii
Αb	stra	ct																	iv
Pr	efac	е																	хi
1	The 1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9	Proble Introd Backg Theor Conce State Object Signif Scope Defini	duction groun retica eptua ement ctives ficand	on . nd of that I France al France of the ce of I Limit	the S mewo mewo ne Pro ne Sto the S tatior	tudy ork ork obler udy Study	 / m . y . f the	 e St	 udy	 			 	 		 		 	1 1 1 1 1 2 2 2 2
2	2.1	iew of Review Synth	w of F	Relev	ant L	itera	atur												3 3
3	3.1 3.2 3.3 3.4 3.5	Resea Samp Instru Valida Data (Statis Ethica	arch [ole and ument ation / Gathe stical	d Sar tatio / Reli ering Trea	mplin n abilit Proc tmen	g Tea y of t edur nt of t	chn the re . the	iqui Inst Dat	e . trur :a	 ner 	 	 	 	 	 	 	 	 	5 5 5 5 5 5 5 5
A	A.1	Set The Discretion A.2.1 A.2.2	heory ete M Key Log A.2.	lathe Condic Co 2.1	mation cepts onnec Sum	cs . s ctive nmar	 y .	 	 	 	 	 	 	 	 	 	 	 	7 7 8 8 8 8
В	B.1	Code S Front B.1.1 B.1.2 B.1.3 B.1.4	Matt Fore Disc Intr	er . eword claim oduc oduc	d er. tion				 		 	 	 	 	 	 	 	 	11 11 11 11 11 11

	B.3 B.4 B.5	Chara B.4.1 B.4.2 Versio B.5.1	Abbreviations 12 bl Description 12 cter Sets 12 ISO/IEC 8859-1 12 B.4.1.1 Decode (Code → Character) 12 Shift JIS X 0208 15 ns 55 Explanation 55 Micro QR Code 55 QR Code 58
_	Con		and Recommendations 63
С	Con	CIUSIO	n and Recommendations 63

List of Figures	



List of Tables

A.1 Logic Connectives																						8
A.2 Negation Truth Table																						9
A.3 Conjuction Truth Table																						9
A.4 Disjunction Truth Table																						9
A.5 Biconditional Truth Table																						9
A.6 Implication Truth Table																						9
•																						9
A.7 NAND Truth Table																						9
A.8 NOR Truth Table																						- 1
A.9 XOR Truth Table									٠													9
B.1 ISO/IEC 8859-1: 0-F x 0-7																						13
B.2 ISO/IEC 8859-1																						14
B.3 Shift JIS X 0208: 21-38 x 21-2B																						15
B.4 Shift JIS X 0208: 21-38 x 2B-35																						16
B.5 Shift JIS X 0208: 21-38 x 35-3F																						17
B.6 Shift JIS X 0208: 21-38 x 3F-49																						18
B.7 Shift JIS X 0208: 21-38 x 49-53																						19
B.8 Shift JIS X 0208: 21-38 x 53-5D																						20
B.9 Shift JIS X 0208: 21-38 x 5D-67																						21
B.10 Shift JIS X 0208: 21-38 x 67-71																						22
B.11 Shift JIS X 0208: 21-38 x 71-7B																						23
B.12 Shift JIS X 0208: 21-38 x 7B-7E	:																					24
B.13 Shift JIS X 0208: 38-4F x 21-2B																						25
B.14 Shift JIS X 0208: 38-4F x 2B-35																						26
B.15 Shift JIS X 0208: 38-4F x 35-3F																						27
B.16 Shift JIS X 0208: 38-4F x 3F-49																						28
B.17 Shift JIS X 0208: 38-4F x 49-53																						29
B.18 Shift JIS X 0208: 38-4F x 43-33																						30
B.19 Shift JIS X 0208: 38-4F x 5D-67																						31
B.20 Shift JIS X 0208: 38-4F x 67-71																						32
B.21 Shift JIS X 0208: 38-4F x 71-7B																						33
B.22 Shift JIS X 0208: 38-4F x 7B-7E																						34
B.23 Shift JIS X 0208: 4F-66 x 21-2B	3																					35
B.24 Shift JIS X 0208: 4F-66 x 2B-35	5																					36
B.25 Shift JIS X 0208: 4F-66 x 35-3F	F																					37
B.26 Shift JIS X 0208: 4F-66 x 3F-49	9																					38
B.27 Shift JIS X 0208: 4F-66 x 49-53	3																					39
B.28 Shift JIS X 0208: 4F-66 x 53-5[40
B.29 Shift JIS X 0208: 4F-66 x 5D-6		-			-	-					-		-	-		-			-	-	-	41
B.30 Shift JIS X 0208: 4F-66 x 67-71		•	•	•	 •	•	•	•	•	•	•	•		•	•		•	•	•	•	•	42
B.31 Shift JIS X 0208: 4F-66 x 71-7B		•		•	 ٠	•		•	•		•	• •		•			•		٠	•		43
B.32 Shift JIS X 0208: 4F-66 x 7B-7E		•		•	 •	•		•	•		•			•	•		•		•	•		43 44
B.33 Shift JIS X 0208: 4F-00 X 7B-7E		•		•	 •	•		•	•		•			•	•	•	•	• •	•	•		
		•		٠	 ٠	•	٠.	•	•		•			•	•		•		•	•		45
B.34 Shift JIS X 0208: 66-7D x 2B-35				٠		•		•	•		•			•			•		•	•		46
B.35 Shift JIS X 0208: 66-7D x 35-3F						•			•		•									•		47
B.36 Shift JIS X 0208: 66-7D x 3F-49									-		-			-								48
B.37 Shift JIS X 0208: 66-7D x 49-53																						49
B.38 Shift JIS X 0208: 66-7D x 53-5[D																					50

B.39 Shift JIS X 0208: 66-7D x 5D-67	52

Preface


This research began not as a formal study, but as a coping mechanism. I live with Bipolar I disorder, a condition that can be both ecstatic and devastating, in what I call "Ecstatic Despair". It brings moments of boundless energy and creativity, followed by periods of deep-seated melancholy. With it come bouts of paranoia about loss—loss of memory, loss of meaning, and at times, visions of a total technological collapse where all digital traces vanish. I have lost countless files over the years through carelessness and accident, and each loss felt like a small death: moments, creations, and fragments of self, gone forever. Out of that grief came the impulse to preserve—to find a way to make memory tangible again.

That impulse led me to discover QR-based backup systems, which fascinated me but left me unsatisfied. Most assumed that the world's infrastructure would endure—that servers, scanners, and networks would always be there to read the data. But what if they were not? What if preservation itself had to survive the end of everything familiar? This question became the seed of what would later grow into Remember, Record, Resist: A Self-Contained QR-Code Archival System for Long-Term Information Preservation.

Two months into exploring this idea, I realized it wasn't just a side project anymore. It was a statement—a resistance to loss, not only personal but collective. In a country where archives are burned, histories are rewritten, and memories of war, dictatorship, and abuse are brushed aside, the act of preserving data becomes an act of defiance.

This study is for those who remember when they are told to forget; for those who lost their voices to erasure—whether through the silence of the dead, the neglect of the living, or the convenience of indifference. This research is dedicated to the archivists, historians, churches, and survivors who keep fragments of truth alive in fragile paper and fading ink. To them, and to anyone who has ever feared that everything might one day be lost—this is my small resistance.

small resistance.
Mabuhay ang katotohanan! Mabuhay ang mga alaala ng kahapon!
Mabuhay ang paghihimagsik ng alaala laban sa pagkalimot!



Chapter 1

The Problem and Its Background

1.1 Introduction

This study explores the design and implementation of a human-decodable, QR-based archival preservation system. As digital storage media face inevitable decay and format obsolescence, the need for an archival method that bridges human readability and machine precision becomes increasingly critical. The proposed system encodes data into QR codes arranged for redundancy, legibility, and long-term recoverability, ensuring that essential knowledge remains accessible even in the absence of functioning computers.

1.2 Background of the Study

Modern data storage relies heavily on digital formats—such as DOCX, XLSX, PDFs—and digital medium of storage such as hard drives and cloud storage. While convenient, these are fragile in the face of time: bit rot, format incompatibility, and dependency on specific hardware and software ecosystems threaten their longevity. Historically, human civilizations relied on physical inscriptions—stone tablets, manuscripts, and printed texts—that survived millennia. In contrast, digital information may not last beyond a few decades without continuous migration. This study seeks to integrate the endurance of physical archives with the density and structure of modern digital encoding.

1.3 Theoretical Framework

The theoretical basis of this research lies in three main domains:

- 1. Information Theory for understanding data encoding efficiency and error correction.
- 2. Archival Science for studying the principles of long-term preservation and access.
- 3. **Semiotics and Human Factors** for ensuring that the encoded information remains interpretable by humans without computational assistance.

By merging these disciplines, the research aims to create an archival format that is both symbolic and functional—a literal preservation of meaning across generations.

1.4 Conceptual Framework

The conceptual framework envisions a dual-readable archival system where information is stored in a two-tier format:

- 1. Machine Layer: QR codes optimized for digital scanning and automated decoding.
- Human Layer: A set of visual and linguistic patterns that allow a trained reader to manually interpret and reconstruct data using pen, paper, and logic alone.

This layered approach aligns with the idea of technological fallback—ensuring information remains recoverable even under total computational collapse.

1.5 Statement of the Problem

Current archival systems prioritize convenience and machine efficiency at the expense of long-term readability. The central problem addressed by this study is the lack of a unified low-cost archival medium that:

- 1. Can be both machine-readable and human-decodable.
- 2. Uses open and accessible encoding standards.
- 3. Remains recoverable without dependence on specific software or hardware.

1.6 Objectives of the Study

The study aims to:

- 1. Design a QR-based archival encoding scheme suitable for long-term preservation.
- 2. Evaluate the human-decoding feasibility of the proposed format.
- 3. Develop Python-based tools for generating and decoding such archives.
- Demonstrate a full archival workflow, from encoding a document to recovering it from printed QR codes.

1.7 Significance of the Study

This study contributes to both digital preservation and alternative communication methods.

- 1. A resilient archival solution that merges analog and digital traditions.
- Educational value in demonstrating the intersection of computation, linguistics, and manual reasoning.
- A foundation for future research on human-readable encodings, post-digital preservation, and low-tech data recovery.

1.8 Scope and Limitations of the Study

The system focuses on the encoding and decoding of small- to medium-sized datasets (e.g., text documents, structured tables) using QR code-based grids. Image and multimedia encoding are outside the scope of this work. While human readability is prioritized, it assumes literacy in basic symbolic logic and access to decoding instructions. Durability testing of physical media is limited to conceptual discussion rather than empirical environmental studies.

1.9 Definition of Terms

Archival Preservation The process of maintaining and protecting information for long-term accessibility.

QR Code A two-dimensional barcode capable of storing alphanumeric and binary data with error correction.

Human-Decodable Data that can be interpreted manually without computational tools.

Error Correction A method of recovering lost or damaged data within an encoded message


Digital Obsolescence The phenomenon where digital formats or storage media become unusable due to technological advancement or decay.

Chapter 2

Review of Relevant Literature

2.1	Review of Relevant Literature


2.2 Synthesis



Chapter 3

Methodology

- 3.1 Research Design
- 3.2 Sample and Sampling Technique
- 3.3 Instrumentation
- 3.4 Validation / Reliability of the Instrument
- 3.5 Data Gathering Procedure
- 3.6 Statistical Treatment of the Data
- 3.7 Ethical Considerations



Appendix A

Mathematics

A.1 Set Theory

 $\{x: x \in \mathbb{R} \mid x > 0\}$ is the set of all strictly positive real numbers.

S = letters of the alphabet.

|S| = 26

Power of Sets

$$S = \{a, b, c\}$$

$$\mathcal{P}(S) = \{\varnothing, \{a\}, \{b\}, \{c\}, \{a, b\}, \{a, c\}, \{b, c\}, \{a, b, c\}\}\}$$

Let $A = \{1, 2, 3\}$ and $B = \{3, 4, 5\}$:

Union: $A \cup B = \{1, 2, 3, 4, 5\}$

Intersection: $A \cap B = \{3\}$

Complement: $A \setminus B = \{1, 2\}$

Symmetric Difference: $A \triangle B = \{1, 2, 4, 5\}$

Union $A \cup B = \{1, 2, 3, 4, 5\}$

Intersection $A \cap B = \{3\}$

Complement $A \setminus B = \{1, 2\}$

Symmetric Difference $A \triangle B = \{1, 2, 4, 5\}$

Cartesian products

$$A \times B = \{(1,3), (1,4), (2,3), (2,4)\}$$

$$B\times A=\{(3,1),(3,2),(4,1),(4,2)\}$$

$$A\times B\neq B\times A$$

A.2 Discrete Mathematics

A.2.1 Key Concepts

Arguments Group of statements, one of which is claimed to follow from the others.

Proposition A statement that is either true or false, usually a declarative sentence.

A.2.2 Logic Connectives

Table A.1: Logic Connectives

Connectives	Symbols	Meaning					
Negation	~/¬	Not					
Conjunction	^	And					
Disjunction	V	Or					
Implication/	\rightarrow	lf					
Conditional	\rightarrow	"					
Biconditional	\leftrightarrow	If and Only If					
NAND	↑	Not And					
NOR	+	Not Or					
XOR	\oplus	Exclusive Or					

A.2.2.1 Summary

Negation Inverts the truth value

Conjunction True when both statements are True

Disjunction True when at least one of the statements are True

Biconditional True when both statements have the same truth value

Implication False if First and Second Statement are True and False respectively,

otherwise all configurations are True

NAND Negation of Conjunction

NOR Negation of Disjunction

XOR Negation of Biconditional

A.2.3 Truth Tables

Р	\sim P
Т	F
F	Т

Table A.3: Conjuction Truth Table

Р	Q	$P \wedge Q$
Т	Т	Т
Т	F	F
F	Т	F
F	F	F

Table A.4: Disjunction Truth Table

Р	Q	$P \lor Q$
Т	Т	Т
Т	F	Т
F	Т	Т
F	F	F

Table A.5: Biconditional Truth Table

Table A.9: XOR Truth Table

Р	Q	$P \leftrightarrow Q$
Т	Т	Т
Т	F	F
F	Т	F
F	F	Т

Table A.2: Negation Truth Table

Table A.6: Implication Truth Table

Р	Q	$P \rightarrow Q$
Т	Т	Т
Т	F	F
F	Т	Т
F	F	Т


Table A.7: NAND Truth Table

Р	Q	P↑Q
Т	Т	F
Т	F	Т
F	Т	Т
F	F	Т

Table A.8: NOR Truth Table

Р	Q	P↓Q
Т	Т	F
Т	F	F
F	Т	F
F	F	Т

Р	Q	$P \oplus Q$
Т	Т	F
Т	F	Т
F	Т	Т
F	F	F



Appendix B

QR Code Standard

B.1 Front Matter

B.1.1 Foreword

This chapter is an independent compilation and reinterpretation of the QR Code standard. It is informed by publicly available resources such as research papers, technical books, developer documentation, and collaborative knowledge bases. While I did not have access to the complete ISO/IEC publications due to their cost and limited availability, this document draws upon secondary sources and open references to provide an accessible explanation of QR Code structure and encoding principles.

Where appropriate, annotations and commentary have been added to clarify complex topics and to make the material approachable for readers who may wish to implement their own encoder or decoder, or who are simply curious about how QR codes function.

This is not an official or authoritative standard. It should be read as a study guide and commentary rather than as a normative reference.

Happy scanning, bestie :3

B.1.2 Disclaimer

This chapter is an independent, non-official reinterpretation of the QR Code standard, intended for educational and reference purposes. It is not affiliated with, endorsed by, or a substitute for any publication by the International Organization for Standardization (ISO), the International Electrotechnical Commission (IEC), or any related standards body.

All technical descriptions herein are based on information from publicly accessible and legally obtainable sources. Care has been taken to avoid reproducing verbatim text from proprietary publications. Commentary and interpretation are original contributions of the author, provided to improve accessibility and understanding.

This work is offered under principles of fair use and fair dealing for scholarly and educational purposes. Readers requiring normative or compliance-related guidance should consult the official ISO/IEC 18004 standard or its national equivalents.

B.1.3 Introduction

B.1.4 Introduction

A QR Code (Quick Response Code) is a two-dimensional matrix barcode invented in 1994 by Masahiro Hara of the Japanese company Denso Wave, originally for tracking automobile parts. QR Codes are recognizable by their square modules arranged on a contrasting background, typically with position-detecting fiducial markers in three corners.

Data encoded within a QR Code is interpreted by imaging devices such as cameras, and recovered using error—correction algorithms—most notably Reed–Solomon error correction—to ensure robustness against noise and distortion. The encoded information is embedded in both the horizontal and vertical dimensions of the symbol, enabling compact and efficient data storage and retrieval.[1]

B.2 Definition of Terms

B.2.1 Abbreviations

2D two-dimensional [2]
QR code quick-response code [1]

API Application Programming Interface [3]

B.3 Symbol Description

QR code is a 2D barcode with the following characteristics:

- 1. Formats:
 - a. QR code, the full version; and
 - b. Micro QR code, a smaller version of the QR code standard for applications where symbol size is limited.
- 2. Character Set[1]:
 - a. Numeric: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
 - b. Alphanumeric: 0-9, A-Z (upper-case only), space, \$ (dollar sign), % (percent symbol) * (asterisk), + (plus symbol), (dash), . (period), / (slash), : (colon)
 - c. Binary/byte: ISO/IEC 8859-1 as described below.
 - d. Kanji/kana: Shift JIS X 0208 as described below.

B.4 Character Sets

B.4.1 ISO/IEC 8859-1

According to Wikipedia, ISO/IEC 8859-1:1998, Information technology—8-bit single-byte coded graphic character sets—Part 1: Latin alphabet No. 1, is part of the ISO/IEC 8859 series of ASCII-based standard character encodings, first edition published in 1987. ISO/IEC 8859-1 encodes what it refers to as "Latin alphabet no. 1", consisting of 191 characters from the Latin script[4].

B.4.1.1 Decode (Code → Character)

- 1. Start with the hex code. Example: 0x2F
- 2. Remove the prefix **0x**.
- 3. Split into two nibbles:
 - a. High nibble = first hex digit (2).
 - b. Low nibble = second hex digit (F).
- 4. Convert the high nibble into the row by multiplying it by 16 (hex shift). Example: $2 \rightarrow 20$
- 5. The low nibble is the column. Example: F.
- 6. Locate the character at row 20, column F in the table.
- 1. To get the code of a character—for example, the exclamation mark—one must:
 - a. Find the character of interest in the table. If it is not in the table, then it means that the character set does not contain said character.
 - b. After finding said character, get its row and column. In this example, the row and column is 2 and 1 respectively.
 - c. Then, combine '0x' hex prefix, the row and column digit of said character. In this example, it should result to '0x21'.

			Т	able E	3.1: IS0	D/IEC	8859-	-1: 0-F	x 0-7	7						
	0	1	2	3	4	5	6	7								
00																
10																
20	[SP] ¹	ļ	"	#	\$	%	&	1								
30	0	1	2	3	4	5	6	7								
40	@	Α	В	С	D	Е	F	G								
50	Р	Q	R	S	Т	U	V	W								
60	ŧ	а	b	С	d	е	f	g	h	i	j	k	I	m	n	0
70	р	q	r	S	t	u	V	W	Х	У	Z	{	I	}	~	
80																
90																
Α0	[NBSP] ²	i	¢	£	¤	¥	I I	§		©	а	«	7	[SHY] ³	®	-
В0	0	±	2	3	,	μ	9		5	1	0	»	1/4	1/2	3/4	خ
CO	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ϊ
D0	Đ	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
E0	à	á	â	ã	ä	å	æ	Ç	è	é	ê	ë	ì	í	î	ï
F0	ð	ñ	Ò	Ó	ô	Õ	Ö	÷	Ø	ù	ú	û	ü	ý	þ	ÿ

¹ Space character ² Non-breaking space ³ Soft hyphen

				Та	ble B	.2: ISC	D/IEC	8859-	1							
	0	1	2	3	4	5	6	7	8	9	Α	В	С	D	Е	F
00																
10																
20	[SP] ⁴	ļ	33	#	\$	%	&	,	()	*	+	,	-		1
30	0	1	2	3	4	5	6	7	8	9	:	,	<	=	>	?
40	@	Α	В	С	D	Е	F	G	Н	I	J	Κ	L	М	N	0
50	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	[\]	^	_
60	ŧ	а	b	С	d	е	f	g	h	i	j	k	I	m	n	0
70	р	q	r	S	t	u	٧	W	X	У	Z	{	I	}	~	
80																
90																
AO	[NBSP] ⁵	i	¢	£	¤	¥	ł	§		©	а	«	7	[SHY] ⁶	®	-
В0	0	±	2	3	,	μ	9		5	1	o	»	1/4	1/2	3/4	خ
C0	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	ĺ	Î	Ϊ
D0	Đ	Ñ	Ó	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß
EO	à	á	â	ã	ä	å	æ	Ç	è	é	ê	ë	ì	í	î	Ϊ
F0	ð	ñ	Ò	Ó	ô	Õ	Ö	÷	Ø	ù	ú	û	ü	ý	þ	ÿ

Symbols and Punctuations: 0x21-2F, 0x3A-3F, 0x40, 0x5B-60, 0x7B-7E, 0xA1-A9, 0xAB-AC, 0xAE-B1, 0xB4-B8, 0xBB, and 0xBF

⁴ Space character ⁵ Non-breaking space

⁶ Soft hyphen

B.4.2 Shift JIS X 0208

Table B.3: Shift JIS X 0208: 21-38 x 21-2B

	21	22	23	24	25	26	27	28	29	2A	2B
21	[SP] ⁷	`	0	,	•	٠	•	;	?	!	"
22	•			\triangle		∇	•	*	₹	\rightarrow	←
23											
24	あ	あ	い	い	う	う	え	え	お	お	か
25	ア	ア	1	1	ウ	ウ	エ	Н	オ	オ	カ
26	Α	В	Γ	Δ	Е	Z	Н	Θ	I	K	Λ
27	Α	Б	В	Γ	Д	Е	Ë	Ж	3	И	Й
28			Г		Τ	L	H	\vdash			+
29											
2A											
2B											
2C											
2D											
2E											
2F											
30	亜	唖	娃	阿	哀	愛	挨	姶	逢	葵	茜
31	院	陰	隠	韻	吋	右	宇	鳥	羽	迂	雨
32	押	旺	横	欧	殴	王	翁	襖	鴬	鴎	黄
33	魁	晦	械	海	灰	界	皆	絵	芥	蟹	開
34	粥	ΧIJ	苅	瓦	乾	侃	冠	寒	刊	勘	勧
35	機	帰	毅	気	汽	畿	祈	季	稀	紀	徽
36	供	侠	僑	兇	競	共	凶	協	匡	卿	叫
37	掘	窟	沓	靴	轡	窪	熊	隈	粂	栗	繰
38	検	権	牽	犬	献	研	硯	絹	県	肩	見

Table B.4: Shift JIS X 0208: 21-38 x 2B-35

	2B	2C	2D	2E	2F	30	31	32	33	34	35
21	"	0	,	`		^			`	1"	>
22		1	\								
23						0	1	2	3	4	5
24	か	が	き	ぎ	<	Ć,	け	げ	IJ	ر آ	わ
25	カ	ガ	+	ギ	ク	グ	ケ	ゲ	コ	ゴ	サ
26	^	М	Ν	Ξ	0	П	Р	Σ	Т	Y	θ
27	Й	K	Л	М	Н	0	П	Р	С	Т	У
28	+		ı	Г	٦		L	H	Т	4	—
29											
2A											
2B											
2C											
2D											
2E											
2F					\				L /.	1	
30	茜	穐	悪	握	渥	旭	葦	芦	鯵	梓	圧
31	雨	卯	鵜	窺	#	碓	臼	渦	嘘	唄	欝
32	黄	岡	沖	荻	億	屋	憶	臆	桶	牡	Z
33	開	階	貝	凱	劾	外	咳	害	崖	慨	概
34	勧	巻	喚	堪	姦	完	官	寛	干	幹	患
35	徽	規	記	貴	起	軌	輝	飢	騎	鬼	亀
36	叫	喬	境	峡	強	彊	怯	恐	恭	挟	教
37	繰	桑	鍬	勲	君	薫	訓	群	軍	郡	卦
38	見	謙	賢	軒	遣	鍵	険	顕	験	鹸	元

⁷ Space character

	Table B.5: Shift JIS X 0208: 21-38 x 35-3F										
	35	36	37	38	39	3A	3B	3C	3D	3E	3F
21	٧	7,,	//	소	々	×	0	_	_	_	/
22						\in	∋	\subseteq	\supseteq	\subset	\supset
23	5	6	7	8	9						
24	さ	ざ	し	じ	す	ず	せ	ぜ	そ	ぞ	た
25	サ	ザ	シ	ジ	ス	ズ	セ	ゼ	ソ	ゾ	タ
26	Ф	Χ	Ψ	Ω							
27	У	Ф	Χ	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э
28		+	H	_	4		+	 	_	-	
29											
2A											
2B											
2C											
2D											
2E											
2F											
30	圧	斡	扱	宛	姐	虻	台	絢	綾	鮎	或
31	欝	蔚	鰻	姥	廐	浦	瓜	閨	噂	五	運
32	乙	俺	卸	恩	温	穏	音	下	化	仮	何
33	概	涯	碍	蓋	街	該	鎧	骸	浬	馨	蛙
34	患	感	慣	憾	換	敢	柑	桓	棺	款	歓
35	亀	偽	儀	妓	宜	戱	技	擬	欺	犠	疑
36	教	橋	況	狂	狭	矯	胸	脅	興	蕎	郷
37	卦	袈	祁	係	傾	刑	兄	啓	圭	珪	型
38	元	原	厳	幻	弦	減	源	玄	現	絃	舷

Table B.6: Shift JIS X 0208: 21-38 x 3F-49											
	3F	40	41	42	43	44	45	46	47	48	49
21	/		~	II				ŧ	,	66	"
22	\supset	U	\cap								
23			Α	В	С	D	Е	F	G	Η	I
24	た	だ	ち	ぢ	つ	つ	づ	て	で	と	ど
25	タ	ダ	チ	ヂ	ツ	ツ	ヅ	テ	デ	7	ド
26			а	β	γ	δ	ε	ζ	n	Φ	L
27	Э	Ю	Я								
28		+									
29											
2A											
2B											
2C											
2D											
2E											
2F											
30	或	粟	袷	安	庵	按	暗	案	闇	鞍	杏
31	運	雲	荏	餌	叡	営	嬰	影	映	曳	栄
32	何	伽	価	佳	加	可	嘉	夏	嫁	家	寡
33	蛙	垣	柿	蛎	鈎	劃	嚇	各	廓	拡	撹
34	歓	汗	漢	澗	潅	環	甘	監	看	竿	管
35	疑	祇	義	蟻	誼	議	掬	菊	鞠	卝	吃
36	郷	鏡	響	饗	驚	仰	凝	尭	暁	業	局
37	型	契	形	径	恵	慶	慧	憩	掲	携	敬
38	舷	言	諺	限	乎	個	古	呼	固	姑	孤

Table B.7: Shift JIS X 0208: 21-38 x 49-53 52 49 4A 4B 4C 4D 4E 4F 50 51 53] () [) { } < 21 \vee \exists 22 \wedge \Leftrightarrow \forall \Rightarrow \neg 23 K Ρ Q S Ι J L Μ Ν O R ぱ ど な に ば 24 ね は ひ び ぬ の ビ 25 ド ネ ナ L ヌ ノ **八** バ パ 26 ξ λ ٧ ι Κ μ 0 Π ρ σ τ 27 б а В 28 29 2A 2B 2C 2D 2E 2F 30 杏 以 伊 位 偉 委 威 尉 依 进 夷 栄 泳 洩 瑛 穎 頴 英 衛 詠 永 31 盈 架 32 寡 科 暇 果 歌 禍 禾 珂 河 火 撹 格 殻 獲 核 角 赫 較 33 確 穫 覚 管 緩 肝 艦 莞 観 貫 34 缶 翰 諌 簡 吃 喫 桔 橘 詰 砧 杵 黍 客 脚 35 却 桐 均 巾 36 局 曲 極 玉 粁 僅 勤 錦 敬 景 桂 渓 畦 稽 系 継 繋 工 37 経 糊 弧 故 枯 湖 袴 孤 己 庫 狐 38 戸

Table B.8: Shift JIS X 0208: 21-38 x 53-5D											
	53	54	55	56	57	58	59	5A	5B	5C	5D
21	>	«	>>	Γ	٦	ſ	_]	[1	+	-
22										_	工
23	S	Т	U	V	W	Χ	Υ	Z			
24	び	ぴ	ふ	ぶ	ぷ	^	ベ	~	ほ	ぼ	ぽ
25	ビ	ピ	フ	ブ	プ	^	ベ	~	朩	ボ	ポ
26	τ	U	ф	X	Ψ	ω					
27	В	Γ	Д	е	ë	Ж	3	И	Й	K	Л
28											
29											
2A											
2B											
2C											
2D											
2E											
2F											
30	尉	惟	意	慰	易	椅	為	畏	異	移	維
31	詠	鋭	液	疫	益	駅	悦	謁	越	閱	榎
32	禾	稼	筃	花	苛	茄	荷	華	菓	蝦	課
33	較	郭	閣	隔	革	学	岳	楽	額	顎	掛
34	貫	還	鑑	間	閑	関	陥	韓	館	舘	丸
35	脚	虐	逆	丘	久	仇	休	及	吸	宮	弓
36	錦	斤	欣	欽	琴	禁	禽	筋	緊	芹	菌
37	罫	茎	荊	蛍	計	詣	警	軽	頚	鶏	芸
38	袴	股	胡	菰	虎	誇	跨	鈷	雇	顧	鼓

Table B.9: Shift JIS X 0208: 21-38 x 5D-67

	5D	5E	5F	60	61	62	63	64	65	66	67
21	_	±	×	÷	=	≠	<	>	\leq	\geq	8
22	上		9	∇	=	=	«	>>	√	S	×
23					а	b	С	d	е	f	g
24	ぽ	ま	み	む	め	も	や	や	ゆ	ゆ	よ
25	ポ	マ	111	ム	Х	Ŧ	ヤ	ヤ	ュ	ュ	3
26											
27	Л	М	Η	0	П	р	С	Т	У	ф	X
28											
29											
2A											
2B											
2C											
2D											
2E											
2F											
30	維	緯	胃	萎	衣	謂	違	遺	医	井	亥
31	榎	厭	円	遠	堰	奄	宴	延	怨	掩	援
32	課	嘩	貨	迦	過	霞	蚊	俄	峨	我	牙
33	掛	笠	樫	橿	梶	鰍	潟	割	喝	恰	括
34	丸	含	岸	巌	玩	癌	眼	岩	翫	贋	雁
35	弓	急	救	朽	求	汲	泣	灸	球	究	窮
36	菌	衿	襟	謹	近	金	吟	銀	九	倶	句
37	芸	迎	鯨	劇	戟	撃	激	隙	桁	傑	欠
38	鼓	五	互	伍	午	呉	吾	娯	後	御	悟

Table B.10: Shift JIS X 0208: 21-38 x 67-71											
	67	68	69	6A	6B	6C	6D	6E	6F	70	71
21	∞	••	o₹	우	0	,	"	°C	¥	\$	¢
22	\propto	••	ſ	IJ							
23	g	h	i	j	k	l	m	n	0	р	q
24	よ	よ	<i>1</i> 9	り	る	れ	ろ	わ	わ	ゐ	A
25	3	3	ラ	IJ	ル	レ	口	ワ	ワ	ヰ	ヱ
26											
27	Х	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я
28											
29											
2A											
2B											
2C											
2D											
2E											
2F											
30	亥	域	育	郁	磯	_	壱	溢	逸	稲	茨
31	援	沿	演	炎	焔	煙	燕	猿	縁	艶	苑
32	牙	画	臥	芽	蛾	賀	雅	餓	駕	介	会
33	括	活	渇	滑	葛	褐	轄	且	鰹	叶	椛
34	雁	頑	顔	願	企	伎	危	喜	器	基	奇
35	窮	笈	級	糾	給	旧	牛	去	居	巨	拒
36	句	X	狗	玖	矩	苦	躯	駆	駈	駒	具
37	欠	決	潔	穴	結	血	訣	月	件	倹	倦
38	悟	梧	檎	瑚	碁	語	誤	護	醐	乞	鯉

Table B.11: Shift JIS X 0208: 21-38 x 71-7B												
	71	72	73	74	75	76	77	78	79	7A	7B	
21	¢	£	%	#	&	*	@	§	\Rightarrow	*	0	
22		Å	‰	#	b)	†	‡	9			
23	q	r	S	t	u	V	W	Х	У	Z		
24	ゑ	を	ん									
25	ヱ	ヲ	ン	ヴ	カ	ケ						
26												
27	Я											
28												
29												
2A												
2B												
2C												
2D												
2E												
2F												
30	茨	芋	鰯	允	印	咽	員	因	姻	引	飲	
31	苑	薗	遠	鉛	鴛	塩	於	汚	甥	凹	央	
32	会	解		塊	壊	廻	快	怪	悔	恢	懐	
33	椛	樺	鞄	株	兜	竃	蒲	釜	鎌	噛	鴨	
34	奇	嬉	寄	岐	希	幾	忌	揮	机	旗	既	
35	拒	拠	挙	渠	虚	許	距	鋸	漁	禦	魚	
36	具	愚	虞	喰	空	偶	寓	遇	隅	串	櫛	
37	倦	健	兼	券	剣	喧	圏	堅	嫌	建	憲	
38	鯉	交	佼	侯	候	倖	光	公	功	効	勾	

Table B.12: Shift JIS X 0208: 21-38 x 7B-7E

	7B	7C	7D	7E
21	0		0	\Diamond
22				0
23				
24				
25				
26				
27				
28				
29				
2A				
2B				
2C				
2D				
2E				
2F				
30	飲	淫	胤	蔭
31	央	奥	往	応
32	懐	戒	拐	改
33	鴨	栢	茅	萱
34	既	期	棋	棄
35	魚	亨	享	京
36	櫛	釧	屑	屈
37	憲	懸	拳	捲
38	勾	厚	П	向

Table B.13: Shift JIS X 0208: 38-4F x 21-2B												
	21	22	23	24	25	26	27	28	29	2A	2B	
38	検	権	牽	犬	献	研	硯	絹	県	肩	見	
39	后	喉	坑	垢	好	孔	孝	宏	エ	巧	巷	
3A	此	頃	今	困	坤	墾	婚	恨	懇	昏	昆	
3B	察	拶	撮	擦	札	殺	薩	雑	畔	鯖	捌	
3C	次	滋	治	爾	璽	痔	磁	ド	旧	耳	自	
3D	宗	就	州	修	愁	拾	洲	秀	秋	終	繍	
3E	勝	匠	升	召	哨	商	唱	嘗	奨	妾	娼	
3F	拭	植	殖	燭	織	職	色	触	食	蝕	辱	
40	澄	摺	寸	世	瀬	畝	是	凄	制	勢	姓	
41	繊	羨	腺	舛	船	薦	詮	賎	践	選	遷	
42	臓	蔵	贈	造	促	側	則	即	息	捉	束	
43	叩	但	達	辰	奪	脱	巽	竪	辿	棚	谷	
44	帖	帳	庁	弔	張	彫	徴	懲	挑	暢	朝	
45	邸	鄭	釘	鼎	泥	摘	擢	敵	滴	的	笛	
46	董	蕩	藤	討	謄	豆	踏	逃	透	鐙	陶	
47	如	尿	韮	任	妊	忍	認	濡	禰	袮	寧	
48	函	箱	硲	箸	肇	筈	櫨	幡	肌	畑	畠	
49	鼻	柊	稗	匹	疋	髭	彦	膝	菱	肘	弼	
4A	福	腹	複	覆	淵	弗	払	沸	仏	物	鮒	
4B	法	泡	烹	砲	縫	胞	芳	萌	蓬	蜂	褒	
4C	漫	蔓	味	未	魅	巳	箕	岬	密	蜜	湊	
4D	諭	輸	唯	佑	優	勇	友	宥	幽	悠	憂	
4E	痢	裏	裡	里	離	陸	律	率	立	葎	掠	
4F	蓮	連	錬	呂	魯	櫓	炉	賂	路	露	労	

Table B.14: Shift JIS X 0208: 38-4F x 2B-35												
	2B	2C	2D	2E	2F	30	31	32	33	34	35	
38	見	謙	賢	軒	遣	鍵	険	顕	験	鹸	元	
39	巷	幸	広	庚	康	弘	恒	慌	抗	拘	控	
3A	昆	根	梱	混	痕	紺	艮	魂	些	佐	叉	
3B	捌	錆	鮫	Ш	晒	Ξ	傘	参	山	惨	撒	
3C	自	蒔	辞	汐	鹿	式	識	鴫	<u>~~</u>	軸	宍	
3D	繍	習	臭	舟	蒐	衆	襲	讐	蹴	輯	週	
3E	娼	宵	将	小	少	尚	庄	床	廠	彰	承	
3F	辱	尻	伸	信	侵	唇	娠	寝	審	心	慎	
40	姓	征	性	成	政	整	星	晴	棲	栖	正	
41	遷	銭	銑	閃	鮮	前	善	漸	然	全	禅	
42	束	測	足	速	俗	属	賊	族	続	卒	袖	
43	谷	狸	鱈	樽	誰	丹	単	嘆	坦	担	探	
44	朝	潮	牒	町	眺	聴	脹	腸	蝶	調	諜	
45	笛	適	鏑	溺	哲	徹	撤	轍	迭	鉄	典	
46	陶	頭	騰	闘	働	動	同	堂	導	憧	撞	
47	寧	葱	猫	熱	年	念	捻	撚	燃	粘	乃	
48	畠	八	鉢	溌	発	醗	髪	伐	罰	抜	筏	
49	弼	必	畢	筆	逼	桧	姫	媛	紐	百	謬	
4A	鮒	分	吻	噴	墳	憤	扮	焚	奮	粉	糞	
4B	褒	訪	豊	邦	鋒	飽	鳳	鵬	乏	亡	傍	
4C	湊	蓑	稔	脈	妙	粍	民	眠	務	夢	無	
4D	憂	揖	有	柚	湧	涌	猶	猷	由	祐	裕	
4E	掠	略	劉	流	溜	琉	留	硫	粒	隆	竜	
4F	労	婁	廊	弄	朗	楼	榔	浪	漏	牢	狼	

			Table E	3.15: Sh	ift JIS X	(0208:	38-4F)	< 35-3F			
	35	36	37	38	39	3A	3B	3C	3D	3E	3F
38	元	原	厳	幻	弦	減	源	玄	現	絃	舷
39	控	攻	昂	晃	更	杭	校	梗	構	江	洪
3A	叉	唆	嵯	左	差	查	沙	瑳	砂	詐	鎖
3B	撒	散	桟	燦	珊	産	算	纂	蚕	讃	賛
3C	宍	雫	七	叱	執	失	嫉	室	悉	湿	漆
3D	週	酋	酬	集	醜	什	住	充	+	従	戎
3E	承	抄	招	掌	捷	昇	昌	昭	晶	松	梢
3F	慎	振	新	晋	森	榛	浸	深	申	疹	真
40	正	清	牲	生	盛	精	聖	声	製	西	誠
41	禅	繕	膳	糎	噌	塑	岨	措	曾	曽	楚
42	袖	其	揃	存	孫	尊	損	村	遜	他	多
43	探	旦	歎	淡	湛	炭	短	端	箪	綻	耽
44	諜	超	跳	銚	長	頂	鳥	勅	捗	直	朕
45	典	填	天	展	店	添	纏	甜	貼	転	顛
46	撞	洞	瞳	童	胴	萄	道	銅	峠	鴇	匿
47	乃	廼	之	埜	嚢	悩	濃	納	能	脳	膿
48	筏	閥	鳩	噺	塙	蛤	隼	伴	判	半	反
49	謬	俵	彪	標	氷	漂	瓢	票	表	評	豹
4A	糞	紛	雰	文	聞	丙	併	兵	塀	幣	平
4B	傍	剖	坊	妨	帽	忘	忙	房	暴	望	某
4C	無	牟	矛	霧	鵡	椋	婿	娘	冥	名	命
4D	裕	誘	遊	邑	郵	雄	融	タ	予	余	与
4E	竜	龍	侶	慮	旅	虜	了	亮	僚	両	凌
4F	狼	篭	老	聾	蝋	郎	六	麓	禄	肋	録

	Table B.16: Shift JIS X 0208: 38-4F x 3F-49											
	3F	40	41	42	43	44	45	46	47	48	49	
38	舷	言	諺	限	乎	個	古	呼	固	姑	孤	
39	洪	浩	港	溝	甲	皇	硬	稿	糠	紅	紘	
3A	鎖	裟	坐	座	挫	債	催	再	最	哉	塞	
3B	賛	酸	餐	斬	暫	残	仕	仔	伺	使	刺	
3C	漆	疾	質	実	蔀	篠	偲	柴	芝	屡	蕊	
3D	戎	柔	汁	渋	獣	縦	重	銃	叔	夙	宿	
3E	梢	樟	樵	沼	消	涉	湘	焼	焦	照	症	
3F	真	神	秦	紳	臣	芯	薪	親	診	身	辛	
40	誠	誓	請	逝	醒	青	静	斉	税	脆	隻	
41	楚	狙	疏	疎	礎	祖	租	粗	素	組	蘇	
42	多	太	汰	詑	唾	堕	妥	惰	打	柁	舵	
43	耽	胆	蛋	誕	鍛	寸	壇	弾	断	暖	檀	
44	朕	沈	珍	賃	鎮	陳	津	墜	椎	槌	追	
45	顛	点	伝	殿	澱	田	電	兎	吐	堵	塗	
46	匿	得	徳	涜	特	督	禿	篤	毒	独	読	
47	膿	農	覗	蚤	巴	把	播	覇	杷	波	派	
48	反	叛	帆	搬	斑	板	氾	汎	版	犯	班	
49	豹	廟	描	病	秒	苗	錨	鋲	蒜	蛭	鯺	
4A	平	弊	柄	並	蔽	閉	陛	米	頁	僻	壁	
4B	某	棒	冒	紡	肪	膨	謀	貌	貿	鉾	防	
4C	命	明	盟	迷	銘	鳴	姪	牝	滅	免	棉	
4D	与	誉	輿	預	傭	幼	妖	容	庸	揚	揺	
4E	凌	寮	料	梁	涼	猟	療	瞭	稜	糧	良	
4F	録	論	倭	和	話	歪	賄	脇	惑	枠	鷲	

Table B.17: Shift JIS X 0208: 38-4F x 49-53												
	49	4A	4B	4C	4D	4E	4F	50	51	52	53	
38	孤	己	庫	弧	戸	故	枯	湖	狐	糊	袴	
39	紘	絞	綱	耕	考	肯	肱	腔	膏	航	荒	
3A	塞	妻	宰	彩	才	採	栽	歳	済	災	采	
3B	刺	司	史	嗣	四	士	始	姉	姿	子	屍	
3C	捴	縞	舎	写	射	捨	赦	斜	煮	社	紗	
3D	宿	淑	祝	縮	粛	塾	熟	出	術	述	俊	
3E	症	省	硝	礁	祥	称	章	笑	粧	紹	肖	
3F	辛	進	針	震	人	仁	刃	塵	壬	尋	甚	
40	隻	席	惜	戚	斥	昔	析	石	積	籍	績	
41	蘇	訴	阻	遡	鼠	僧	創	双	叢	倉	喪	
42	舵	楕	陀	駄	騨	体	堆	対	耐	岱	帯	
43	檀	段	男	談	値	知	地	弛	恥	智	池	
44	追	鎚	痛	通	塚	栂	掴	槻	佃	漬	柘	
45	塗	妬	屠	徒	斗	杜	渡	登	菟	賭	途	
46	読	栃	橡	凸	突	椴	届	鳶	苫	寅	酉	
47	派	琶	破	婆	罵	芭	馬	俳	廃	拝	排	
48	班	畔	繁	般	藩	販	範	釆	煩	頒	飯	
49	鰭	品	彬	斌	浜	瀕	貧	賓	頻	敏	瓶	
4A	壁	癖	碧	別	瞥	蔑	箆	偏	変	片	篇	
4B	防	吠	頬	北	僕	 	墨	撲	朴	牧	睦	
4C	棉	綿	緬	面	麺	摸	模	茂	妄	孟	毛	
4D	揺	擁	曜	楊	様	洋	溶	熔	用	窯	羊	
4E	良	諒	遼	量	陵	領	カ	緑	倫	厘	林	
4F	鷲	亙	亘	鰐	詫	藁	蕨	椀	湾	碗	腕	

Table B.18: Shift JIS X 0208: 38-4F x 53-5D												
	53	54	55	56	57	58	59	5A	5B	5C	5D	
38	袴	股	胡	菰	虎	誇	跨	鈷	雇	顧	鼓	
39	荒	行	衡	講	貢	購	郊	酵	鉱	砿	鋼	
3A	采	犀	砕	砦	祭	斎	細	菜	裁	載	際	
3B	屍	市	師	志	思	指	支	孜	斯	施	自	
3C	紗	者	謝	車	遮	蛇	邪	借	勺	尺	杓	
3D	俊	峻	春	瞬	竣	舜	駿	准	循	旬	楯	
3E	肖	菖	蒋	蕉	衝	裳	訟	証	詔	詳	象	
3F	甚	尽	腎	訊	迅	陣	靭	笥	諏	須	酢	
40	績	脊	責	赤	跡	蹟	碩	切	拙	接	摂	
41	喪	壮	奏	爽	宋	層	匝	惣	想	捜	掃	
42	帯	待	怠	態	戴	替	泰	滞	胎	腿	苔	
43	池	痴	稚	置	致	蜘	遅	馳	築	畜	竹	
44	柘	辻	蔦	綴	鍔	椿	潰	坪	壷	嬬	紬	
45	途	都	鍍	砥	砺	努	度	土	奴	怒	倒	
46	酉	瀞	噸	屯	惇	敦	沌	豚	遁	頓	呑	
47	排	敗	杯	盃	牌	背	肺	輩	配	倍	培	
48	飯	挽	晩	番	盤	磐	蕃	蛮	匪	卑	否	
49	瓶	不	付	埠	夫	婦	富	富	布	府	怖	
4A	篇	編	辺	返	遍	便	勉	娩	弁	鞭	保	
4B	睦	穆	釦	勃	没	殆	堀	幌	奔	本	翻	
4C	毛	猛	盲	網	耗	蒙	儲	木	黙	目	杢	
4D	羊	耀	葉	蓉	要	謡	踊	遥	陽	養	慾	
4E	林	淋	燐	琳	臨	輪	隣	鱗	麟	瑠	塁	
4F	腕											

Table B.19: Shift JIS X 0208: 38-4F x 5D-67												
	5D	5E	5F	60	61	62	63	64	65	66	67	
38	鼓	五	互	伍	午	呉	吾	娯	後	御	悟	
39	鋼	閤	降	項	香	高	鴻	剛	劫	号	合	
3A	際	剤	在	材	罪	財	冴	坂	阪	堺	榊	
3B	旨	枝	止	死	氏	獅	祉	私	糸	紙	紫	
3C	杓	灼	爵	酌	釈	錫	若	寂	弱	惹	主	
3D	楯	殉	淳	準	潤	盾	純	巡	遵	醇	順	
3E	象	賞	醤	鉦	鍾	鐘	障	鞘	上	丈	丞	
3F	酢	図	厨	逗	吹	垂	帥	推	水	炊	睡	
40	摂	折	設	窃	節	説	雪	絶	舌	蝉	仙	
41	掃	挿	掻	操	早	曹	巣	槍	槽	漕	燥	
42	苔	袋	貸	退	逮	隊	黛	鯛	代	台	大	
43	竹	筑	蓄	逐	秩	窒	茶	嫡	着	中	仲	
44	紬	Л	吊	釣	鶴	亭	低	停	偵	剃	貞	
45	倒	党	冬	凍	刀	唐	塔	塘	套	宕	島	
46	呑	曇	鈍	奈	那	内	乍	凪	薙	謎	灘	
47	培	媒	梅	楳	煤	狽	買	売	賠	陪	這	
48	否	妃	庇	彼	悲	扉	批	披	斐	比	泌	
49	怖	扶	敷	斧	普	浮	父	符	腐	膚	芙	
4A	保	舗	鋪	圃	捕	歩	甫	補	輔	穂	募	
4B	翻	凡	盆	摩	磨	魔	麻	埋	妹	昧	枚	
4C	杢	勿	餅	尤	戻	籾	貰	問	悶	紋	門	
4D	慾	抑	欲	沃	浴	翌	翼	淀	羅	螺	裸	
4E	塁	涙	累	類	令	伶	例	冷	励	嶺	怜	
	1		1	1	1	1						

4F

Table B.20: Shift JIS X 0208: 38-4F x 67-71											
	67	68	69	6A	6B	6C	6D	6E	6F	70	71
38	悟	梧	檎	瑚	碁	語	誤	護	醐	乞	鯉
39	合	壕	拷	濠	豪	車車	麹	克	刻	告	玉
3A	榊	肴	咲	崎	埼	碕	鷺	作	削	咋	搾
3B	紫	肢	脂	至	視	詞	詩	試	誌	諮	資
3C	主	取	守	手	朱	殊	狩	珠	種	腫	趣
3D	順	処	初	所	暑	曙	渚	庶	緒	署	書
3E	丞	乗	冗	剰	城	場	壌	嬢	常	情	擾
3F	睡	粋	翠	衰	遂	酔	錐	錘	随	瑞	髄
40	仙	先	千	占	宣	専	尖	Ш	戦	扇	撰
41	燥	争	痩	相	窓	糟	総	綜	聡	草	荘
42	大	第	醍	題	鷹	滝	瀧	卓	啄	宅	托
43	仲	宙	忠	抽	昼	柱	注	虫	衷	註	酎
44	貞	呈	堤	定	帝	底	庭	廷	弟	悌	抵
45	島	嶋	悼	投	搭	東	桃	梼	棟	盗	淘
46	灘	捺	鍋	楢	馴	縄	畷	南	楠	軟	難
47	這	蝿	秤	矧	萩	伯	剥	博	拍	柏	泊
48	泌	疲	皮	碑	秘	緋	罷	肥	被	誹	費
49	芙	譜	負	賦	赴	阜	附	侮	撫	武	舞
4A	募	墓	慕	戊	暮	母	簿	菩	倣	俸	包
4B	枚	毎	哩	槙	幕	膜	枕	鮪	柾	鱒	桝
4C	門	匁	也	冶	夜	爺	耶	野	弥	矢	厄
4D	裸	来	莱	頼	雷	洛	絡	落	酪	乱	卵
4E	怜	玲	礼	苓	鈴	隷	零	霊	麗	齢	暦
4F											

Table B.21: Shift JIS X 0208: 38-4F x 71-7B												
	71	72	73	74	75	76	77	78	79	7A	7B	
38	鯉	交	佼	侯	候	倖	光	公	功	効	勾	
39	国	榖	酷	鵠	黒	獄	漉	腰	甑	忽	惚	
3A	搾	昨	朔	柵	窄	策	索	錯	桜	鮭	笹	
3B	資	賜	雌	飼	歯	事	似	侍	児	字	寺	
3C	趣	酒	首	儒	受	呪	寿	授	樹	綬	需	
3D	書	薯	藷	諸	助	叙	女	序	徐	恕	鋤	
3E	擾	条	杖	浄	状	畳	穣	蒸	譲	醸	錠	
3F	髄	崇	嵩	数	枢	趨	雛	据	杉	椙	菅	
40	撰	栓	栴	泉	浅	洗	染	潜	煎	煽	旋	
41	荘	葬	蒼	藻	装	走	送	遭	鎗	霜	騒	
42	托	択	拓	沢	濯	琢	託	鐸	濁	諾	茸	
43	酎	鋳	駐	樗	瀦	猪	苧	著	貯	丁	兆	
44	抵	挺	提	梯	汀	碇	禎	程	締	艇	訂	
45	淘	湯	涛	灯	燈	当	痘	祷	等	答	筒	
46	難	汝	1	읻	弐	迩	匂	賑	肉	虹	廿	
47	泊	白	箔	粕	舶	薄	迫	曝	漠	爆	縛	
48	費	避	非	飛	樋	簸	備	尾	微	枇	毘	
49	舞	葡	蕪	部	封	楓	風	葺	蕗	伏	副	
4A	包	呆	報	奉	宝	峰	峯	崩	庖	抱	捧	
4B	桝	亦	俣	又	抹	末	沫	迄	侭	繭	麿	
4C	厄	役	約	薬	訳	躍	靖	柳	薮	鑓	愉	
4D	卵	嵐	欄	濫	藍	蘭	覧	利	吏	履	李	
4E	暦	歴	列	劣	烈	裂	廉	恋	憐	漣	煉	
4F												

Table B.22: Shift JIS X 0208: 38-4F x 7B-7E

	7B	7C	7D	7E
38	勾	厚	П	向
39	惚	骨	狛	込
3A	笹	匙	₩	刷
3B	寺	慈	持	時
3C	需	囚	収	周
3D	鋤	除	傷	償
3E	錠	嘱	埴	飾
3F	菅	頗	雀	裾
40	旋	穿	箭	線
41	騒	像	増	憎
42	茸	凧	蛸	只
43	兆	凋	喋	寵
44	訂	諦	蹄	逓
45	筒	糖	統	到
46	†	П	乳	入
47	縛	莫	駁	麦
48	毘	琵	眉	美
49	副	復	副	服
4A	捧	放	方	朋
4B	麿	万	慢	満
4C	偷	愈	油	癒
4D	李	梨	理	璃
4E	煉	簾	練	聯
4F				

	Table B.23: Shift JIS X 0208: 4F-66 x 21-2B										
			rable c	5.23: 31			4F-00	X Z I - Z [
	21	22	23	24	25	26	27	28	29	2A	2B
4F	蓮	連	錬	呂	魯	櫓	炉	賂	路	露	労
50	走	丐	丕	个	바	\	丼	J	乂	乖	乘
51	僉	僊	傳	僂	僖	僞	僥	僭	僣	僮	價
52	辧	劬	劭	劼	劵	勁	勍	勗	勞	勣	勦
53	咫	哂	咤	咾	咼	哘	哥	哦	唏	唔	哽
54	卷	或	韋	圓	團	圖	嗇	圜	圦	圷	圸
55	奸	妁	妝	佞	侫	妣	妲	姆	姨	姜	妍
56	屐	屏	孱	屬	屮	乢	労	屹	岌	岑	岔
57	廖	廣	廝	廚	廛	廢	廡	廨	廩	廬	廱
58	悄	悛	悖	悗	悒	悧	悋	惡	悸	惠	惓
59	戞	戡	截	戮	戰	戲	戳	扁	扎	扞	扣
5A	據	擒	擅	擇	撻	擘	擂	擱	擧	舉	擠
5B	曄	暸	曖	曚	曠	昿	曦	曩	日	曵	曷
5C	棔	棧	棕	椶	椒	椄	棗	棣	椥	棹	棠
5D	檗	蘗	檻	櫃	櫂	檸	檳	檬	櫞	櫑	櫟
5E	沺	泛	泯	泙	泪	洟	衍	洶	洫	洽	洸
5F	漾	漓	滷	澆	潺	漕	澁	澀	潯	潛	濳
60	燹	燿	爍	爐	爛	爨	爭	爬	爰	爲	爻
61	瓠	瓣	瓧	瓩	瓮	瓲	瓰	瓱	瓸	瓷	甄
62	癲	ヌを	癸	發	皀	皃	皈	皋	皎	皖	皓
63	磧	磚	磽	磴	礇	礒	礑	礙	礬	礫	祀
64	筺	笄	筍	笋	筌	筅	筵	筥	筴	筧	筰
65	紂	紜	紕	紊	絅	絋	紮	紲	紿	紵	絆
66	罅	罌	罍	罎	罐	网	罕	罔	罘	罟	罠

			alala D.C)	+ 110 V	0000	(5.00)	. OD. 75			
		I.	able B.2	24: Snit	TJISX	U2U8: 4	4F-66)	(2B-35	Γ	Г	
	2B	2C	2D	2E	2F	30	31	32	33	34	35
4F	労	婁	廊	弄	朗	楼	榔	浪	漏	牢	狼
50	乘	亂	J	豫	亊	舒	走	于	亞	亟	
51	價	僵	儉	儁	儂	儖	儕	儔	儚	儡	儺
52	勦	飭	勠	勳	勵	勸	勹	匆	囪	甸	匍
53	哽	哮	哭	哺	哢	唹	啀	啣	啌	售	啜
54	圸	坎	圻	址	坏	坩	埀	垈	坡	坿	垉
55	妍	姙	姚	娥	娟	娑	娜	娉	娚	婀	婬
56	岔	妛	岫	岻	岶	岼	岷	峅	岾	峇	峙
57	廱	廳	廰	廴	廸	廾	弃	弉	彝	彜	ナ
58	惓	悴	忰	悽	惆	悵	惘	慍	愕	愆	惶
59	扣	扛	扠	扨	扼	抂	抉	找	抒	抓	抖
5A	擠	擡	抬	擣	擯	攬	擶	擴	擲	擺	攀
5B	曷	朏	朖	朞	朦	朧	霸	朮	朿	朶	杁
5C	棠	棯	椨	椪	椚	椣	椡	棆	楹	楷	楜
5D	櫟	檪	櫚	櫪	櫻	欅	蘖	櫺	欒	欖	鬱
5E	洸	洙	洵	洳	洒	洌	浣	涓	浤	浚	浹
5F	濳	潭	澂	潼	潘	澎	澑	濂	潦	澳	澣
60	爻	爼	爿	牀	牆	牋	牘	牴	牾	犂	犁
61	甄	甃	甅	甌	甎	甍	甕	甓	甞	甦	甬
62	皓	晳	皚	皰	皴	皸	皹	皺	盂	盍	盖
63	祀	祠	祗	祟	祚	祕	祓	祺	禄	禊	禝
64	筰	筱	筬	筮	箝	箘	箟	箍	箜	箚	箋
65	絆	絳	絖	絎	絲	絨	絮	絏	絣	經	綉
					.				.		

罸

羂

羆

羈

羇

66

罠

罨

罩

罧

羌

	Table B.25: Shift JIS X 0208: 4F-66 x 35-3F											
	35	36	37	38	39	3A	3B	3C	3D	3E	3F	
4F	狼	篭	老	蘳	蝋	郎	六	麓	禄	肋	録	
50		亢	亰	亳	亶	从	仍	仄	仆	仂	仗	
51	儺	儷	儼	儻	儿	兀	兒	兌	兔	兢	竸	
52	匍	匐	匏	匕		匣	滙	匱	匳	匸	品	
53	啜	啅	啖	啗	唸	唳	啝	喙	喀	咯	喊	
54	垉	垓	垠	垳	垤	垪	垰	埃	埆	埔	埒	
55	婬	婉	娵	娶	婢	婪	媚	媼	媾	嫋	嫂	
56	峙	峩	峽	峺	峭	嶌	峪	崋	崕	崗	嵜	
57	弋	弒	弖	弩	弭	弸	彁	彈	彌	彎	弯	
58	惶	惷	愀	惴	惺	愃	愡	惻	惱	愍	愎	
59	抖	拔	抃	抔	拗	拑	抻	拏	拿	拆	擔	
5A	攀	擽	攘	攜	攅	攤	攣	攫	攴	攵	攷	
5B	杁	朸	朷	杆	杞	杠	杙	杣	杤	枉	杰	
5C	楜	楸	楫	楔	楾	楮	椹	楴	椽	楙	椰	
5D	鬱	欟	欸	欷	盜	欹	飮	歇	歃	歉	歐	
5E	浹	浙	涎	涕	濤	涅	淹	渕	渊	涵	淇	
5F	澣	澡	澤	澹	濆	澪	濟	濕	濬	濔	濘	
60	犁	犇	犒	犖	犢	犧	犹	犲	狃	狆	狄	
61	甬	甼	畄	畍	畊	畉	畛	畆	畚	畩	畤	
62	盖	盒	襁	盡	盤	盧	盪	蘯	盻	眈	眇	
63	禝	禧	齋	禪	禮	禳	禹	禺	秉	秕	秧	
64	箋	箒	筝	筝	箙	篋	篁	篌	篏	箴	篆	
65	綉	絛	綏	絽	綛	綺	綮	綣	綵	緇	綽	
66	羌	羔	羞	羝	羚	羣	羯	羲	羹	羮	羶	

Table B.26: Shift JIS X 0208: 4F-66 x 3F-49											
			 I						1		
	3F	40	41	42	43	44	45	46	47	48	49
4F	録	論	倭	和	話	歪	賄	脇	惑	枠	鷲
50	仗	仞	仭	仟	价	伉	佚	估	佛	佝	佗
51	竸	兩	兪	兮	冀		囘	册	冉	冏	胄
52	品	卆	卅	丗	卉	卍	準	卞	IJ	卮	夘
53	喊	喟	啻	啾	喘	喞	單	啼	喃	喩	喇
54	埒	埓	堊	埖	埣	堋	堙	堝	塲	堡	塢
55	嫂	媽	嫣	嫗	嫦	嫩	嫖	嫺	嫻	嬌	嬋
56	嵜	崟	崛	崑	崔	崢	崚	崙	崘	嵌	嵒
57	弯	彑	彖	彗	彙	1	彭	1	彷	徃	徂
58	愎	慇	愾	愨	愧	慊	愿	愼	愬	愴	愽
59	擔	拈	拜	拌	拊	拂	拇	抛	拉	挌	拮
5A	攷	收	攸	畋	效	敖	敕	敍	敘	敞	敝
5B	杰	枩	杼	杪	枌	枋	枦	枡	枅	枷	柯
5C	椰	楡	楞	楝	榁	楪	榲	榮	槐	榿	槁
5D	歐	歙	歔	歛	歟	歡	歸	歹	歿	殀	殄
5E	淇	淦	涸	淆	淬	淞	淌	淨	淒	淅	淺
5F	濘	濱	濮	濛	瀉	瀋	濺	瀑	瀁	瀏	濾
60	狄	狎	狒	狢	狠	狡	狹	狷	倏	猗	猊
61	畤	畧	畫	畭	畸	當	疆	疇	畴	疊	瞾
62	眇	眄	眩	眤	眞	眥	眦	眛	眷	眸	睇
63	秧	秬	秡	秣	稈	稍	稘	稙	稠	稟	禀
64	篆	篝	篩	簑	簑	篦	篥	籠	簣	簇	簓
65	綽	綫	總	綢	綯	緜	綸	綟	綰	緘	緝
66	羶	羸	譱	翅	翆	翊	翕	翔	翡	翦	翩

Table B.27: Shift JIS X 0208: 4F-66 x 49-53 49 4A 4B 4C 4E 4F 52 53 4D 50 51 鷲 鰐 湾 4F 亙 百 詫 藁 蕨 椀 碗 腕 侘 佗 佇 佶 侏 佻 佰 侈 50 佩 侑 佯 > 决 51 胄 冓 冕 \Box 冤 冦 冢 冩 冪 夘 卻 卷 52 厂 厖 厠 厦 厥 厮 厰 Δ 喇 喨 嗚 殜 嗄 嗜 嗤 順 啒 嗷 53 嗅 塋 塰 毀 塒 堽 墫 54 塢 塹 墅 墹 墟 嬋 嬖 嬲 嫐 嬶 孅 55 嬪 嬾 孃 孀 子 嵳 嶂 嵒 嵎 嵋 嵬 嵶 嶇 嶄 嶢 嶝 56 徂 彿 很 從 徘 57 徊 徑 徇 徙 徠 徨 愽 慳 慙 慫 58 慂 慄 慷 慘 慚 慴 慯 59 拮 拱 挧 挂 挈 拵 捐 挾 捍 搜 拯 敝 敲 數 斂 斃 5A 變 斛 揕 斫 斷 旃 枴 枳 柮 5B 柯 柬 柩 枸 柤 柞 柝 柢 槊 槃 榾 槎 樮 5C 槁 槓 寨 槝 榻 榧 殲 5D 殄 殃 殍 殘 殕 殞 殤 殪 殫 殯 淙 淪 淮 湲 淤 5E 淺 淕 渭 湮 滞 渙 潴 瀘 瀛 瀚 瀝 瀘 瀰 瀾 瀲 灑 5F 瀟 猯 獎 猊 猜 猖 猝 猴 猩 猥 猾 獏 60 疉 疔 疂 疚 疣 疳 痃 疵 61 疝 疥 痂 睇 睚 睨 睫 睛 睥 睿 嵳 睹 瞎 62 瞋 稻 稷 穃 禀 稱 稾 穗 穉 穡 穢 穩 63 篶 64 簓 篳 篷 簗 簍 簣 篝 簭 簟 簷 緤 緞 縣 65 緝 緻 緲 緡 縅 縊 縡 縒

耆

耄

耋

耒

耘

飜

耜

耙

翳

翹

翮

66

Table B.28: Shift JIS X 0208: 4F-66 x 53-5D											
	53	54	55	56	57	58	59	5A	5B	5C	5D
4F	腕										
50	佯	來	侖	儘	俔	俟	俎	俘	俛	俑	俚
51	决	冱	冲	冰	况	冽	凅	凉	凛	几	處
52	ム	參	篡	雙	叟	曼	燮	叮	叨	叭	叺
53	嗷	嘖	嗾	嗽	嘛	嗹	噎	뽊	營	嘴	嘶
54	墫	墺	壞	墻	墸	墮	壅	壓	壑	壗	壙
55	子	孕	孚	孛	孥	孩	孰	孳	孵	學	斈
56	嶝	嶬	嶮	嶽	嶐	嶷	嶼	巉	巍	巓	繙
57	徨	徭	徼	忖	忻	忤	忸	忱	忝	悳	忿
58	慯	慥	慱	慟	慝	慓	慵	憙	憖	憇	憬
59	搜	捏	掖	掎	掀	掫	捶	掣	掏	掉	掟
5A	旃	旆	旁	旄	旌	旒	旛	旙	无	旡	旱
5B	柮	枹	柎	柆	柧	檜	栞	框	栩	桀	桍
5C	樮	榑	榠	榜	榕	榴	槞	槨	樂	樛	槿
5D	殲	殱	殳	殷	殼	毆	毋	毓	毟	毬	毫
5E	湲	湟	渾	渣	湫	渫	湶	湍	渟	湃	渺
5F	灑	灣	炙	炒	炯	烱	炬	炸	炳	炮	烟
60	獏	默	獗	獪	獨	獰	獸	獵	獻	獺	珈
61	疵	疽	疸	疼	疱	痍	痊	痒	痙	痣	痞
62	瞋	瞑	瞠	瞞	瞰	瞶	瞹	瞿	瞼	瞽	瞻
63	穩	龝	穰	穹	穽	窈	窗	窕	窘	窖	窩
64	簷	簫	簽	籌	籃	籔	籏	籀	籐	籘	籟
65	縒	縱	縟	縉	縋	縢	繆	繦	縻	縵	縹
66	耜	耡	耨	耿	耻	聊	聆	聒	聘	聚	聟

		٦	āble B.	.29: Shi	ft JIS X	(0208:	4F-66	x 5D-67	7			
	5D	5E	5F	60	61	62	63	64	65	66	67	
4F												
50	俚	俐	俤	俥	倚	倨	倔	倪	倥	倅	伜	
51	處	凩	凭	凰	Ц	凾	刄	刋	刔	刎	刧	
52	叺	吁	吽	呀	听	吭	吼	吮	吶	吩	吝	
53	嘶	嘲	嘸	噫	噤	嘯	噬	噪	嚆	嚀	嚊	
54	壙	壨	壥	壜	壤	壟	壯	壺	壹	壻	壼	
55	斈	孺	г4	它	宦	宸	寃	寇	寉	寔	寐	
56	繙	巖	///	巫	已	巵	帋	帚	帙	帑	帛	
57	忿	怡	恠	怙	恂	怩	怎	怱	怛	怕	怫	
58	憬	憔	憚	憊	憑	憫	憮	懌	懊	應	懷	
59	掟	掵	捫	捩	掾	揩	揀	揆	揣	揉	插	
5A	旱	杲	昊	昃	旻	杳	昵	昶	昴	昜	晏	
5B	桍	栲	桎	梳	栫	桙	档	桷	桿	梟	梏	
5C	槿	權	槹	槲	槧	樅	榱	樞	槭	樔	槫	
5D	毫	毳	毯	麾	氈	氓	气	氛	氤	氣	汞	
5E	渺	湎	渤	滿	渝	游	溂	溪	溘	滉	溷	
5F	烟	烋	烝	烙	焉	烽	焜	焙	煥	煕	熈	
60	珈	玳	珎	玻	珀	珥	珮	珞	璢	琅	瑯	
61	痞	痾	痿	痼	瘁	痰	痺	痲	痳	瘋	瘍	
62	瞻	矇	矍	直直	矚	矜	矣	矮	矼	砌	砒	
63	窩	竈	窰	窶	竅	竄	窿	邃	竇	竊	计	
64	籟	籤	籖	籥	籬	籵	粃	粐	粤	粭	粢	
65	縹	繃	縷	縲	縺	繧	繝	繖	繞	繙	繚	
66	聟	聢	聨	聳	聲	聰	聶	聹	聽	聿	肄	

Table B.30: Shift JIS X 0208: 4F-66 x 67-71											
	67	68	69	6A	6B	6C	6D	6E	6F	70	71
4F											
50	伜	俶	倡	倩	倬	俾	俯	們	倆	偃	假
51	刧	刪	刮	刳	刹	剏	剄	剋	剌	剞	剔
52	吝	呎	咏	呵	咎	呟	呱	呷	呰	咒	呻
53	嚊	嚠	嚔	嚏	嚥	嚮	嚶	嚴	囂	嚼	囁
54	壼	壽	夂	夊	复	夛	梦	夥	夬	夭	夲
55	寐	寤	實	寢	寞	寥	寫	寰	寶	寳	尅
56	帛	帶	帷	幄	幃	幀	幎	幗	幔	幟	幢
57	怫	怦	怏	怺	恚	恁	恪	恷	恟	恊	恆
58	懷	懈	懃	懆	憺	懋	罹	懍	懦	懣	懶
59	插	揶	揄	搖	搴	搆	搓	搦	搶	攝	搗
5A	晏	晄	晉	晁	晞	晝	晤	晧	晨	晟	晢
5B	梏	梭	梔	條	棚	梃	檮	梹	桴	梵	梠
5C	槫	樊	樒	櫁	樣	樓	橄	樌	橲	樶	橸
5D	汞	汕	注	汪	沂	沍	沚	沁	沛	汾	汨
5E	溷	滓	溽	溯	滄	溲	滔	滕	溏	溥	滂
5F	熈	煦	煢	煌	煖	煬	熏	燻	熄	熕	熨
60	瑯	琥	珸	琲	琺	瑕	琿	瑟	瑙	瑁	瑜
61	瘍	瘉	瘟	瘧	瘠	瘡	瘢	瘤	瘴	瘰	瘻
62	砒	礦	砠	礪	硅	碎	硴	碆	硼	碚	碌
63	竍	竏	竕	竓	站	竚	並	竡	竢	竦	竭
64	粢	粫	粡	粨	粳	粲	粱	粮	粹	粽	糀
65	繚	繹	繪	繩	繼	繻	纃	緕	繽	辮	繿
66	肄	肆	肅	肛	肓	肚	肭	冐	肬	胛	胥

Table B.31: Shift JIS X 0208: 4F-66 x 71-7B											
	71	72	73	74	75	76	77	78	79	7A	7B
4F											
50	假	會	偕	偐	偈	做	偖	偬	偸	傀	傚
51	剔	剪	剴	剩	剳	剿	剽	劍	劔	劒	剱
52	呻	呾	呶	咄	咐	咆	哇	쁑	咸	咥	咬
53	囁	囃	囀	囈	囎	囑	囓		化	囹	圀
54	夲	夸	夾	竒	奕	奐	奎	奚	奘	奢	奠
55	尅	將	專	對	尓	尠	尢	尨	尸	尹	屁
56	幢	幣	幇	ŦŦ	并	幺	麼	7	庠	廁	廂
57	恆	恍	恣	恃	恤	恂	恬	恫	恙	悁	悍
58	懶	懺	懴	懿	懽	懼	懾	戀	戈	戉	戍
59	搗	揚	搏	摧	摰	摶	摎	攪	撕	撓	撥
5A	晢	晰	暃	暈	暎	暉	暄	暘	暝	曁	暹
5B	梠	梺	椏	梍	桾	椁	棊	椈	棘	椢	椦
5C	橸	橇	橢	橙	橦	橈	樸	樢	檐	檍	檠
5D	汨	汳	沒	沐	泄	泱	泓	沽	泗	泅	泝
5E	滂	溟	潁	漑	灌	滬	滸	滾	漿	滲	漱
5F	熨	熬	燗	熹	熾	燒	燉	燔	燎	燠	煅
60	瑜	瑩	瑰	瑣	瑪	瑶	瑾	璋	璞	璧	瓊
61	瘻	癇	癈	癆	癜	癘	癡	癢	癨	癩	癪
62	碌	碣	碵	碪	碯	磑	磆	磋	磔	碾	碼
63	竭	竰	筑	笏	笊	笆	笳	笘	笙	笞	笵
64	糀	糅	糂	糘	糒	糜	糢	霽	糯	糲	糴
65	繿	纈	纉	續	纒	纐	纓	纔	纖	纎	纛
66	胥	胙	胝	胄	胚	胖	脉	胯	胱	脛	脩

Table B.32: Shift JIS X 0208: 4F-66 x 7B-7E

	7B	7C	7D	7E
4F				
50	傚	傅	傴	傲
51	剱	劈	劑	辨
52	咬	哄	哈	咨
53	圀	囿	圄	圉
54	奠	奧	獎	奩
55	屁	屆	屎	屓
56	廂	廈	廐	廏
57	悍	惧	悃	悚
58	戍	戌	戔	戛
59	撥	撩	撈	撼
5A	暹	曉	暾	暼
5B	椦	棡	椌	棍
5C	檠	檄	檢	檣
5D	泝	沮	沱	沾
5E	漱	滯	漲	滌
5F	煅	燧	燵	燼
60	瓊	瓏	瓔	珱
61	癪	癧	癬	癰
62	碼	磅	磊	磬
63	笵	笨	笶	筐
64	糴	糶	糺	紆
65	纛	纜	缸	缺
66	脩	脣	脯	腋

Table B.33: Shift JIS X 0208: 66-7D x 21-2B 21 22 23 24 25 26 27 28 29 2A 2B 罌 罘 罟 罅 罍 罎 罐 罕 罔 罠 66 网 脾 胼 腮 腥 隋 腆 腓 腑 腱 腦 腴 67 茖 茲 茱 荀 荐 荅 茫 茯 68 茵 茹 茴 蕁 蘂 蕋 薀 薤 69 蕕 薈 薑 薊 薨 蕭 蝣 螢 蝓 螽 蝪 蠅 螟 螂 螯 蟋 蟀 6A 襦 襤 襭 襴 襷 襯 6B 襪 覃 覈 覊 襾 譬 譟 譯 譴 譽 讀 讌 讎 讒 讓 讖 6C 蹉 蹐 蹈 蹙 蹤 蹠 踪 蹣 蹕 蹇 蹌 6D 遐 遏 遑 遉 逾 遘 遞 遨 6E 遒 逎 遖 錙 錢 錚 錣 錺 錵 錻 鍜 鍠 鍼 鍮 6F 陝 陟 陦 陬 隍 隘 隕 隗 險 隧 70 陲 71 顱 顴 顳 颯 颱 颶 飄 飃 飆 颪 飩 髺 鬥 鬧 鬆 鬚 鬢 72 鬘 鬟 鬣 鬨 鬩 鵝 鵞 鵤 鵑 鵐 鵙 鵲 鶉 73 鶇 鶇 鵯 74 堯 槇 遙 瑤 凜 熙 75 76 77 78 79 7A 7B 7C 7D

		Ta	able B.3	34: Shif	t JIS X (0208: 6	66-7D>	× 2B-35	ı		
	2B	2C	2D	2E	2F	30	31	32	33	34	35
66	罠	罨	罩	罧	罸	羂	羆	羃	羈	羇	羌
67	腴	膃	膈	膊	膀	膂	膠	膕	膤	膣	腟
68	茫	茗	茘	莅	莚	莪	莟	莢	莖	茣	莎
69	蕭	薔	薛	藪	薇	薜	蕷	蕾	薐	藉	薺
6A	蟀	蟐	雖	螫	蟄	螳	蟇	蟆	螻	蟯	蟲
6B	覊	覓	覘	覡	覩	覦	覬	覯	覲	覺	覽
6C	讖	讙	讚	谺	豁	谿	豈	豌	豎	豊	豖
6D	蹕	蹶	蹲	蹼	躁	躇	躅	躄	躋	躊	躓
6E	遨	遯	遶	隨	遲	邂	遽	邁	邀	邊	邉
6F	鍮	鍖	鎰	鎬	鎭	鎔	鎹	鏖	鏗	鏨	鏥
70	隧	隱	隲	隰	隴	隶	隸	隹	雎	雋	雉
71	飩	飫	餃	餉	餒	餔	餘	餡	餝	餞	餤
72	鬩	鬪	慧	鬯	鬲	魄	魃	魏	魍	魎	魑
73	鵯	鵺	鶚	鶤	鶩	鶲	鷄	鷁	鶻	鶸	鶺
74											
75											
76											
77											
78											
79											
7A											
7B											
7C											
7D											

Table B.35: Shift JIS X 0208: 66-7D x 35-3F 35 3F 36 37 38 39 3A 3B 3C 3D 3E 羚 羌 羔 羞 羝 羣 羯 羹 羮 66 羲 羶 膵 臀 臂 腟 膓 膩 膰 膾 膸 膽 膺 67 莎 荼 荵 莇 莊 莵 荳 莠 莨 68 菴 莉 薺 藏 藕 蘊 69 薹 藐 藝 藥 藜 藹 蘓 蟷 蟲 蟠 蠏 蠍 蟾 蟶 蠑 蠎 蟒 蠖 6A 覽 觜 計 訖 覿 觀 觚 觝 觧 觴 觸 6B 豢 豬 豺 貂 貉 貅 貊 貍 貎 6C 豕 豸 躓 躑 躔 躙 軆 躱 躾 躪 躡 躬 躰 6D 邉 郛 鄂 邏 邨 邯 邱 邵 郢 郤 6E 扈 鏥 鏘 鏃 鏝 鏐 鏈 鏤 鐚 鐔 鐓 鐃 6F 霓 雉 雍 襍 雜 霍 雕 雹 霄 霆 霈 70 餤 餠 餬 餮 餽 餾 饂 饉 饅 饐 饋 71 魑 魘 魴 鮓 鮖 鮠 72 鮃 鮑 鮗 鮟 鮨 73 鶺 鷙 鷸 鷆 鷏 鷂 鷓 鷦 鷭 鷯 鷽 74 75 76 77 78 79 7A 7B 7C

7D

		7	Table B	.36: Sh	ift JIS >	(0208:	66-7D	x 3F-49)		
	3F	40	41	42	43	44	45	46	47	48	49
66	羶	羸	譱	翅	翆	翊	翕	翔	翡	翦	翩
67	膺	臉	臍	臑	臙	臘	臈	臚	臟	臠	臧
68	菴	萓	菫	菎	菽	萃	菘	萋	菁	菷	萇
69	蘓	蘋	藾	藺	蘆	蘢	蘚	蘰	蘿	虍	乕
6A	蠖	蠕	蠢	蠡	蠱	蠶	蠹	蠧	蠻	衄	衂
6B	訖	訐	訌	訛	訝	訥	訶	詁	詛	詒	詆
6C	貎	貔	豼	貘	戝	貭	貪	貽	貲	貢	貮
6D	躾	軅	軈	軋	軛	軣	軼	軻	軫	軾	輊
6E	鄂	鄒	鄙	鄲	鄰	酉丁	酖	酘	酣	酥	酩
6F	鐃	鐇	鐐	鐶	鐫	鐵	鐡	鐺	鑁	鑒	鑄
70	霓	霎	霑	霏	霖	霙	雷	霪	霰	霹	霽
71	饋	饑	饒	饌	饕	馗	馘	馥	馭	馮	駮
72	鮨	鮴	鯀	鯊	鮹	鯆	鯏	鯑	鯒	鯣	鯢
73	鷽	鸚	鸛	鸞	鹵	鹹	鹽	麁	麈	麋	麌
74											
75											
76											
77											
78											
79											
7A											
7B 7C											
7D											
10											

Table B.37: Shift JIS X 0208: 66-7D x 49-53 52 49 4A 4B 4C 4D 4E 4F 50 51 53 翳 翹 飜 耆 耄 耋 耙 耒 66 翩 耘 耜 臺 臾 臧 舁 舍 舐 臻 舅 與 舊 67 舂 菠 菲 萍 萢 萸 蔆 葭 68 萇 萠 莽 菻 虔 乕 號 虧 蚓 蚣 蚩 蚪 蚋 蚌 69 風 衒 衞 衢 衫 衾 衵 6A 衂 衙 袁 袞 衽 詈 詼 誅 誂 誡 詆 6B 詭 詬 詢 誄 誨 貮 貶 賈 贄 賁 賤 賣 賚 賽 賺 賻 6C 輅 輜 輟 輦 輊 輕 輒 輙 輓 輛 輌 6D 酲 醋 醉 醫 醵 6E 酩 酳 林 醢 醯 醪 鑄 鑛 鑠 鑢 鑞 鑪 鈩 鑰 鑵 鑷 鑽 6F 霽 靆 70 霾 靄 靈 靂 靉 靜 靠 靤 靦 駛 駝 駘 駱 馼 駟 駑 駭 駮 駲 駻 71 鯢 鯤 鯔 鯲 鰕 鯱 鯰 鰔 72 鯡 鰺 鰉 73 麌 麒 麖 麑 麝 麥 麩 麸 麫 麭 哑 74 75 76 77 78 79 7A 7B 7C

7D

			Table B	.38: Sh	ift JIS X	(0208:	66-7D	x 53-5[)		
	53	54	55	56	57	58	59	5A	5B	5C	5D
66	耜	耡	耨	耿	耻	聊	聆	聒	聘	聚	聟
67	舐	舖	舩	舫	舸	舳	艀	艙	艘	艝	艚
68	葭	萪	萼	蕚	蒄	葷	葫	蒭	葮	蒂	葩
69	蚌	蚶	蚯	蛄	蛆	蚰	蛉	蠣	蚫	蛔	蛞
6A	衽	袵	衲	袂	袗	袒	袮	袙	袢	袍	袤
6B	誡	誑	誥	誦	誚	誣	諄	諍	諂	諚	諫
6C	贄	贅	贊	贇	贏	贍	贐	齎	贓	賍	贔
6D	輦	輳	輻	輹	轅	轂	輾	轌	轉	轆	轎
6E	醵	醴	醺	釀	釁	釉	釋	釐	釖	釟	釜
6F	鑽	鑚	鑼	鑾	钁	鑿	閂	閇	閊	閔	閖
70	靦	靨	勒	靫	靱	靹	鞅	靼	鞁	靺	鞆
71	駻	駸	騁	騏	騅	駢	騙	騫	騷	馬區	驂
72	鰉	鰓	鰌	鰆	鰈	鰒	鰊	鰄	鰮	鰛	鰥
73	靡	黌	黎	黏	黐	黔	黜	點占	黝	黠	黥
74											
75											
76											
77											
78											
79											
7A											
7B											
7C											
7D											

Table B.39: Shift JIS X 0208: 66-7D x 5D-67 5D 5E 5F 60 61 62 63 64 65 66 67 聟 聢 聨 聳 聲 聰 聹 聽 66 聶 聿 肄 艪 艫 艷 艸 艚 艟 艤 艢 艨 舮 艱 67 葆 蒿 葯 葹 萵 蓊 蒹 68 葩 萬 葢 蒟 蛩 蛟 蛛 蛯 蜒 蜆 蜈 蛞 蛬 蜀 蜃 69 裝 袰 袿 袱 裃 裄 裙 袤 裘 裹 6A 裔 諳 諧 諤 諱 謔 諠 諛 諞 6B 諫 諢 諷 贖 赧 赭 赱 趁 趙 趺 赳 跂 趾 6C 贔 轗 轜 轢 轣 轤 辜 辟 辭 轎 辣 辯 6D 鈞 鈬 釡 釛 釼 釵 釶 釿 鈔 鈕 鈑 6E 閖 閘 閙 閠 閭 閾 6F 閨 閧 閼 閻 閹 鞆 鞋 鞏 鞐 鞜 鞨 鞦 鞣 鞳 鞴 韃 70 驀 驃 騾 驕 驗 驟 71 驂 驍 驛 驢 驥 鱧 鰤 鰰 鰲 鰾 鱚 72 鰥 鰡 鱇 鱆 鱠 黴 黷 黹 黯 黻 黼 73 黥 黨 黶 鼇 黽 74 75 76 77 78 79 7A 7B 7C

7D

			Table B	.40: Sh	ift JIS X	0208: 6	66-7D x	67-71			
	67	68	69	6A	6B	6C	6D	6E	6F	70	71
66	肄	肆	肅	肛	肓	肚	肭	冐	肬	胛	胥
67	艸	艾	芍	芒	芫	芟	芻	芬	苡	苣	苟
68	蒟	蓙	蓍	蒻	蓚	蓐	蓁	蓆	蓖	蒡	蔡
69	蜃	蛻	蜑	蜉	蜍	蛹	蜊	蜴	蜿	蜷	蜻
6A	裹	褂	裼	裴	裨	裲	褄	褌	褊	褓	襃
6B	諛	謌	謇	謚	諡	謖	謐	謗	謠	謳	鞫
6C	趺	跏	跚	跖	跌	跛	跋	跪	跫	跟	跣
6D	辯	辷	迚	迥	迢	迪	迯	邇	迴	逅	迹
6E	鈑	鉞	鉗	鉅	鉉	鉤	鉈	銕	鈿	鉋	鉐
6F	閾	闊	濶	闃	閣	闌	闕	闔	闖	關	闡
70	韃	韆	韈	韋	韜	韭	齏	韲	竟	韶	韵
71	驥	驤	驩	馬馬	龎	骭	骰	骼	髀	髏	觸
72	鱧	鱶	鱸	鳧	鳬	鳰	鴉	鴈	鳫	鴃	鴆
73	鼇	鼈	皷	鼕	鼡	鼬	鼾	齊	齒	齔	齣
74											
75											
76											
77											
78											
79											
7A											
7B											
7C											
7D											

		Т	able B	.41: Sh	ift JIS X	(0208:	66-7D	× 71-7E	3		
	71	72	73	74	75	76	77	78	79	7A	7B
66	胥	胙	胝	胄	胚	胖	脉	胯	胱	脛	脩
67	苟	苒	苴	苳	苺	莓	范	苻	苹	苞	茆
68	蔡	蓿	蓴	蔗	蔘	蔬	蔟	蔕	蔔	蓼	蕀
69	蜻	蜥	蜩	蜚	蝠	蝟	蝸	蝌	蝎	蝴	蝗
6A	襃	褞	褥	褪	褫	襁	襄	褻	褶	褸	襌
6B	鞫	謦	謫	謾	謨	譁	譌	譏	譎	證	譛
6C	跣	跼	踈	踉	跿	踝	踞	踐	踟	蹂	踵
6D	迹	迺	逑	逕	逡	逍	逞	逖	逋	逧	逶
6E	鉐	銜	銖	銓	銛	鉚	鋏	銹	銷	鋩	錏
6F	闡	闥	闢	阡	阨	阮	阯	陂	陌	陏	陋
70	韵	頏	頌	頸	頤	頡	頷	頹	顆	顏	顋
71	觸	髓	體	髞	髟	髢	髣	髦	髯	髫	髮
72	鴆	鴪	鴦	鶑	鴣	鴟	鵄	鴕	鴒	鵁	鴿
73	齣	齟	齠	龄	齦	齧	龉	齪	齷	齲	赀
74											
75											
76											
77											
78											
79											
7A											
7B											
7C											
7D											

Table B.42: Shift JIS X 0208: 66-7D x 7B-7E

	7B	7C	7D	7E
66	脩	脣	脯	腋
67	茆	苜	茉	苙
68	蕀	蕣	蕘	蕈
69	蝗	蝨	蝮	蝙
6A	襌	褝	襠	襞
6B	譛	譛	譚	譫
6C	踵	踰	踴	蹊
6D	逶	逵	逹	迸
6E	錏	鋺	鍄	錮
6F	陋	陷	陜	陞
70	顋	顫	顯	顰
71	髮	髴	髱	髷
72	鴿	鴾	鵆	鵈
73	占	龕	龜	龠
74				
75				
76				
77				
78				
79				
7A				
7B				
7C				
7D				

B.5 Versions

B.5.1 Explanation

According to Denso Wave Incorporated, QR Code versions determine the data capacity and structure of a code [5].

The following tables are sourced from the official QR Code documentation provided by Denso Wave.

The figures in the Numeral, Alphanumeric, Binary and Kanji columns indicate the maximum allowable number of respective characters, including those for the data bit number.


For example, when using the Version 1 QR Code with correction level L, the maximum allowable characters for data bit number, numerals, binaries, and Kanji are 152, 25, 17, and 10 respectively.


As explained by Denso Wave in the aforementioned documentation, to determine the version of the QR code to use, suppose the data to be input consists of 100-digit numerals. This can be achieved by following the steps described below[5]:

- 1. In the QR Code table, choose "Numeric" as the type of input data.
- 2. Choose an error correction level from the options of L, M, Q and H. For example, the error correction level that will be used is M.
- 3. Find a figure in the table, 100 or over and the closest to 100 that is at the intersection with a correction level M row. The number of the version row that contains this figure is the most appropriate version number. We can see at the tables below that the version closest to that is Version 3 with capacity for up to 101 numeric characters at error correction M.

B.5.2 Micro QR Code

Version	Modules ({w}×{h})	ECC Level	Numeric	Alphanumeric	Binary	Kanji
M1	11	-	5	-	-	-
M2	13	L	10	6	-	_
IVIZ	15	М	8	5	-	-
M3	15	L	23	14	9	6
1013	10	М	18	11	7	4
		L	35	21	15	9
M4	17	М	30	18	13	8
		Q	21	13	9	5





B.5.3 QF	R Code						
Version	Modules ({w}×{h})	ECC Level	Data bits (mixed)	Numeric	Alpha- numeric	Binary	Kanji
		L	152	41	25	17	10
1	21	М	128	34	20	14	8
Į.	21	Q	104	27	16	11	7
		Н	72	17	10	7	4
		L	272	77	47	32	20
2	25	М	224	63	38	26	16
۷	25	Q	176	48	29	20	12
		Н	128	34	20	14	8
		L	440	127	77	53	32
3	29	М	352	101	61	42	26
3	29	Q	272	77	47	32	20
		Н	208	58	35	24	15
		L	640	187	114	78	48
,	33	М	512	149	90	62	38
4		Q	384	111	67	46	28
		Н	288	82	50	24 78 62	21
		L	864	255	154	106	65
E	77	М	688	202	122	84	52
5	37	Q	496	144	87	60	37
		Н	368	106	64	44	27
		L	1088	322	195	134	82
e	/.1	М	864	255	154	106	65
6	41	Q	608	178	108	74	45
		Н	480	139	84	58	36
		L	1248	370	224	154	95
7	/.E	М	992	293	178	122	75
7	45	Q	704	207	125	86	53
		Н	528	154	93	64	39
		L	1552	461	279	192	118
0	/ 0	М	1232	365	221	152	93
8	49	Q	880	259	157	108	66
		H	688	202	122	84	52


Version	Modules ({w}×{h})	ECC Level	Data bits (mixed)	Numeric	Alpha- numeric	Binary	Kanji
	(() ()/	L	1856	552	335	230	141
		М	1456	432	262	180	111
9	53	Q	1056	312	189	130	80
		Н	800	235	143	98	60
		L	2192	652	395	271	167
10		М	1728	513	311	213	131
10	57	Q	1232	364	221	151	93
		Н	976	288	174	119	74
		L	2592	772	468	321	198
11	61	М	2032	604	366	251	155
11	61	Q	1440	427	259	177	109
		Н	1120	331	200	137	85
		L	2960	883	535	367	226
10	65	М	2320	691	419	287	177
12		Q	1648	489	296	203	125
		Н	1264	374	227	230 180 130 98 271 213 151 119 321 251 177 137 367 287	96
		L	3424	1022	619	425	262
13	69	М	2672	796	483	331	204
13	09	Q	1952	580	352	241	149
		Н	1440	427	259	177	109
		L	3688	1101	667	458	282
14	73	М	2920	871	528	362	223
14	/3	Q	2088	621	376	258	159
		Н	1576	468	283	194	120
		L	4184	1250	758	520	320
15	77	М	3320	991	600	412	254
10	''	Q	2360	703	426	292	180
		Н	1784	530	321	220	136
		L	4712	1408	854	586	361
16	81	М	3624	1082	656	450	277
10	01	Q	2600	775	470	322	198
		Н	2024	602	365	250	154

Version	Modules ({w}×{h})	ECC Level	Data bits (mixed)	Numeric	Alpha- numeric	Binary	Kanji
		L	5176	1548	938	644	397
17	OE OE	М	4056	1212	734	504	310
17	85	Q	2936	876	531	364	224
		Н	2264	674	408	280	173
		L	5768	1725	1046	718	442
18	89	М	4504	1346	816	560	345
10	09	Q	3176	948	574	394	243
		Н	2504	746	452	310	191
		L	6360	1903	1153	792	488
19	93	М	5016	1500	909	624	384
19	95	Q	3560	1063	644	442	272
		Н	2728	813	493	338	208
		L	6888	2061	1249	858	528
20	97	М	5352	1600	970	666	410
20		Q	3880	1159	702	482	297
		Н	3080	919	557	382	235
		L	7456	2232	1352	929	572
21	101	М	5712	1708	1035	711	438
Z1	101	Q	4096	1224	742	509	314
		Н	3248	969	587	403	248
		L	8048	2409	1460	1003	618
22	105	М	6256	1872	1134	779	480
22	105	Q	4544	1358	823	565	348
		Н	3536	1056	640	439	270
		L	8752	2620	1588	1091	672
23	100	М	6880	2059	1248	857	528
23	109	Q	4912	1468	890	611	376
		Н	3712	1108	672	461	284
		L	9392	2812	1704	1171	721
24	113	М	7312	2188	1326	911	561
24	113	Q	5312	1588	963	661	407
		Н	4112	1228	744	511	315

Version	Modules ({w}×{h})	ECC Level	Data bits (mixed)	Numeric	Alpha- numeric	Binary	Kanji	
	, .,,	L	10208	3057	1853	1273	784	
25	117	М	8000	2395	1451	997	614	
25	117	Q	5744	1718	1041	715	440	
		Н	4304	1286	779	535	330	
		L	10960	3283	1990	1367	842	
26	121	М	8496	2544	1542	1059	652	
20		Q	6032	1804	1094	751	462	
		Н	4768	1425	864	593	365	
		L	11744	3517	2132	1465	902	
27	125	М	9024	2701	1637	1125	692	
21	125	Q	6464	1933	1172	805	496	
		Н	5024	1501	910	625	385	
		L	12248	3669	2223	1528	940	
28	129	М	9544	2857	1732	1190	732	
28		Q	6968	2085	1263	868	534	
		Н	5288	1581	958	658	405	
	133		L	13048	3909	2369	1628	1002
29		М	10136	3035	1839	1264	778	
23	155	Q	7288	2181	1322	908	559	
		Н	5608	1677	1016	698	430	
		L	13880	4158	2520	1732	1066	
30	137	М	10984	3289	1994	1370	843	
30	107	Q	7880	2358	1429	982	604	
		Н	5960	1782	1080	742	457	
		L	14744	4417	2677	1840	1132	
31	141	М	11640	3486	2113	1452	894	
J1	141	Q	8264	2473	1499	1030	634	
		Н	6344	1897	1150	790	486	
		L	15640	4686	2840	1952	1201	
32	145	М	12328	3693	2238	1538	947	
JZ	140	Q	8920	2670	1618	1112	684	
		Н	6760	2022	1226	842	518	

Version	Modules	ECC	Data bits	Numeric	Alpha-	Binary	Kanji
	(w×h)	Level	(mixed)	/005	numeric	2000	1077
		L	16568	4965	3009	2068	1273
33	149	M	13048	3909	2369	1628	1002
		Q	9368	2805	1700	1168	719
		H	7208	2157	1307	898	553
		L	17528	5253	3183	2188	1347
34	153	М	13800	4134	2506	1722	1060
		Q	9848	2949	1787	1228	756
		Н	7688	2301	1394	958	590
		L	18448	5529	3351	2303	1417
35	157	М	14496	4343	2632	1809	1113
	107	Q	10288	3081	1867	1283	790
		Н	7888	2361	1431	983	605
		L	19472	5836	3537	2431	1496
36	161	М	15312	4588	2780	1911	1176
	101	Q	10832	3244	1966	1351	832
		Н	8432	2524	1530	1051	647
		L	20528	6153	3729	2563	1577
37	165	М	15936	4775	2894	1989	1224
37	100	Q	11408	3417	2071	1423	876
		Н	8768	2625	1591	1093	673
		L	21616	6479	3927	2699	1661
38	169	М	16816	5039	3054	2099	1292
36	109	Q	12016	3599	2181	1499	923
		Н	9136	2735	1658	1139	701
		L	22496	6743	4087	2809	1729
70	177	М	17728	5313	3220	2213	1362
39	173	Q	12656	3791	2298	1579	972
		Н	9776	2927	1774	1219	750
		L	23648	7089	4296	2953	1817
	177	М	18672	5596	3391	2331	1435
40	177	Q	13328	3993	2420	1663	1024
		Н	10208	3057	1852	1273	784
	1	I	I	l			I

Appendix C **Conclusion and Recommendations** In conclusion: give me a degree



Bibliography

- [1] Wikipedia contributors. QR code. May 2025. URL: https://en.wikipedia.org/wiki/QR_code (Retrieved June 6, 2025).
- [2] Merriam-Webster. 2D. URL: https://www.merriam-webster.com/dictionary/ 2D (Retrieved June 12, 2025).
- [3] Wikipedia contributors. API. June 2025. URL: https://en.wikipedia.org/wiki/API (Retrieved June 12, 2025).
- [4] Wikipedia contributors. ISO/IEC 8859-1. May 2025. URL: https://en.wikipedia.org/wiki/ISO/IEC_8859-1.
- [5] DENSO WAVE INCORPORATED. Information capacity and versions of QR Code. URL: https://www.grcode.com/en/about/version.html (Retrieved June 12, 2025).