



# Keymaps as Social Software

@jeffrey · Aesthetic.Computer · ORCID [0009-0007-4460-4913](https://orcid.org/0009-0007-4460-4913)

---

**EN** · DA · ES · ZH · JA · RU

March 2026 · [462fcf0c0](https://arxiv.org/abs/462fcf0c0)

# Index

---

|                                                                               |    |
|-------------------------------------------------------------------------------|----|
| 1. Introduction: An Artifact . . . . .                                        | 4  |
| 2. The Category Problem . . . . .                                             | 10 |
| 3. Lineage I: Keyboard Layouts . . . . .                                      | 14 |
| 4. Lineage II: Instrument Layouts . . . . .                                   | 18 |
| 5. The Chromatic-Staircase, or AWSED: Convergence Without Ownership . . . . . | 26 |
| 6. Notepat.com: Notes That Name Themselves . . . . .                          | 32 |
| 7. Notation: The Discursive Surface . . . . .                                 | 38 |
| 8. The Corollary Catalog . . . . .                                            | 47 |
| 9. Reading Through Lialina . . . . .                                          | 51 |
| 10. What This Asks of Designers . . . . .                                     | 54 |
| 11. Conclusion . . . . .                                                      | 56 |
| Appendix A. The Keymap and the Module: Notepat after John Holden . . . . .    | 59 |

|                                          |    |
|------------------------------------------|----|
| Appendix B. Notepat Song Cards . . . . . | 62 |
|------------------------------------------|----|

# 1. Introduction: An Artifact

Figure 1 is a one-page diagram of the keymap shipped by `notepat.com`, a chromatic keyboard instrument inside Aesthetic.Computer. The diagram shows a piano keyboard up top, a QWERTY keyboard below, and dashed lines connecting the two. The connecting principle is the slogan the project ships under: *notes that name themselves*. The QWERTY letter `C` plays C; `D` plays D; `E` plays E; and so on through `B`. The upper octave continues alphabetically (`H I J K L M N` for  $C_5$  through  $B_5$ ). Sharps sit one row above their natural where possible, by analogy to piano black keys (`V S W R Q` for  $C^\sharp D^\sharp F^\sharp G^\sharp A^\sharp$ ).

This diagram is the artifact. It is small. It contains no code. It is not a binary, not a service, not a runtime. It is a table. And yet, of every component that constitutes `notepat.com`, the table is the one that travels — the one that anyone who plays a notepat-derived instrument across the web, AC Native, the macOS menubar, Max for Live, or the phone app must know and agree

on. The table is what makes `notepat.com` *itself* across substrates — and the same holds for instruments at large: the keymap is what gives an instrument, `notepat.com` or any other, its identity across every surface that hosts it.

This paper is about that kind of table. I will call it a *keymap*, and I will argue that keymaps form a category of computational artifact that the standard frame of computing scholarship — a frame organized around binaries, projects, and licenses — cannot see. The category is not small. Its other members include the QWERTY layout itself, the Dvorak layout, Colemak and its forks, the Wicki–Hayden isomorphic note layout, the chromatic-staircase QWERTY-piano mapping shared by every major digital audio workstation, the Singmaster notation for Rubik’s-cube algorithms [Singmaster, 1981], the Nashville Number System [Matthews, 1984], Plover steno theory [Knight, 2010], fighting-game numpad notation, the Camelot Wheel [Davis, 1991], and Vim’s keybindings, among many others.

I will call the category *social software*, and the name carries two lineages at once. The first is

Shirky's 2003 term [Shirky, 2003, Allen, 2004]: where Shirky and his contemporaries used “social software” to designate *software that mediates social interaction* — forums, wikis, chat systems — I use it to designate *software whose existence is social agreement*. That reading is a pun, parallel and a little surprising. The second lineage is nearer, and it is the context this paper was written inside: *Social Software* is the initiative at UCLA Design|Media Arts directed by Lauren Lee McCarthy and Casey Reas [McCarthy and Reas, 2026], which defines its subject as “any system that organizes behavior, coordinates people, or structures interaction” — McCarthy's *Auto*, a performance staged inside an autonomous vehicle, is social software in exactly that sense [McCarthy, 2026]. I write as an artist in residence in the initiative's second cycle, *Scores for Social Software*, led by Reas [Reas, 2026], which reads the *score* — the Fluxus instruction, Cage and Knowles's *Notations*, Obrist's *do it* [Cage and Knowles, 1969, Obrist, 1997] — as a way of choreographing events in time through text, diagrams, or other forms of instruction. A keymap is precisely such a score: a small instructional ta-

ble that choreographs hands, propagates as text and diagram, and organizes the behavior of everyone who adopts it. A keymap has no compiler, no runtime, no maintainer organization, and rarely a financial mechanism behind it. It exists because enough people decided to act as if it does. It persists because users demand cross-binary compatibility with it. When that compatibility breaks, users notice; when it is preserved, the keymap propagates further.

The paper proceeds in seven movements. §2 states the category problem: keymaps are software-shaped but not software, and the open-source/proprietary axis cannot see them. §3–4 trace two lineages of keymap invention — the typewriter-to-computer lineage (Sholes, Dvorak, Colemak) and the musical-instrument lineage (Janko, Wicki–Hayden, the modern hex-isomorphic controllers). §5 examines the dominant contemporary case: the chromatic-staircase QWERTY-piano keymap that Ableton, Logic, GarageBand, and FL Studio all ship by default — an unowned convention that nobody designed, nobody maintains, and everybody im-

plements. §6 reads `notepat.com`’s “notes that name themselves” keymap as a deliberate intervention against that incumbent: not an inheritance, not a fork, but a competing proposal for what the table should look like — and draws the line between the tonal contract, which every implementation must carry, and the extended performance layer, which each substrate grows on its own. §7 introduces the notation surface: every keymap has a textual form in which usage of the keymap travels, and the notation is often the more durable half of the artifact — a structural claim with Vim as the canonical positive case and the DAW chromatic-staircase as the negative one. §8 catalogs the broader genus, showing that input mappings, notation systems, and category labels share a common social-software pattern. §9 reads the body of evidence through Lialina’s *Turing Complete User*, arguing that keymaps are the empirical body of her claim that users are programmers in waiting. §10 closes with what this asks of designers: ship the keymap as a first-class object — readable, exportable, forkable — and the notation alongside it.






Figure 1: The notepat.com keymap. The QW-ERTY letter **C** plays C, **D** plays D, ..., **B** plays B; the upper octave continues alphabetically (**H I J K L M N**); sharps sit above their natural by piano-black-key analogy where possible. Two-handed split: lower octave under the left hand (blue field), upper under the right (pink field); muted keys extend the range. Implementations: notepat.com (web), AC Native OS, MenuBand (macOS menubar), Ableton (Max for Live) plugin, babypat.

## 2. The Category Problem

A keymap is a small declarative table. The minimal form is a list of pairs: (*physical-key-event*, *semantic-output*). The QWERTY layout is the table that pairs key positions with letters; the Dvorak layout reassigns the same positions to a different set of letters; the chromatic-staircase QWERTY-piano mapping pairs each key with a MIDI note number; the Singmaster cube notation pairs each face label with a rotational operator. In all cases, the table is the artifact. The binary that consumes the table is interchangeable.

This makes keymaps difficult to locate within the prevailing frames of computing scholarship. The open-source/proprietary axis [Galloway, 2004] sorts software by the legal status of its source. A keymap has no source — it is a table, not a program. The platform-studies axis [Nieborg and Poell, 2018] sorts software by the platform it sits on. A keymap sits on *every* platform that consumes its shape. The format-theory axis [Sterne, 2012] sorts software by the spec it implements.

A keymap rarely has a spec; the chromatic-staircase QWERTY-piano mapping has none, and yet four of the world’s largest DAWs all ship the same one. The protocol axis [Galloway, 2004] sorts software by the wire format it speaks. A keymap is not a wire format; it is a table consulted at the input boundary.

Sterne’s *MP3: The Meaning of a Format* [Sterne, 2012] comes closest. Sterne argues that “formats, standards, and infrastructures — and the need for content to fit inside them — are every bit as central to communication as the boxes we call ‘media.’” Substitute *keymap* for *format* and most of his apparatus carries over. But formats have specs (RFCs, ISO documents, reference implementations). Keymaps usually do not. The chromatic-staircase QWERTY-piano mapping is implemented in Ableton Live, Logic Pro, GarageBand, and FL Studio [Ableton, 2024, Apple Inc., 2024, Image-Line, 2024] without ever having been written down in a binding spec. It exists because the four implementations agree, and the four implementations agree because everybody who learned one expects the next to be

the same.

Bowker and Star's *Sorting Things Out* [Bowker and Star, 1999] treats classifications and standards as social-political objects whose persistence is sociological, not technical. A keymap is a classification: it sorts physical inputs into semantic categories. Star and Griesemer's *boundary object* [Star and Griesemer, 1989] captures another aspect: keymaps mediate between communities of practice (typist and programmer; pianist and DAW user; cuber and cube-solver) without belonging fully to any one. Star's *ethnography of infrastructure* [Star, 1999] captures a third: keymaps are boring, consequential, and largely invisible to the people who depend on them.

What we want to name is the conjunction of these features: a small table that is a classification (Bowker & Star), a boundary object (Star & Griesemer), an infrastructure (Star), and a format (Sterne) — but is none of those things alone. I propose *social software* for the conjunction. The term now carries three readings, and all of them are real. In 2003 it named *software for sociality* (Shirky); at UCLA today it names

*any system that organizes behavior, coordinates people, or structures interaction* (McCarthy and Reas [McCarthy and Reas, 2026]); this paper proposes it also name *software of social agreement*. A keymap is the third reading outright — and, read as a score that choreographs the hands of everyone who adopts it, it sits squarely inside the second.

### 3. Lineage I: Keyboard Layouts

The earliest sustained example of a keymap-as-social-software is the QWERTY layout itself. Christopher Latham Sholes patented an early typewriter with Carlos Glidden and Samuel Soulé in 1868 (US 79,265); the as-shipped QWERTY arrangement was finalized in-house by Remington's mechanics in the spring and summer of 1873 as a manufacturing engineering decision and was *never patented* [Yasuoka and Yasuoka, 2011]. The standard folkloric account attributes the layout to anti-jam mechanics; Yasuoka and Yasuoka's archival work locates it in the transcription practice of telegraph operators, who needed to type Morse code in real time. Either way, the layout's persistence is sociological: it is the founding empirical case of path-dependence economics [David, 1985, Arthur, 1989], with a counter-tradition arguing the dominance has been overstated [Liebowitz and Margolis, 1990]. The David–Liebowitz dispute is the primal scene for treating an input mapping as an object whose persistence is an empirical question about social adoption rather

than a derivable consequence of technical superiority.

August Dvorak and William Dealey patented the Dvorak Simplified Keyboard in 1936 (US 2,040,248). They claimed it was faster, less fatiguing, and more pedagogically rational than QWERTY. It propagated unevenly: the US Navy adopted it in studies during World War II; the Apple IIc shipped a Dvorak switch; modern operating systems all ship Dvorak as a selectable layout; and a small but durable community of users have used it for decades. Workman [Bucaciu, 2010], Colemak [Coleman, 2006], and the post-2010 fork ecosystem (Colemak-DH, Halmak, Norman) constitute a third generation. None of these layouts has a maintainer organization. None has revenue. All are versioned virtual objects propagating across forums, GitHub repositories, and operating-system layout files. The Maltron keyboard [Malt, 1977] added a hardware-coupled variant; Plover stenotype theory [Knight, 2010] extended the surface to encompass chorded shorthand. National layouts (AZERTY, QWERTZ, BÉPO) participate in the same logic, with the

additional twist of formal state recognition: the French BÉPO layout, designed by a community in 2005, was folded into a 2019 AFNOR national standard — a literal observable transition from social contract to state contract.



**QWERTY**

|   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|
| Q | W | E | R | T | Y | U | I | O | P |
| A | S | D | F | G | H | J | K | L | ; |
| Z | X | C | V | B | N | M |   |   |   |

**Dvorak**

|   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|
| ' | , | . | P | Y | F | G | C | R | L |
| A | O | E | U | I | D | H | T | N | S |
| ; | Q | J | K | X | B | M |   |   |   |

**Colemak**

|   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|
| Q | W | F | P | G | J | L | U | Y | ; |
| A | R | S | T | D | H | N | E | I | O |
| Z | X | C | V | B | K | M |   |   |   |

Figure 2: Three typing keymaps over the same physical substrate. Each layout is a re-binding of identical key positions to a different set of letters. QWERTY (Sholes 1873, never patented), Dvorak (Dvorak & Dealey 1936, US 2,040,248), Colemak (Coleman 2006, public domain). The post-2010 fork ecosystem extends this line.

## 4. Lineage II: Instrument Layouts

Musical-instrument layouts have run a parallel history. Paul von Jankó's six-row isomorphic piano keyboard [Janko, 1882] was endorsed by Liszt and Rubinstein, manufactured by Decker, Blüthner, and Bösendorfer, and taught at a Janko Conservatory in New York. By every social precondition for adoption it should have replaced the standard piano keyboard. It did not. Fewer than ten Janko pianos are known to survive. The Janko case is the negative pole of the keymap-as-social-software argument: every condition for propagation was met and propagation still failed. Whatever the social-software contract is, it is more than the sum of endorsements, manufacturers, and conservatories.

R. H. M. Bosanquet's generalized keyboard [Bosanquet, 1875] was a 53-equal-division-of-the-octave (53-EDO) enharmonic harmonium and a 1875 organ in 48-note schismatic and quarter-comma meantone, demonstrated to the South Kensington Museum in 1876. It is the ancestor of essentially every modern isomorphic

controller. Kaspar Wicki patented an isomorphic note layout for bandoneon in 1896 [Wicki, 1896]; Brian Hayden, a concertina player, independently re-invented and re-patented essentially the same layout in 1986. The double invention by ninety years is itself an argument: the layout has the character of a *discovery*, the kind of object that recurs because the underlying structure of music makes it useful, not because it is a unique cultural artifact.

Each of these surfaces carries its own genealogy. The three-valve trumpet (Stölzel and Blühmel, c. 1814) standardized after a century of natural-trumpet practice, with Vienna and rotary valve variants each constituting its own keymap-over-pitch. The ocarina runs from Mesoamerican vessel flutes through Giuseppe Donati's 1853 standardization at Budrio, where asymmetric finger-hole placement made the 10-hole pattern teachable. The guitar's EADGBE tuning crystallized in the 1700s out of lute tunings: the B-string irregularity breaks the otherwise-uniform fourths so the open chord shapes lie under the hand, and the entire literature of folk, blues, jazz, and rock

guitar has been authored against that single irregular interval. The violin's strict perfect fifths (G D A E) anchor the fifths-based string-section conventions the orchestral repertoire is written into. In every case the asymmetry is not a flaw the music tolerates but an inheritance the music has been authored around — it determines what a beginner learns first, what a practice exercise looks like, what notation traveled. The standard piano keyboard sits inside this tradition, not above it; the isomorphic alternatives propose something more radical than they sometimes admit, which is the dissolution of the keymap-of-pitch-naming that connects all of these instrument families to one another.

The standard reading of Jankó's failure — and the marginality of the Wicki-Hayden / hex-grid family more broadly — is path-dependence on the David-Liebowitz model: the piano persists by lock-in alone. A harder reading is available. The white-and-black asymmetry of the standard piano keyboard is a chromatic-circle landmark map — the player knows where *C* is because it sits left of two blacks — offloading absolute

pitch position from memory to the eye and the hand. Strip the asymmetry and the offloaded information has nowhere to land: transposition becomes translation, but absolute location becomes recall. Four centuries of repertoire have absorbed the asymmetry into *key character* — the fingering of  $F^\sharp$  major differs from that of  $C$  major, and the music has been written to that differing — so removing the “accident of history” flattens an axis of meaning the literature has been authored along. This does not dissolve the path-dependence story so much as cut along it from the other side: the piano is path-dependent *and* the path has produced an object not strictly equivalent to its alternatives. The deeper move is to treat the Western tonal system itself as a keymap: the seven-letter diatonic naming  $C D E F G A B$  is already a social-software contract over pitch space, written into theory, pedagogy, and every key signature. The piano’s white keys are the physical realization of that keymap; the black keys are the alterations notation already names with  $\sharp$  and  $\flat$ . The standard piano is thus doing two jobs at once — physical interface and notational encoding —

and the isomorphic alternatives propose to dissolve the second to optimize the first. The argument is scoped to the 12-tone-equal-tempered repertoire that names pitches with the diatonic letters; outside it — xenharmonic music in 19-, 22-, 31-, 53-EDO, Maqam and other tonal systems with different pitch-naming keymaps — the piano is actively obstructive and the isomorphic line from Bosanquet through the Lumatone has a strong, repertoire-grounded claim. Within that scope, the same keymap-of-pitch-naming is what `notepat.com` (§6) preserves, carried onto QWERTY’s letter caps, where pressing the letter `C` plays the note *C*. Where Jankó dissolves the naming keymap to optimize the physical interface, and the chromatic-staircase DAW convention dissolves *both* (§5), `notepat.com` keeps the naming contract unchanged and re-asks only the question Sholes’ 1873 mechanics asked: what physical surface should carry it forward.

The contemporary descendants are commercial products: the C-Thru AXiS-49 (2008) [C-Thru Music, 2008], Jim Plamondon’s Thummer [Plamondon, 2003], the Roger Linn LinnStrument,

the ROLI Seaboard, the Lumatone hex grid, and Lippold Haken's Continuum Fingerboard [Haken et al., 1998]. Andrew Milne, William Sethares, and James Plamondon's papers on isomorphic controllers and tuning continua [Milne et al., 2007, 2008] provide the theoretical foundation. What is striking from a keymap-as-social-software view is that these instruments *ship configurable*: the layout is an explicit object the user uploads, and the xenharmonic community shares layouts as files. The Lumatone in particular treats the keymap as the unit of distribution. The instrument is a substrate; the keymap is the artifact that makes it musical.




Figure 3: Wicki–Hayden hex layout (Wicki 1896 / Hayden 1986). Same-row neighbors differ by a whole tone; up-and-right neighbors by a perfect fourth. The C major triad ( $C E G$ ) is highlighted: the chord is a fixed three-cell shape on the surface, and translating that shape transposes the chord to any key. “Transposition is translation” is the central isomorphic-keyboard claim, and the property the standard piano’s white-and-black asymmetry sacrifices.






Figure 4: Four asymmetric pitch interfaces read as *interval wheels*. Each wheel sweeps clockwise through the intervals its layout is built from; every slice is one interval, its angle set by its size in semitones and its color fixed by the legend. A regular instrument is an even wheel; an asymmetric one carries a visibly odd slice. Guitar EADGBE is a ring of perfect fourths broken once by the major third between G and B (outlined) — the irregularity that lets the standard chord shapes lie under the hand, and that folk, blues, jazz, and rock guitar have been authored against. Violin is three identical perfect fifths: a perfectly even wheel, yet each open string a different absolute pitch. The trumpet’s three valves drop pitch by two, one, and three semitones — all different by design, so their combinations reach every chromatic step. The ocarina is the diatonic scale’s own wheel, two short steps among five long ones. The standard piano belongs to the same family: the diatonic naming keymap embodied in many surfaces, each with its own asymmetry.

## 5. The Chromatic-Staircase, or AWSED: Convergence Without Ownership

The strongest contemporary case for the keymap-as-social-software argument is the de-facto chromatic-staircase QWERTY-piano keymap shared by every major digital audio workstation. Ableton Live, Logic Pro, GarageBand, and FL Studio all ship the same convention by default [Ableton, 2024, Apple Inc., 2024, Image-Line, 2024]. The shape of the convention is: take the lower three rows of the QWERTY keyboard; treat one row as the white keys of a chromatic scale, ascending from C; and treat the row above as the black keys, in the gaps where black keys would fall on a piano. Ableton, Logic, and GarageBand use **A S D F G H J K** (home row) for the white keys *C D E F G A B C* and **W E T Y U** (row above) for the black keys *C<sup>♯</sup> D<sup>♯</sup> F<sup>♯</sup> G<sup>♯</sup> A<sup>♯</sup>*. FL Studio uses the bottom row **Z X C V B N M** for the lower octave's white keys and the same row-above pattern for the black keys. The principle is identical. The exact row assignment differs by one row.

This convention has propagated for three decades without a name. I name it here, for the field that should be studying it: read the keys of the first five chromatic tones — *C* on **A**, *C*<sup>♯</sup> on **W**, *D* on **S**, *D*<sup>♯</sup> on **E**, *E* on **D** — in pitch order and they spell **AWSED**. *Henceforth the AWSED layout* (home-row variant; the FL Studio variant is its bottom-row transposition). The name is chosen to rhyme with WASD, the PC-gaming movement convention discussed below: the two are structurally the same object — an unowned, unspecified, cross-application input keymap that nobody designed and everybody ships — and the rhyme is the argument. WASD was named, taught, and canonized by its community; AWSED was never even named, which is precisely why it has escaped study. A thing without a name is hard to see, harder to critique, and impossible to cite. Naming it is the first move.

No one designed this convention. No spec defines it. There is no governing body, no maintainer, no funding mechanism. The convention exists because the four implementations agree, and the four implementations agree because the conven-

tion was already present in the 1990s tracker software that preceded the modern DAW (FastTracker, Renoise, Impulse Tracker), and because every user who has learned one DAW expects the next to behave the same. Tutorial documentation written for one DAW transfers, more or less, to another. This is the *social-software contract* in its purest form: a versioned virtual object that propagates through pedagogy and expectation, with no central authority.

It is also, I will argue, badly designed. The AWSED layout has three structural weaknesses. **First**, the QWERTY letter on each key bears no relation to the note name it produces. **A** plays C; **S** plays D; **D** plays E (Figure 5). A user who has learned the Western seven-note scale gains no purchase on the keymap from that knowledge. **Second**, it delivers only a single octave (*C* to *C*), yet spreads that one octave clear across the home row, from **A** to **K** — the full width where *both* hands rest. It is neither a compact one-hand octave nor a productive two-hand range: it spends two hands' worth of keyboard to produce a single octave, and stops there. The width is laid out as



Figure 5: The AWSED layout — the DAW chromatic-staircase QWERTY-piano keymap (Ableton, Logic, GarageBand variant). Home row A S D F G H J K plays the white keys  $C$  through  $C$ ; the row above places sharps in the gaps where the piano black keys would fall ( $C^\sharp D^\sharp$  then a gap at R,  $F^\sharp G^\sharp A^\sharp$ , then gaps). The name comes from the first five chromatic tones  $C C^\sharp D D^\sharp E$ , which fall on **A W S E D**. The QWERTY letter on each cap bears no relation to the note name it produces.

if for two hands but the range is sized for one. **Third**, the keymap is illegible without a tutorial: there is no mnemonic, no diagram printed on the physical keys, and no way to derive the mapping from first principles. A keymap that requires a manual is a keymap that has lost its

social-software character.

The naming was not idle. Its natural contrast is WASD, the movement convention in PC gaming — and the near-anagram is not a coincidence so much as a diagnosis. WASD has the same structural shape as AWSED — an un-owned, unspecified, cross-application user-input convention — but a different propagation history. Pre-WASD, PC games defaulted to arrow keys (Wolfenstein 3D, Doom, the Quake series through 1997) [Wikipedia contributors, 2026]; intermediate experiments included System Shock’s ASDX (1994) and Descent’s AZ+QE. Dennis “Thresh” Fong, a competitive Quake player, popularized the WASD layout through his self-published configuration guide [Fong, 1997] and won the first nationwide Quake tournament in 1997. Valve’s Half-Life shipped WASD as default in 1998, and by the early 2000s the convention had saturated PC games [Fenlon, 2016]. WASD persists for a reason the DAW chromatic-staircase does not: it is genuinely better than the official default. It frees the right hand for the mouse, sits adjacent to Shift / Space / Ctrl /

Tab, and exploits home-row finger placement on a QWERTY keyboard. The structural lesson is that propagation is a function of social mediation *and* fitness: WASD propagated because Fong's pedagogy reached players *and* the mapping won on the merits. The chromatic-staircase propagated through pedagogy alone, despite the merits running the other way. Both cases sit in the same category — unowned conventions that govern user input across applications. They demonstrate that the category is large enough to span both the well-designed and the badly-designed, the user-validated and the inherited-by-inertia.

## 6. Notepat.com: Notes That Name Themselves

Against this incumbent, `notepat.com` proposes a different keymap (Figure 1). The design principle is single: *notes that name themselves*. The QWERTY letter `C` plays C. The QWERTY letter `D` plays D. The seven naturals of the Western scale — *C D E F G A B* — play the notes their letters name. The upper octave continues alphabetically: `H I J K L M N` for  $C_5 D_5 E_5 F_5 G_5 A_5 B_5$ . Sharps sit one row above their natural, by analogy to the black keys of a piano, where the QWERTY letters allow it: `V S W R Q` for  $C^\sharp D^\sharp F^\sharp G^\sharp A^\sharp$ . The lower octave falls under the left hand; the upper octave falls under the right.

The keymap reverses each of AWSED's three weaknesses. **First**, the letter on each key *is* the note name. Anyone who knows the Western scale already knows the keymap. **Second**, it spends the two-hand width productively: the left hand plays the lower octave and the right hand mirrors it on the upper, so the same span AWSED



spends on a single octave yields two. **Third**, the keymap is self-documenting: the diagram in Figure 1 can be reproduced from memory by anyone who can spell “CDEFGAB.”

Three things make `notepat.com` unusual among the keymaps in this paper: it has a name — most, like `AWSED` (§5), never got one — its notes name themselves, so the keymap addresses itself, and it already runs in many implementations. `notepat.com`’s contribution is not the implementation. The implementation is, by design, modest: a few hundred lines of JavaScript routing keyboard events to an audio synthesis API. The contribution is the keymap. It is presented across five implementations — the web piece at `notepat.com`, the AC Native OS bare-metal port, the MenuBand macOS menubar app, the Ableton (Max for Live) plugin, and `babypat` — and the keymap is the one thing that is identical across all of them. The note-naming notation travels even further than the instrument: it is reused in `clock`, AC’s distributed sequencer, where the same single-letter pitches drive networked playback. It is the `notepat.com`-shaped

social-software contract.

A reader comparing the implementations side by side will notice keys doing things beyond the table in Figure 1. On AC Native and MenuBand, holding `Space` reverse-plays the last several seconds of actual audio output. On the web piece and AC Native, holding `Shift` while striking a note gives that voice a long decay tail when released; holding `Enter` holds the voice indefinitely, and `Backspace` clears every held voice. On MenuBand and AC Native, `Control`, `Alt`, and the two together promote a single keypress to a major, minor, or suspended triad. None of this appears in the keymap diagram, and the omission is deliberate. These bindings form an *extended performance layer*, and the line between that layer and the tonal mapping is the boundary of the social-software contract itself (Table 1).

The two halves of Table 1 are governed by different rules. Above the line, deviation is breakage: an implementation that remapped `C` away from the note *C* would not be a `notepat.com` port but a different instrument. Below the line, deviation is idiom: each substrate grows the gestures its

body affords. The bare-metal OS, owning the whole machine, can ring-buffer its own audio output and play it backwards; the menubar app, riding a system-wide event tap, leans on modifier chords; the web piece, living in a browser tab, sustains and holds. Users do not experience these differences as breakage, and no implementation is obliged to carry another's gestures. The same two-tier structure is visible in the older cases: QWERTY-the-contract says nothing about media keys or Fn layers, which vary freely by vendor without anyone calling a ThinkPad a fork of QWERTY; Vim's core motions are contract while plugin bindings are idiom. A keymap, this suggests, is not the set of all bindings an implementation ships. It is the subset whose alteration the community would experience as a breach of identity — and one practical test for which side of the line a binding falls on is whether the notation surface (§7) carries it. C D E F G A B travels as text; “hold space to reverse time” is a per-substrate gesture that must be re-taught, by demonstration, at every port.

This is the move the paper is asking the reader

to see. The dominant DAW chromatic-staircase keymap was never *chosen* — it was *inherited* from tracker software, persisted by user expectation, and locked in by cross-application convention. `notepat.com` demonstrates that the gap is open: that a deliberately-designed alternative can be authored by a single developer in a few hundred lines of code, shipped across multiple implementations in a year, and offered to a wider community as a competing social-software contract. The political stake is small in any one instance and large in aggregate: *the gap is open everywhere.*

Table 1: The `notepat.com` bindings, divided at the contract line. Above the line: the tonal mapping, identical across all implementations — the social-software object. Below it: the extended performance layer, where each substrate is free to differ.

| Binding                           | Meaning                         |
|-----------------------------------|---------------------------------|
| <i>Tonal contract</i>             |                                 |
| C D E F G A B                     | naturals $C_4-B_4$ , left hand  |
| H I J K L M N                     | naturals $C_5-B_5$ , right hand |
| V S W R Q                         | sharps, one row above           |
| <i>Extended performance layer</i> |                                 |
| Shift (hold)                      | sustain: long decay tail        |
| Enter (hold)                      | hold voice; Backspace clears    |
| Space (hold)                      | reverse-play recent audio       |
| Ctrl / Alt / both                 | major / minor / sus2 triad      |
| < >                               | per-hand octave shift           |

## 7. Notation: The Discursive Surface

The argument so far has treated the keymap as a table. But a keymap is not only a table. It also has a *notation* — a textual form in which usage of the keymap is read, written, taught, cited, and argued over. The notation is the discursive surface of the keymap. It is also, I will argue, the half of the keymap that actually travels. A keymap whose notation is portable propagates as text; a keymap whose notation is awkward or absent propagates only as muscle memory. The quality of the notation is therefore a designable property of the keymap, not a derivative artifact. A designer who ships only the binding-table has shipped half of the object.

The canonical case is Vim. Vim’s underlying keymap is a table mapping keystrokes to editor commands: `d` initiates a delete operator, `i` an inner text-object, `w` a word motion. What travels in Vim discourse, however, is not the table. What travels is a *notation*: `dd`, `ciw`, `gg`, `:wq`, `<C-w>` (Figure 6). Tutorials, blog posts, README files, vimtutor, and the long-running vim-vs-emacs ar-



```
dd ciw gg :wq <C-w>v y2$
```

Figure 6: Vim’s modal keymap and its travelling notation. Modes (NORMAL, INSERT, VISUAL) are connected by labeled keystroke transitions; common commands (dd delete-line, ciw change-inner-word, gg go-top, :wq write-and-quit, etc.) are the discursive currency of the keymap. The notation is so portable it has been re-implemented in VS Code, JupyterLab, Vimium, the macOS Cocoa text system, and `set -o vi`.

gument are all conducted in this notation. The notation is so portable that it survives outside Vim entirely: *vim mode* appears in Visual Studio Code, in JupyterLab, in shells via `set -o vi`, in macOS Cocoa text fields, in browsers via Vimium. What is being ported is the notation. The runtime is contingent.

The DAW chromatic-staircase is the negative

case. There is no portable notation for it. Writing a melody played on Ableton’s musical typing requires falling back to event-sequence prose — “press **A**, then **S**, then **D**” — which describes input rather than music. Compare to Singmaster cube notation [Singmaster, 1981] (Figure 7), where  $R\ U\ R'\ U'\ R\ U^2\ R'$  lets a Rubik’s-cube algorithm travel intact between cubers; or to the Nashville Number System [Matthews, 1984, Williams, 1988], where “1–4–5” lets a chord progression travel between session musicians; or to Plover steno theory [Knight, 2010], where the chord notation lets stenographic patterns travel through a community-edited dictionary. The DAW staircase has no such handle. Its keys are addressable only by their physical position. The keymap therefore exists in muscle memory and rarely on the page — which is exactly why it has lower discursive presence than Vim despite an arguably larger user base.

notepat.com’s “notes-name-themselves” design has, as a structural side-effect, a notation that costs nothing to learn. To write a notepat.com sequence, one writes **C D E F G A B** — which is also



standard music notation. The notation is not invented for notepat.com; it is *inherited* from an existing literacy. A pianist who has never seen a notepat.com keymap can read a notepat.com score; conversely, a notepat.com performer who learns the keymap is also rehearsing standard pitch-letter literacy. This is what a well-designed notation surface looks like: the notation is so trivially derivable from prior knowledge that learning the notation costs nothing. Ableton’s chromatic-staircase, in contrast, would require a notepat-like score to be re-coded as A S D F G H J — a private notation tethered to one keymap, useful nowhere else.

The empirical literature on keyboard shortcut adoption supports this reading. Peres et al. found that working alongside other shortcut users is a stronger predictor of shortcut use than computer experience alone [Peres et al., 2004]. Lozhkina et al. extend the result: the discovery channel for shortcuts is interpersonal and visual [Lozhkina et al., 2025]. Wang et al. explicitly use the term *vocabulary* to name what shortcut design hands a user [Wang et al., 2020].

The argument of this paper sharpens those findings: the social mediation is not a generic effect of being-around-other-users; it is a specific transmission via the notation surface. Colleagues read each other's screens, see :wq, ask, learn. Where there is no transmissible notation, there is no social mediation to mediate. The same logic explains the success of live-coding mini-notations: Alex McLean and Geraint Wiggins's TidalCycles pattern language [McLean and Wiggins, 2010], ported to JavaScript as Strudel [Roos and McLean, 2023], and Olivia Jack's Hydra transform-chains for live-coded visuals [Jack, 2018], alongside ABC notation for folk music [Walshaw, 2011]. In each case the runtime is contingent — Haskell, JavaScript, WebGL, MIDI players — but the notation carries the practice across runtimes, workshops, and decades.

The corollary catalog of §8 is, when read through this lens, almost entirely a catalog of notations. Singmaster, Nashville, ABC, IPA, Camelot, fighting-game numpad notation, scientific pitch, the NATO spelling alphabet, knitting abbrevia-


tions — each is a notation derived from a keymap (or input mapping) that allowed the underlying practice to travel as text. The keymap-notation pair is the unit. The keymap supplies the affordance; the notation supplies the propagation surface.

The structural claim has a deeper diagnostic. Walter Ong's distinction between orality and literacy [Ong, 1982], building on Havelock's account of the same transition in ancient Greece [Havelock, 1963], cuts the question cleanly. *Oral* traditions persist through performance, person-to-person transmission, and repeated approximation; they have no canonical text, mutate slightly across instances, and survive because performers keep performing them. *Literate* traditions persist through fixed text, authoritative editions, and exact reproduction; they have specs, canons, and reference implementations. The standard frames of computing scholarship are all literate frames: an open-source license governs a fixed text, a protocol governs a fixed wire format, a format governs a fixed encoding. The DAW chromatic-staircase is

a primary-oral keymap — there is no canonical text, only four implementations that agree by performance. Vim has both an oral substrate (one learns the keymap by watching another developer’s screen) and a literate edge (the notation: `:wq`, `<C-w>`, `ciw`). `notepat.com` collapses the literate side into the standing literacy of pitch-letter notation: the keymap inherits its written form from a centuries-older literate practice. The oral substrate is the keymap; the notation is the literate fixation; where the latter succeeds, the former gains a body that travels. The orality-literacy axis is the diagnosis of why keymaps escape the open-source/proprietary frame at all: the standard frames are literate frames, but the keymap is at least partly oral, and the absence of a literate fixation in academic and industrial discourse alike is the symptom that gave this paper its motivating question.

The same orality-literacy axis explains a feature of the keymap literature: there isn’t much of one. The PC Gamer history of WASD [Fenlon, 2016] is the canonical popular-press source on a convention that controls hundreds of millions of hours of

gameplay; the equivalent academic literature is essentially empty. That is not because keymaps are unimportant. It is because the existing apparatus of computing scholarship — specs, RFCs, source-code repositories — is calibrated for literate artifacts, and a keymap is partly oral. The paper that does not exist is exactly the one this paper argues should.



$RUR'U'R U^2R'$   
a 7-move algorithm

Figure 7: Singmaster’s cube notation [Singmaster, 1981]. Each capital letter names a face (Up, Down, Left, Right, Front, Back); a bare letter is a clockwise quarter-turn, a primed letter (') a counter-clockwise quarter-turn, and a digit-2 a half-turn. The seven-token string  $RUR'U'R U^2R'$  is a complete algorithm portable between cubers, GitHub repos, and YouTube tutorials — the keymap-notation pair traveling as text. Faces carry the standard sticker scheme (white up, green front, red right);  $R$  is drawn mid-quarter-turn: the algorithm’s first move.

## 8. The Corollary Catalog

The keymap is one instance of a much larger genus: *versioned virtual objects that propagate via social contract, not via binaries*. Table 2 catalogs the major species. The catalog is not exhaustive. Its purpose is to show that the genus is real and large.

Several patterns emerge. First, the genus spans input mappings (QWERTY, Vim, WASD), notational systems (Singmaster, Nashville, IPA), category labels (controller buttons, CSS colors), and community-authored initialisms (the NATO spelling alphabet; the LGBTQ+ acronym, whose revision history — LGB → LGBT → LGBTQ → LGBTQIA → LGBTQIA2S+ — is itself a versioned-without-governing-body process documented in style guides [GLAAD, 2024]). What unifies them is not the medium but the *role*: each is a small declarative table consulted at a boundary between human and machine, between communities of practice, or between competing implementations. Second, the named-inventor pattern is highly variable. Some objects

have a single named inventor (Singmaster, Coleman, Davis); others have convergent or anonymous origins (DAW chromatic-staircase, fighting-game numpad notation); others are community-versioned with named additions (the LGBTQ+ initialism); others are federation-crystallized after a period of community competition (algebraic chess, BÉPO). Third, the propagation mechanism is almost always *not* a binary. It is pedagogy, expectation, citation, or written reference — the apparatus of a literate community.

The boundary of the category is worth drawing crisply. **Open formats** like PNG and MP3 are governed by specifications and reference implementations [Sterne, 2012] — closer to format than to social software. **Open protocols** like HTTP and IRC have RFCs and steward bodies — Galloway’s *Protocol* [Galloway, 2004] covers this terrain. **Folksonomies** (tags, hashtags) are content-classification rather than interface-as-object. **Memes** propagate but are content. The keymap is distinct from all of these: *a small declarative table that mediates input/output, with no governing body, that nonetheless behaves as if*



*standardized.*

Table 2: Selected versioned virtual objects propagating via social contract. “Originator” lists the named inventor where one exists; “*conv.*” indicates a convergent or anonymous origin. Each row’s QR code resolves to the object’s canonical home — Wikipedia, the project’s own site, or its governing specification.

| Scan                                                                                | Object                               | Originator (year)              |
|-------------------------------------------------------------------------------------|--------------------------------------|--------------------------------|
|    | <b>QWERTY</b>                        | Sholes (1873)                  |
|    | <b>Dvorak</b>                        | Dvorak & Dealey (193)          |
|    | <b>Colemak</b>                       | Coleman (2006)                 |
|    | <b>BÉPO</b>                          | Community (2005)               |
|    | <b>Janko</b>                         | Jankó (1882)                   |
|   | <b>Wicki-Hayden</b>                  | Wicki (1896) / Hayden          |
|  | <b>Bosanquet</b>                     | Bosanquet (1875)               |
|  | <b>AWSED (DAW staircase)</b>         | <i>conv.</i> (trackers, 1990s) |
|  | <b>WASD movement</b>                 | Fong (1996–97)                 |
|  | <b>Notepat “names themselves”</b>    | Scudder (2024)                 |
|  | <b>Plover steno theory</b>           | Knight (2010s)                 |
|  | <b>Vim keybindings</b> <sup>50</sup> | Joy (1976) → Moolenaar         |
|  | <b>Singmaster notation</b>           | Singmaster (1981)              |

## 9. Reading Through Lialina

Olia Lialina's essay *Turing Complete User* [Lialina, 2012, 2021] is the load-bearing theoretical anchor for this paper. Lialina argues that the category "user" is being quietly eliminated from contemporary software design, replaced by a register that addresses people without acknowledging the agency that made them users in the first place. The argument is moral and political: "We need to take care of this word because addressing people and not users hides the existence of two classes of people — developers and users" [Lialina, 2012]. Her thesis is that users are programmers in waiting; the substrate must remain programmable for the agency to be real.

The keymap, I argue, is exactly the surface where Lialina's argument finds material expression. Lialina names the condition that makes user-authorship possible: "a situation when the work flow of an application has gaps that can be filled by users, where smoothness and seamlessness are broken" [Lialina, 2012]. The keymap is such a gap. The hardware is fixed; the bi-

nary is closed; but the table mapping the QWERTY key **A** to MIDI 60 is user-authorable, user-versionable, and user-demanded across applications. When applications close that gap — bake in one mapping, refuse alternatives, hide the table behind a UX layer that admits no edits — the user-as-author dies in that surface. This is what Lialina, in her companion essay [Lialina, 2018], calls *desktopization*: the colonization of user-configurable surfaces by managed UX. The keymap is the canary.

The corollary catalog of §8 sharpens the point. Each entry in Table 2 is a surface on which a user community has authored a small declarative table that the underlying technology did not require. The Western scale does not require ABC notation; the QWERTY keyboard does not require Plover steno theory; the Rubik’s cube does not require Singmaster notation; the chromatic 12-tone equal-tempered scale does not require notepat.com’s “names-themselves” keymap. Each is a piece of user-authored convention that survives and propagates because a community decided it should.

The political stake of *Turing Complete User* is the preservation of these surfaces. The contribution of this paper is to give the surfaces a name — *social software* — and to demonstrate, by enumeration, that the category is large enough to be politically consequential. The argument of §7 sharpens the political claim: where the keymap has a portable notation, the user’s authorship is legible to other users; where it has none, the keymap dies in muscle memory and the social-software contract becomes invisible even to the people upholding it. The disappearance of any one keymap is small. The disappearance of the entire user-authorable layer is the disappearance of Lialina’s user. The disappearance of the *notation surface* is the disappearance of the user’s voice, in addition to the user’s hand.

## 10. What This Asks of Designers

If the argument of §9 is right — if keymaps are the empirical body of the Turing Complete User — then a small, concrete request follows for designers of any system that consumes a keymap. **Ship the keymap as a first-class object.** Make it readable: print the table somewhere a user can see it. Make it exportable: let a user save the table to a file. Make it forkable: let a user load a different table. Make the format documented: prefer a plain-text table to an opaque binary. Prefer a published convention to a private one. Prefer a community-shared keymap to a vendor-only one.

**And ship the notation as a first-class object too** (§7). The keymap is half the artifact; the notation is the other half. A keymap whose notation is awkward, untranscribable, or invented from scratch will sit dormant in muscle memory. A keymap whose notation is terse, typographic, and derivable from existing community literacy will travel as text, propagate through tutorials, and survive its current runtime. The two de-

sign questions are inseparable: when you choose a binding, you are also choosing how that binding will be written about, taught, and ported.

notepat.com ships its keymap as Figure 1 — a one-page diagram, freely reproducible, present in every implementation. The DAW chromatic-staircase ships its keymap as a tutorial buried in a manual, identical across applications by accident, owned by no one and contestable by no one. The difference is not technical. The difference is whether the social-software contract is treated as an explicit object or an implicit one.

## 11. Conclusion

A keymap is a small declarative table. It is not a binary. It is not a service. It is not a project. The standard frames of computing scholarship cannot see it. And yet keymaps are versioned, named, forked, and demanded across applications — they are software in every sense that matters. I have argued that they constitute a category, called the category *social software*, traced two lineages that produced it, examined the dominant contemporary case (the DAW chromatic-staircase) and a deliberate intervention against it (notepat.com's notes-that-name-themselves), shown that each keymap has a *notation surface* that is often the half of the artifact that actually travels, enumerated a broader catalog of corollaries that are themselves predominantly notations, and read the body of evidence through Lialina's *Turing Complete User* as support for her claim that users are programmers in waiting. The disappearance of any single keymap is small. The disappearance of the entire user-authorable layer is the political problem Lialina names.



The methodological contribution is a unit of analysis: the keymap-and-its-notation as the first-class object of computing scholarship that the binary, the project, the platform, and the format together cannot resolve. Read through Ong, the keymap is the partly-oral artifact and the notation is its literate edge — which is why neither the keymap alone nor the notation alone is enough, and why the standard frames of computing scholarship, calibrated as they are for fully-literate artifacts, miss the category entirely. The political contribution is a small request: *ship the keymap as a first-class object, and the notation alongside it.*

## Acknowledgments

This paper was written during the author's residency in *Social Software*, the initiative at UCLA Design|Media Arts directed by Lauren Lee McCarthy and Casey Reas [McCarthy and Reas, 2026], as part of its second cycle, *Scores for Social Software*, led by Casey Reas, April–June 2026 [Reas, 2026]. The cycle's framing of the score as a way of choreographing events in time through text, diagrams, and other forms of instruction shaped the notation argument of §7, and the initiative's definition of social software — any system that organizes behavior, coordinates people, or structures interaction — is the working context for the category this paper names. Thanks to the cohort for ten weeks of scores.



## Appendix A. The Keymap and the Module: Notepat after John Holden

In 1770 a Glasgow potter named John Holden published an *Essay towards a Rational System of Music* that, as Carmel Raz has shown, anticipated cognitive science by two centuries [Holden, 1770, Raz, 2025]. Working from psalm tunes and folk melodies — his “nurses’ tunes” — Holden argued that hearing music is an act of *memory*: the mind derives an internalized standard from the key note and holds it as a reference against which every later pitch is grouped and compared. He called this remembered standard the *module* — not a thing in the air or on the page but a construct the listener maintains, so that “previously held modules...in implicit memory directly affect perception of new sounds” [Raz, 2025]. A companion paper traces how Aesthetic.Computer converges on this program at the runtime level [@jeffrey, 2026]; here I want the smallest version of the claim, at the level of the keymap.

A keymap, read through Holden, is a module

turned inside out. Where his module is the remembered framework a single listener builds to parse incoming sound, a keymap is a remembered framework a *community* agrees to share — the same kind of standard, externalized and made social. This is why the design of the table is a design about memory. The AWSED layout (§5) demands a new module: nothing the player already knows transfers, so the mapping must be installed by rote and held by effort, and the moment attention lapses the layout dissolves. `notepat.com` makes the opposite bet. By letting the letter `Ⓒ` play the note *C*, it asks the player to store *no new module at all*: the keymap rides on a standard already in implicit memory — the centuries-old pitch-letter naming *C D E F G A B* (§4). Recognition does the work that rote would otherwise have to. The keymap that names itself is the keymap that costs the memory nothing.

Holden’s second claim sharpens the first. He held that learning to hear is *involuntary*: the mind refers pitches to a key note without being told to, so a good musical interface does not instruct but “activates the mind’s innate grouping operations”

with the right input [Raz, 2025]. `notepat.com` makes the same wager this paper makes about keymaps generally — no tutorial, only a layout legible enough that whoever can spell CDEFGAB is already playing. That a keymap can decide, in advance, how much the player must remember is the cleanest demonstration of this paper’s claim: the keymap is where the argument lives.

## Appendix B. Notepat Song Cards

Because `notepat.com`'s notes name themselves, a song written for it needs no separate tablature: the colored note-circles *are* the melody — one per pitch, each in `notepat.com`'s own color for that note — and the letter inside each circle is the key you press. The two cards in Figure 8 are “nurses’ tunes” in Holden’s sense — the simplest, most-remembered melodies there are. *Twinkle* sits in the lower octave, where the keys name their own notes (`C` plays *C*); *Amazing Grace* reads better up an octave, on the `H I J K L M N` keys (§6). To play a card, read left to right.



Figure 8: Two notepat.com song cards in its native colored notation: each note is a circle in that pitch’s color, the letter inside is the key you press, the syllable below is the word. *Twinkle* uses the self-naming lower octave; *Amazing Grace* — psalmody, the very kind of tune Holden theorized from (Appendix A) — uses the upper-octave keys .

Each card tests the contract of Table 1: the note row is what must survive every port, and it survives because it is already the world’s notation.

# References

- Ableton. Computer MIDI keyboard. Live Manual, 2024. Home row  $A-K$  = white keys  $C-E_5$ ; row above ( $WE TYU$ ) = black keys  $C\sharp D\sharp F\sharp G\sharp A\sharp$ . Same chromatic-staircase convention shared with Logic Pro and GarageBand.
- Christopher Allen. Tracing the evolution of social software, October 2004. *Life With Alacrity*, 13 October 2004. <https://www.lifewithalacrity.com/article/tracing-the-evolution-of-social-software/>.
- Apple Inc. Use musical typing in Logic Pro. Logic Pro User Guide, 2024. <https://support.apple.com/guide/logicpro/play-software-instruments-lgcpb19cbd34/mac>.
- W. Brian Arthur. Competing technologies, increasing returns, and lock-in by historical events. *Economic Journal*, 99(394):116–131, 1989.
- R. H. M. Bosanquet. Generalized keyboard, 1875. 53-EDO enharmonic harmonium and 1875 organ in 48-note schismatic and quarter-comma meantone, demonstrated to the South Kensington Museum 1876. Ancestor of modern isomorphic controllers.
- Geoffrey C. Bowker and Susan Leigh Star. *Sorting Things Out: Classification and Its Consequences*. MIT Press, 1999.
- OJ Bucao. Workman keyboard layout, 2010. Released Labor Day 2010. <https://workmanlayout.org/>.
- C-Thru Music. AXiS-49 USB music interface. Hardware product release, June 2008. Hex isomorphic MIDI controller using Peter Davies’s 1983 “Harmonic Table” layout. [https://www.c-thru-music.com/cgi/?page=prod\\_axis-49](https://www.c-thru-music.com/cgi/?page=prod_axis-49).
- John Cage and Alison Knowles. *Notations*. Something Else Press, New York, 1969.
- Shai Coleman. Colemak keyboard layout, 2006. Released 1 January 2006. <https://colemak.com/>.
- Paul A. David. Clio and the economics of QWERTY. *American*



- Economic Review*, 75(2):332–337, 1985. Founding empirical case of path-dependence economics.
- Mark Davis. Camelot wheel (Easymix System), 1991. Now the de facto DJ harmonic-mixing notation across key-detection tools. <https://mixedinkey.com/camelot-wheel/>.
- Wes Fenlon. How WASD became the standard PC control scheme. PC Gamer, 2016. The canonical popular-press history of WASD’s emergence from competitive Quake culture (Dennis “Thresh” Fong, 1996–97), industry adoption via Half-Life (Valve, 1998), and saturation across PC games by the early 2000s. <https://www.pcgamer.com/how-wasd-became-the-standard-pc-control-scheme/>.
- Dennis “Thresh” Fong. Thresh’s Quake bible. Self-published online guide, 1997. Competitive-Quake configuration guide that described the WASD layout as an “inverted T” and is widely credited as the proximate cause of the convention’s spread among players. Original site long-defunct; archived copies circulate via the Internet Archive.
- Alexander R. Galloway. *Protocol: How Control Exists After Decentralization*. MIT Press, 2004.
- GLAAD. GLAAD media reference guide. <https://glaad.org/reference>, 2024. Style reference documenting the revision history of the LGBTQ+ initialism (LGB → LGBT → LGBTQ → LGBTQIA → LGBTQIA2S+). Cited here strictly for the acronymic / versioned-without-governing-body parallel; substantive treatment of identity-terminology politics is out of scope for the present paper.
- Lippold Haken, Ed Tellman, and Patrick Wolfe. An indiscrete music keyboard. *Computer Music Journal*, 22(1):30–48, 1998. doi: 10.2307/3681043. Canonical paper for the Continuum Fingerboard. First commercial unit sold 1999 by Haken Audio.
- Eric A. Havelock. *Preface to Plato*. Harvard University Press, 1963. The transition from oral to literate culture in ancient Greece. Cited here as the predecessor to Ong’s framework.

- John Holden. *An Essay towards a Rational System of Music*. Robert Urie, Glasgow, 1770.
- Image-Line. Typing keyboard to piano keyboard. FL Studio Online Manual, 2024. Default mapping: lower octave  $Z-M = C_4-B_4$  (white),  $S-J =$  black; upper octave  $Q-U = C_5-B_5$  (white),  $2-7 =$  black. Same chromatic-staircase convention as Ableton, Logic, GarageBand. User-configurable via .scr files in System/Config/Typing to piano/. <https://www.image-line.com/fl-studio-learning/fl-studio-online-manual/>.
- Olivia Jack. Hydra: Live coding networked visuals. Open-source software, <https://hydra.ojack.xyz/>, 2018. Browser-based live-coding visual environment. The Hydra notation (chained transform calls like `osc(20).rotate(0.5).out()`) propagates through workshop pedagogy, gist sharing, and [sketch.hydra.ojack.xyz](https://sketch.hydra.ojack.xyz) examples — a visuals counterpart to Tidal’s audio mininotation.
- Paul von Janko. Janko keyboard, 1882. Six-row isomorphic piano keyboard. Endorsed by Liszt and Rubinstein; manufactured by Decker, Blüthner, Bösendorfer; failed to propagate.
- @jeffrey. The potter and the prompt: John holden’s proto-cognitive music theory and aesthetic computer. <https://papers.aesthetic.computer/potter-and-prompt-26-arxiv.pdf>, 2026. Companion paper in this series.
- Mirabai Knight. Plover and the Open Steno Project, 2010. <http://plover.stenoknight.com/>. Open-source stenography engine; QWERTY-to-steno overlay turns any NKRO keyboard into a steno machine.
- Olia Lialina. Turing complete user. Contemporary Home Computing, October 2012. <https://contemporary-home-computing.org/turing-complete-user/>. Reissued 2021 as the lead essay of the open-access Interface Critique book *Turing Complete User: Resisting Alienation in Human Computer Interaction*, Heidelberg University Press.
- Olia Lialina. Rich user experience, UX and desktopization of war.

- Interface Critique Journal*, 1, 2018. <https://interfacecritique.net/journal/volume-1/lialina-rich-user-experience/>.
- Olia Lialina. *Turing Complete User: Resisting Alienation in Human Computer Interaction*. Interface Critique. Heidelberg University Press, 2021. Open access.
- Stan J. Liebowitz and Stephen E. Margolis. The fable of the keys. *Journal of Law and Economics*, 33(1):1–25, 1990. Counters David 1985; canonical reply in the QWERTY debate.
- Anastasia Lozhkina, Craig Anslow, and Nicolai Marquardt. The role of social interactions in the interaction discovery of keyboard shortcuts. In *Proceedings of the 36th Conference on l'Interaction Humain-Machine (IHM '25)*. ACM, 2025. doi: 10.1145/3765712.3765714. Confirms and extends Peres et al. 2004: keyboard shortcut discovery is interpersonal and visual, with the readable form of the shortcut as the unit of transmission.
- Lillian G. Malt. Keyboard design in the electronic era. In *PIRA Symposium: Printing Industry Research Association*, number Symposium Paper No. 6, Leatherhead, UK, September 1977. Canonical primary reference for the Maltron layout, developed with Stephen Hobday.
- Neil Matthews, Jr. *The Nashville Numbering System: An Aid to Playing by Ear*. Hal Leonard Studio Series. Hal Leonard, 1984. ISBN 0881883352. The inventor's own book. Matthews of the Jordanaires devised the system in the late 1950s (commonly dated 1957) for vocal-arrangement shorthand; Charlie McCoy extended it to whole-song chord charts in the early 1960s.
- Lauren Lee McCarthy. Auto. <https://sosoft.arts.ucla.edu/driverless/>, 2026. Performance in autonomous vehicles.
- Lauren Lee McCarthy and Casey Reas. Social software. <https://sosoft.arts.ucla.edu/info>, 2026. Initiative at UCLA Design | Media Arts.
- Alex McLean and Geraint Wiggins. Tidal: Pattern language for the live coding of music. In *Proceedings of the 7th Sound and*

- Music Computing Conference (SMC '10)*, 2010. The original TidalCycles mini-notation: a small declarative pattern language for cyclic events, embedded in Haskell. The mini-notation has since been ported to Strudel (web) and is taught as a stand-alone notation in workshops and Tidal Club.
- Andrew J. Milne, William A. Sethares, and James Plamondon. Isomorphic controllers and dynamic tuning: Invariant fingering over a tuning continuum. *Computer Music Journal*, 31(4):15–32, 2007. doi: 10.1162/comj.2007.31.4.15.
- Andrew J. Milne, William A. Sethares, and James Plamondon. Tuning continua and keyboard layouts. *Journal of Mathematics and Music*, 2(1):1–19, March 2008. doi: 10.1080/17459730701869558. Peer-reviewed theoretical foundation for the Thummer / Wicki–Hayden / hex isomorphic family.
- David B. Nieborg and Thomas Poell. The platformization of cultural production: Theorizing the contingent cultural commodity. *New Media & Society*, 20(11):4275–4292, 2018. doi: 10.1177/1461444818769694.
- Hans Ulrich Obrist. *do it*. Independent Curators International, New York, 1997.
- Walter J. Ong. *Orality and Literacy: The Technologizing of the Word*. Routledge, 1982. The canonical articulation of the orality–literacy distinction. Oral traditions persist through performance and approximation; literate traditions persist through fixed text and exact reproduction. Used here as the deep diagnostic for why keymaps escape the standard frames of computing scholarship.
- S. Camille Peres, Franklin P. Tamborello, Michael D. Fleetwood, Phillip Chung, and Danielle L. Paige-Smith. Keyboard shortcut usage: The roles of social factors and computer experience. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, 48(5):803–807, 2004. doi: 10.1177/154193120404800513. Found that working alongside other shortcut users is a stronger predictor of shortcut adoption than com-

- puter experience alone — empirical foundation for the social-software claim about how keymaps actually propagate.
- Jim Plamondon. Jammer keyboard (Thummer). Thumtronics prototype, September 2003. Wicki-Hayden isomorphic prototype; Thumtronics disbanded 2009. Theory developed in Milne, Sethares & Plamondon (2008).
- Carmel Raz. *Hearing with the Mind: Proto-Cognitive Music Theory in the Scottish Enlightenment*. Oxford University Press, 2025.
- Casey Reas. Cycle 2: Scores for social software. <https://sosoft.arts.ucla.edu/featured/cycle-2>, 2026. Ten-week working group, UCLA Social Software, April–June 2026.
- Felix Roos and Alex McLean. Strudel: Live coding on the web. In *International Conference on Live Coding (ICLC '23)*, 2023. Strudel ports TidalCycles’ mini-notation to JavaScript. The notation, not the runtime, is what travels — a live-coding case of the notation-as-discursive-surface argument.
- Clay Shirky. A group is its own worst enemy, 2003. ETech keynote, Santa Clara, 24 April 2003. <http://shirky.com/2003/07/>. Crystallizes the 2003 reclamation of “social software”.
- David Singmaster. *Notes on Rubik’s “Magic Cube”*. Penguin Books, 1981. Singmaster notation is now used universally for cube algorithms.
- Susan Leigh Star. The ethnography of infrastructure. *American Behavioral Scientist*, 43(3):377–391, November 1999. doi: 10.1177/00027649921955326.
- Susan Leigh Star and James R. Griesemer. Institutional ecology, “translations” and boundary objects: Amateurs and professionals in Berkeley’s Museum of Vertebrate Zoology, 1907–39. *Social Studies of Science*, 19(3):387–420, 1989.
- Jonathan Sterne. *MP3: The Meaning of a Format*. Duke University Press, 2012. Closest scholarly precedent for treating a technical convention as a cultural object. Substitute “keymap” for “format” and most of the apparatus carries over.

- Chris Walshaw. ABC notation standard, v2.1, 2011. Originated late 1980s; abc2mtex 1993. <https://abcnotation.com/wiki/abc:standard:v2.1>.
- Yu Shih Wang, Melanie Tory, and Angus G. Forbes. KeyMap: Improving keyboard shortcut vocabulary using norman’s mapping. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. ACM, 2020. doi: 10.1145/3313831.3376483. Applies Norman’s natural-mapping principle to keyboard shortcut design. Uses “vocabulary” as the unit of analysis — already half-way to the notation argument made in this paper.
- Kaspar Wicki. Wicki note layout, 1896. Patented for bandoneon; independently re-invented and re-patented by Brian Hayden in 1986 — the layout is now known as Wicki-Hayden.
- Wikipedia contributors. Arrow keys. Wikipedia, 2026. Tertiary reference summarizing the arrow-key vs. WASD transition; cites pre-WASD experiments such as System Shock’s ASDX (1994) and Descent’s AZ+QE (1995). [https://en.wikipedia.org/wiki/Arrow\\_keys](https://en.wikipedia.org/wiki/Arrow_keys).
- Chas Williams. *The Nashville Number System*. Self-published, Nashville, TN, 1988. ISBN 0963090666. The most-cited modern reference; now in its 7th+ edition. <https://nashvillenumbersystem.com/>.
- Koichi Yasuoka and Motoko Yasuoka. On the prehistory of QWERTY. *ZINBUN*, (42):161–174, March 2011. Locates the 1873 layout in telegraph-operator transcription practice rather than anti-jam mechanics. The 1873 reorganization to the as-shipped layout was an unpatented Remington manufacturing decision; the only Sholes patents are US 79,265 (1868, earlier layout) and US 207,559 (1878, post-shipping variant). <http://kanji.zinbun.kyoto-u.ac.jp/~yasuoka/publications/PreQWERTY.html>.

## FIRST PRINT EDITION

Published for *Scores for Social Software*

June 2026 · UCLA Design | Media Arts

## REVISION 19



15884a1e8+

[papers.aesthetic.computer/keymaps-social-software-26-arxiv](https://papers.aesthetic.computer/keymaps-social-software-26-arxiv)

### Revision history

2026-06-12 fig 4 — four Met artifacts (CC0) replace the TikZ inst ...

2026-05-14 fix invisible body text + notepad keymap visual refresh

2026-05-09 add xurl after hyperref so URLs wrap inside columns

2026-05-02 drop trumpet/ocarina silhouettes from asymmetric figure

2026-05-02 strip overlay text from instrument illustrations

2026-05-02 real PNG silhouettes for trumpet + ocarina

2026-05-02 simplify asymmetric-instruments fig + tighten

Table 1

2026-05-02 better trumpet + ocarina silhouettes in

<https://papers.aesthetic.computer/keymaps-social-software-26-arxiv-cards.pdf#page=71>