




@jeffrey

ORCID: 0009-0007-4460-4913

<https://kidlisp.com> · <https://aesthetic.computer>

$$[\quad - \quad]$$


KidLisp.com

Sroz · 6.0k plays · @jeffrey

Figure 1: oven
Graph

1.

Processing (?)	Java	p5.js (?)	JavaScript	Sonic
Pi (?)	Ruby			—

KidLisp

Lisp

1

```
(ink rainbow) (repeat 100 i
  (circle (wiggle width) (wiggle height) 10))
```

No Paint 2020 —

KidLisp

URL

§??

§??

§??

§??

§??

2.

KidLisp S
WebGL Web Audio

HTML Canvas 2D

2.1

```
1. KidLisp      main  import
```

2.

3.

4.

I/O

URL

2.2

118

12

??

```

9 wipe, ink, line, box, circle
11 scroll, zoom, spin, blur, suck
14 +, sin, cos, random, wiggle
19 CSS + rainbow, zebra
9 width, height, frame, fps
8 cube, form, trans, move
6 mic, melody, overtone
7 def, if, repeat, once, later
4 write, type, paste
3 pen, touch
4 embed, layer, fade
4 let, list, get, set

```

118

Table 1:

2.3

KidLisp




Figure 2: KidLisp line ink
 kidlisp.com/cards SVG

```
2.5s (wipe red) ; 2.5
1s... (spin 5) ;
3s! (write "Done" 10 10) ; 3 1
30f (ink blue) ; 30
```

s f ... ! 1 0.5s... (ink
 (random 255) (random 255) (random 255)) 0.5

2.4 KidLisp

def I/O

3.

kidlisp.mjs 15,161 JavaScript ES

3.1

1 S AST
 Canvas 2D WebGL Web Audio
 frame time

API

3.2

random

PRNG

3.3

>50% >3:1 <30%
 KidLisp

3.4

3

- RAM IndexedDB TEIA
- 8
- FPS 30-55 FPS 0.5x 4x
- 60

4.

4.1 MongoDB

kidlisp MongoDB

```
{
  "code": "cow",
  "source": "(wipe_blue)\n(ink_yellow)...",
  "hash": "a3f2e8...",
  "when": "2025-06-15T...",
  "lastAccessed": "2026-03-01T...",
  "hits": 342,
  "user": "auth0abc123"
```

hash SHA-256
 hits lastAccessed code hash
 user NFT kept.network

4.2

nanoid cow

4.3 REST API

1. POST — SHA-256 ATPProto
 Bluesky
2. GET ?code=xyz — @handles \$lookup
 ID
3. GET ?codes=a,b,c — 50
4. GET ?recent=true —
 handle
5. GET ?stats=functions —
 3

4.4

\$code API

```
; A 3D grid of cubes with embedded layers
(wipe black)
(def gridsize 6)
(repeat (* gridsize gridsize) i
  (ink (hop 0.1 rainbow blue white))
  (form (trans (cube i)
    (move (* (% i gridsize) 3) 0 -20)
    (scale 1.5) (spin 0 1 0))))
($27z)
($cow)
```

\$27z \$cow MongoDB




Figure 3: wipe box

5.

oven oven.aesthetic.computer KidLisp

5.1 MP4

PNG WAV ZIP

- oven
1. timing.json
 2. 3 512×512
 3. FFmpeg H.264/AAC MP4
 4. DigitalOcean Spaces CDN
 5. oven-bakes MongoDB WebSocket

oven tapes MongoDB change streams

5.2

oven URL /kidlisp-og.png Open Graph
iOS —og:image URL 301
oven PNG 200

5.3

DigitalOcean Spaces CDN art-aesthetic-computer.sfo3.cdn.digitaloceanspaces.com
at-blobs-aesthetic-computer CDN Netlify
/preview/* /icon/* oven URL

6.

KidLisp IDE kidlisp.com Monaco
Aesthetic Computer iframe /
/

IDE 2
UI

7.

Aesthetic Computer git 2024 4
2026 3 kidlisp.mjs 626

7.1 1 2024 4–6

2024 4 17 mock lisp 3 S
ink line AC 4 def
2024 5 6 66 later 1 once
1,000

7.2 2 2024 7 –2025 5

11 kidlisp.mjs AC

7.3 3 2025 6–8

2025 6 82 1,760 8 4,965

- 2025 6 kidlisp-spec.js
 - 2025 7 MongoDB store-kidlisp.mjs
QR GIF mic
 - 2025 8 \$code NFT
Tezos fade
- 2025 9 10,000

7.4 4 2025 9–12

10 108 KidLisp Aesthetic Computer

- 2025 9 0 MP4
- 2025 10 ATPProto/Bluesky
PACK
- 2025 11 kidlisp.com IDE Monaco
NFT OBJKT keep
- 2025 12 SVG NFT IPFS
oven OG

7.5 5 2026 1–3

15,161 2026 2 3D cube form
trans flip

2024	4	0	mock lisp
2024	6	~1,000	
2025	6	1,760	
2025	8	4,965	
2025	9	10,382	
2025	12	13,877	IDE OG
2026	2	15,161	3D

Table 2: kidlisp.mjs

8.

2026	3	??
		16,174
		59
		12
	3	180+
		7
		2,798

Table 3: 2026 3

8.1

?stats=functions API	5,000
wipe ink repeat circle	—

8.2

10	—
----	---

8.3

KidLisp	—
---------	---

9.

Processing (?)	p5.js (?)	openFrame-
works C++		
Hydra (?)	JavaScript	
	Sonic Pi (?)	Fluxus (?)
Scheme 3D		
Scratch (?)		KidLisp
Lisp		
Lisp Racket	2htdp/image	(?) CS

10.

KidLisp	—	URL
API	16,000	

KidLisp ISC <https://github.com/digitpain/aesthetic.computer>
<https://kidlisp.com>
<https://papers.aesthetic.computer>

ORCID: 0009-0007-4460-4913

References

Samuel Aaron. Sonic pi – performance in education, technology and art. In *Proceedings of the International Conference on Live Coding*, 2016.

Matthias Felleisen, Robert Bruce Findler, Matthew Flatt, and Shriram Krishnamurthi. Racket, the programming language. Technical report, PLT Inc., 2018. URL <https://racket-lang.org>.

Dave Griffiths. Fluxus: A rapid prototyping tool for live coding audio visual performances, 2007. URL <http://www.pawfal.org/fluxus/>.

Olivia Jack. Hydra: Live coding networked visuals, 2019. URL <https://hydra.ojack.xyz>.

Lauren McCarthy. p5.js, 2015. URL <https://p5js.org>. A JavaScript library for creative coding.

Casey Reas and Ben Fry. *Processing: A Programming Handbook for Visual Designers and Artists*. MIT Press, Cambridge, MA, 2007.

Mitchel Resnick, John Maloney, Andrés Monroy-Hernández, Natalie Rusk, Evelyn Eastmond, Karen Brennan, Amon Millner, Eric Rosenbaum, Jay Silver, Brian Silverman, and Yasmin Kafai. Scratch: Programming for all. *Communications of the ACM*, 52 (11):60–67, 2009.