


26 vCPU, but only Oven is a batch worker.

The fleet is large in aggregate and narrow in practice: production boundaries matter more than idle percentages.

OBSERVED 2026-09-05 LOAD = 1-MINUTE LOAD / VCPU



Machine	Capacity	Load	RAM	Disk	Class	Reserved purpose
Legacy	1C / 1G / 30G + 148G		64%	97% vol.	ARCHIVE	Fourteen archival sites
Session	1C / 1G / 25G		61%	36%	LIVE	Realtime multiplayer authority
Knot	2C / 4G / 25G		39%	62%	SOURCE	Tangled git origin
Oven	8C / 16G / 320G		21%	17%	BATCH	Media factory, IPFS, paper builds
Silo	2C / 4G / 25G		66%	74%	DATA	Databases and media relay
Help	2C / 4G / 80G		16%	8%	PROXY	AA bridge and Caddy only
Lith	2C / 4G / 80G		50%	51%	PUBLIC	Frontend and API ingress
Jasellite	8C / 16G / 320G		9%	58%	INTERACTIVE	Agents, prox, previews


Root storage is concentrated on Oven and Jasellite.



Reading the plate. The two eight-core rectangles dominate the total, but they are not interchangeable. Oven is interruptible production capacity. Jasellite is the interactive agent seat and keeps a human-response reserve.

Five Droplets stay sealed around live state.

The map separates preservation, authority, source, data, and public ingress before allocating any autonomous work.




Boundary	What makes it non-schedulable	Correct response
Archive	Obsolete dependencies and a nearly full archive volume	Preserve; migrate deliberately; never borrow the host for batch work.
Realtime	A one-core, one-GiB latency authority	Keep the event loop and memory headroom quiet.
Source	Repository origin and mirror chain	Protect integrity and storage; builds happen elsewhere.
Data	Persistent stores already carry 66% RAM and 74% disk	Back up and compact; do not colocate autonomous agents.
Ingress	User-facing application and API plane	Keep deploys observable; no background render queues.

Idle CPU inside a live boundary is failover margin, not inventory.

Autonomous work belongs on Oven.

Jasellite schedules and inspects; Help proxies. Neither becomes a general worker.



Operating budget

OVEN CPU  8 cores · batch ceiling 6 · 2 reserved

JAS CPU  2 cores soft ceiling · 6 kept interactive


HELP CPU  no batch allocation · proxy and tunnel only

Workload	Placement	Guardrail
Mediascholar	Oven service + timer; Jasellite submits and receives progress	One paper at a time; bounded tokens; no publish or merge.
Paper builds	Oven	Existing papermill lane; lower priority than interactive work.
Heavy media	Oven	Utility priority; capped cores; resumable outputs.
Interactive agents	Jasellite	Preserve six cores and memory headroom for prox sessions.
AA bridge	Help	Existing Caddy/tunnel path only; no worker daemon.

Authentication should be injected at job start from the existing secret path. The queue records provider, model, token budget, PID/cgroup, source set, and artifact path—never the token itself.

WGTV moves as bytes, not frames.

Pre-encode each master once on Oven; loop it there with stream copy. Help remains unchanged.



live encode  1.5--2 cores

stream copy  <0.25 core

What changes

	Before	After
Composition	Frames generated for every broadcast pass	One dated master per work; views become snapshot metadata.
Playout	Decode, composite, and encode continuously	Read bytes at wall-clock speed; copy codecs unchanged.
Failure surface	Renderer, fonts, network, and encoder stay live	Manifest, file reader, and RTMP connection stay live.
Placement	Jasellite competes with agents	Oven owns both batch render and low-cost playout.
Help	Proposed as an edge relay	Not used. AA bridge and Caddy remain isolated.

One machine makes the file. The same machine reads the file. Nothing redraws it.

Source bundle

The attached ZIP contains the paper's machine-readable text sources and a plain-text inventory. It supports accessibility, audit, quotation, and reproducible editing; the PDF remains the canonical reading edition. Private evidence, credentials, raw datasets, generated PDFs, and unlisted assets are excluded.