



AC Native OS '26

oooooooooooooooooooo 05

oooooooooooooooooooo OLPC oo

@jeffrey

Aesthetic.Computer

ORCID: 0009-0007-4460-4913

<https://aesthetic.computer>

[—]

AC Native OS x86_64 7.3 Linux OS PID 1 11,943 C
QuickJS JavaScript — 89 MB UEFI OS
OS OS — ThinkPad Apple 1,000 1,000 OLPC Apple
—OTA OLPC 200 100 OTA AC Native OS 50
IT

1.

100 OLPC (??) XO OS Sugar
100 100
3-5

5. EFI /mnt config.json
6. DRM
7. ALSA E5→B5
8.
9. WiFi
10. boot()
7.3

—ThinkPad EliteBook Latitude— 30-80
8-16 GB WiFi

AC Native OS OLPC
x86_64 OS OS 1 USB
1 7.3
\$?? \$?? \$?? OTA \$??
\$?? \$??

2.

AC Native OS 4 Linux LZ4 initramfs
PID 1 C QuickJS JavaScript

2.2

C ac-native 14 11,943 OS
systemd
• DRM/KMS
• 192 kHz ALSA PCM 32
• evdev
• WiFi wpa_supplicant DHCP
• V4L2 YUYV QR
• flite
• TLS WebSocket UDP curl HTTP

2.3

QuickJS (?) JavaScript ES .mjs
C system API JavaScript —
Aesthetic.Computer (?)
boot() act() sim() paint() 60fps

2.1

UEFI Linux 6.14.2 EFI
— LZ4 initramfs OS 1 FAT32
EFI BOOTX64.EFI
1. UEFI EFI/BOOT/BOOTX64.EFI 89 MB
2. initramfs tmpfs
3. /init /ac-native PID 1
4. /proc /sys /dev /tmp

```
function boot({ system, screen }) {  
  system.tts("welcome")  
}  
  
function paint({ wipe, ink, write, screen }) {
```

```
wipe(20, 10, 40)
ink(255)
write("hello", { center: "xy" })
}

export { boot, paint };
```

system.jump("piece-name") OS 11
Claude AI

2.4

Linux	~10 MB
ac-native	1.2 MB
QuickJS	0.8 MB
libc libdrm ALSA SSL flite	~45 MB
WiFi iwlfwifi	4.9 MB
	~28 MB
Initramfs	~201 MB
Initramfs LZ4	~90 MB
vmlinuz	~89 MB

Table 1:

OS 15 USB

3.

OS Apple ID Google
Microsoft AC Native OS

3.1 config.json

EFI JSON

```
{
  "handle": "jeffrey",
  "colors": [180, 72, 135],
  "tokens": { "claude": "..." }
}
```

OS OTA EFI

3.2

@jeffrey hi jeffrey bye jeffrey hi IT 1 1 AC Native OS USB
Apple OLPC
USB

3.3

OS git
"swift-otter" "bright-phoenix"
system.hw.buildName 2
"keen-egret"
TTS

73,000 365 × 200
"keen-egret"

4.

4.1 OLPC

OLPC (?) XO 100
/ 188 Sugar OS
Raspberry Pi (?) 35 Pi 150–200
SD

4.2

x86_64 ThinkPad X1 Carbon
2019–2021 50–80
• 14 1080p 2K
• 4–8 Intel
• 8–16 GB
• WiFi 6 Bluetooth
•
• 6–10
• USB-C

USB 1
AC Native OS 2020 ThinkPad
Windows 11

4.3

OLPC XO-1	\$188	\$0
Raspberry Pi 5	\$35	\$100–150
Chromebook	\$200–300	\$0
iPad	\$299	\$0–130
ThinkPad + AC OS	\$50–80	\$0

Table 2:

4.4 Apple

Apple
Apple ID iCloud
AC Native OS 50
hi @maria 1,000
MacBook
— —

5. OTA

Chromebook OLPC AC Native OS WiFi (?) 7.3 Ukeles (?) AC Native OS OTA “keen-egret” “swift-otter”

5.1

1. WiFi OS /api/native/version
2. 89 MB
3. EFI B00TX64.EFI
4. SHA256
5. config.json sync

7.4

x86_64 UEFI ARM Chromebook BIOS
WiFi Intel iwlwifi Broadcom
Realtek 1 60 fps 2D
3D

7.5

• ARM Chromebook Mediatek/Qualcomm

5.2 IT

Google Admin Console MDM Google Workspace
Chromebook AC Native OS
WiFi

• GPU DRM

6.

OS Sugar OS OLPC OS
Endless OS
PrimTux Edubuntu Linux OS

8. AC Native OS 89 MB 7.3 1
OLPC

OTA OS Screenly Yodeck Linux
AC Native OS Apple
OTA 11,943 WiFi C

Processing (?) Scratch (?) AC Native OS
OS Sonic Pi (?) Raspberry Pi OS 89 MB
Raspbian AC Native OS OS

ORCID: 0009-0007-4460-4913

Illich (?) IT USB
AC Native OS
Papert (?) Kittler (?) AC Native OS
ALSA PCM OS 1
McLuhan (?)

7.

7.1 1 30–80 AC
Native OS USB
30 IT 1,500–2,400 USB
7.2 notepat Aesthetic.Computer IDE