



AT Protocol 00 Handle ID

Auth0 00 Aesthetic Computer 0000000000

ATProto 0Auth0Handle 0000000000000000 ID

@jeffrey

Aesthetic.Computer

ORCID: 0009-0007-4460-4913

<https://aesthetic.computer>

[—]

Aesthetic Computer Auth0
DID PDS handle OAuth
Aesthetic Computer handle
OAuth 2.1 — pkt.blog ATPProto
PDS DID ID
AT Protocol PDS at.aesthetic.computer ID
AT Protocol OAuth (?) Bluesky ATPProto ID
ID AT Protocol ID — DID handle DPoP PAR
(?) AC Auth0 AT Protocol ID
ID AC

1.

ID Twitter handle Instagram
— AT Protocol (?) — Bluesky
ID handle

Aesthetic Computer 2024 ID Auth0 (?)
PKCE OAuth 2.0
at.aesthetic.computer PDS ATPProto ID
2 ID 2 2 handle
Auth0
PDS ID
pkt.blog (?) AT Protocol AT
Protocol OAuth Bluesky handle PDS
ID Auth0 Firebase
Standard.site (?) PDS
Aesthetic Computer — 600
KidLisp OS (?)
ID

2.

2.1 ID

Auth0

Auth0 SPA SDK boot.mjs localStorage
Auth0 OAuth PKCE
Auth0 sub
auth0|abc123 google-oauth2|xyz

```
// boot.mjs: current Auth0 flow
const auth0 = await createAuth0Client({
  domain: "hi.aesthetic.computer",
```

```
clientId: "LVdZaM...",
cacheLocation: "localStorage",
useRefreshTokens: true,
});
const user = await auth0.getUser();
// { sub, email, email_verified, ... }
```

2.2 Handle

Handle MongoDB @handles Auth0 sub
1-16 . - /
Handle IDURL @handle/piece-name
AC Native OS

2.3 ATPProto ID

Auth0 webhook createAtprotoAccount()

1. 32
2. PDS
3. handle.at.aesthetic.computer
4. MongoDB DID handle users.atproto
AC handle updateAtprotoHandle() PDS
KidLisp 6 computer.aesthetic.*
PDS ATPProto ID
ID

2.4

- 2 Auth0 + PDS
- 2 handle AC handle + PDS handle
- 2 handle Auth0 → MongoDB → PDS

- 1 Auth0
- Bluesky AC ID
- PDS DID handle Auth0
- PDS

3. AT PROTOCOL ID

AT Protocol ID 3 DID handle OAuth

3.1 DID

- DID (??) AT Protocol ID did:plc
- P-256 K-256 (?)
- PDS URL
- handle
- DID ID Handle PDS DID
- AC PDS DID

3.2 Handle

AT Protocol handle (?) DID 2
DNS TXT _atproto.example.com

```
_atproto.example.com TXT "did=did:plc:abc..."
```

HTTPS Well-Known DID

```
GET /.well-known/atproto-did
Response: did:plc:abc...
```

handle DID DID handle
handle handle DNS
AC jeffrey.at.aesthetic.computer AC DNS
PDS ATProto handle
alice.bsky.social alice.dev AC ID

3.3 ATProto OAuth

AT Protocol OAuth (?) OAuth 2.1 3

PKCE Proof Key for Code Exchange (?)

PAR Pushed Authorization Requests (?)
POST URL

DPoP Demonstrating Proof of Possession (?)
JWT

3.3.1 ID

OAuth AT Protocol
HTTPS URL

```
// aesthetic.computer/oauth/client-metadata.json
{
  "client_id": "https://aesthetic.computer/...",
  "client_name": "Aesthetic Computer",
```

```
"redirect_uris": ["https://..."],
"grant_types": ["authorization_code"],
"dpop_bound_access_tokens": true
}
```

PDS URL

API

3.3.2

1. handle alice.bsky.social
 2. handle → DID → PDS →
 3. PAR
 4. PDS UI
 5. PDS
 6. DPoP
 7. DID ID
- Auth0 AC PDS—Bluesky
AC ID

4. PKT.BLOG

pckt.blog (?) AT Protocol OAuth
ATProto

4.1

ATProto handle pckt.blog handle
OAuth PDS Bluesky Blacksky
pckt.blog DPoP DID

4.2

Standard.site (?) PDS

- site.standard.publication —
- site.standard.document —
- site.standard.graph.subscription —

pckt.blog PDS ATProto

4.3 AC

pckt.blog ATProto ID AC

- pckt.blog AC
 - pckt.blog Standard.site AC 6 com-puter.aesthetic.*
 - pckt.blog PDS AC PDS
 - Node.js/JavaScript
- pckt.blog ATProto AC Auth0

5.

5.1 1 ATProto OAuth

Auth0 Auth0 Bluesky

1. aesthetic.computer/oauth/client-metadata.json

2. @atproto/oauth-client-node (?)

3. 2 Netlify

- POST /api/atproto-auth/start — handle PAR
- GET /api/atproto-auth/callback — DPoP

4. Redis DID handle DPoP

boot.mjs Bluesky ATProto OAuth
window.acUSER ATProto sub DID
handle API — handle

5.2 2 Handle

ATProto handle AC

1. ATProto handle alice.bsky.social alice

2. AC @handles

3. 1-16

4. —

5.

6. MongoDB DID ↔ AC sub

handle alice.dev handle
AC handle

5.3 3 ID

Auth0 ATProto ID

1. ATProto OAuth

2. DID Auth0 sub

3.

4. PDS AC PDS

users.atproto ID ID

5.4 4 ATProto

1. ATProto OAuth AC PDS

2. Auth0

3. ATProto ID Auth0

4. Auth0

5.5 PDS

- Auth0 AC PDS
- PDS ATProto PDS
- AC PDS ATProto AC PDS

media-atproto.mjs painting-atproto.mjs
DID PDS AC PDS

6. HANDLE

Handle ID handle

6.1 Handle

AC handle

- 1-16
- AC
- URL @alice/painting OS
- MongoDB Redis
- PDS alice.at.aesthetic.computer

6.2 ATProto Handle

ATProto handle

- DNS
- DID
- DNS
-

6.3 2

AC handle DID MongoDB DID
Auth0 ATProto OAuth DID DID

AC handle

AC Native OS (?) handle config.json
ID ID @alice Alice DID
Alice Alice ID —

7.

Handle alice AC alice.bsky.social
ATProto

Auth0 ATProto OAuth AC

AC 2 sotce Auth0 ATProto ID
DID ID

WebSocket Auth0

ATProto

AC Native OS Auth0 6
ATProto QR OAuth

ID handle === "jeffrey" && sub === ADMIN_SUB
ATProto did === admin_did —

8.

ID W3C DID (?) AT Protocol


did:plc (?) plc.directory
ID did:plc

ATProto pckt.blog (?) Leaflet.pub
Offprint.app Standard.site (?) ATProto

OAuth DPoP (?) PAR (?)
PKCE (?) OAuth —
AC Auth0 SPA

ID Illich (?) ID
Auth0 — ATProto ID
Nelson (?) ID

9.



AT Protocol

- <https://atproto.com/specs> —
- <https://atproto.com/specs/oauth> — OAuth
- <https://atproto.com/specs/handle> — Handle
- <https://atproto.com/specs/cryptography> —
- <https://web.plc.directory/spec/v0.1/did-plc> — DID PLC
- <https://atproto.com/guides/lexicon> — Lexicon
- <https://atproto.com/guides/oauth-patterns> — OAuth
- <https://docs.bsky.app/blog/oauth-atproto> — ATPROTO OAuth
- <https://docs.bsky.app/docs/advanced-guides/resolving-identities> — ID
- <https://docs.bsky.app/docs/advanced-guides/oauth-client> — OAuth

NPM

- [@atproto/oauth-client-node](#) — Node.js OAuth
- [@atproto/oauth-client-browser](#) — OAuth
- [@atproto/api](#) — TypeScript XRPC
- [@atproto/identity](#) — DID/handle
- [@atcute/oauth-browser-client](#) —
- <https://github.com/pilcrowonpaper/atproto-oauth-example> — Astro OAuth
- <https://github.com/bluesky-social/atproto> — ATPROTO
- <https://standard.site/docs/introduction/> — Standard.site

ATPROTO Auth

- [pckt.blog](#) —
- [Leaflet.pub](#) —
- [Offprint.app](#) —

IETF

- RFC 9449 — DPoP (Demonstrating Proof of Possession)
- RFC 7636 — PKCE (Proof Key for Code Exchange)
- RFC 9126 — PAR (Pushed Authorization Requests)