



AT Protocol 00 Handle ID

Auth0 00 Aesthetic Computer 0000000000

ATProto 0Auth0Handle 0000000000000000 ID

@jeffrey

Aesthetic.Computer

ORCID: 0009-0007-4460-4913

<https://aesthetic.computer>

[—]

Aesthetic Computer Auth0
DID PDS handle OAuth
Aesthetic Computer handle
OAuth 2.1 — pkt.blog ATPProto
PDS DID ID
AT Protocol PDS at.aesthetic.computer ID
AT Protocol OAuth (?) Bluesky ATPProto ID
ID AT Protocol ID — DID handle DPoP PAR
(?) AC Auth0 AT Protocol ID
ID AC

1.

ID Twitter handle Instagram
— AT Protocol (?) — Bluesky
ID handle

Aesthetic Computer 2024 ID Auth0 (?)
PKCE OAuth 2.0
at.aesthetic.computer PDS ATPProto ID
2 ID 2 2 handle
Auth0
PDS ID
pkt.blog (?) AT Protocol AT
Protocol OAuth Bluesky handle PDS
ID Auth0 Firebase
Standard.site (?) PDS
Aesthetic Computer — 600
KidLisp OS (?)
ID

2.

2.1 ID

Auth0

Auth0 SPA SDK boot.mjs localStorage
Auth0 OAuth PKCE
Auth0 sub
auth0|abc123 google-oauth2|xyz

```
// boot.mjs: current Auth0 flow
const auth0 = await createAuth0Client({
  domain: "hi.aesthetic.computer",
```

```
clientId: "LVdZaM...",
cacheLocation: "localStorage",
useRefreshTokens: true,
});
const user = await auth0.getUser();
// { sub, email, email_verified, ... }
```

2.2 Handle

Handle MongoDB @handles Auth0 sub
1-16 . - /
Handle IDURL @handle/piece-name
AC Native OS

2.3 ATPProto ID

Auth0 webhook createAtprotoAccount()

1. 32
2. PDS
3. handle.at.aesthetic.computer
4. MongoDB DID handle users.atproto
AC handle updateAtprotoHandle() PDS
KidLisp 6 computer.aesthetic.*
PDS ATPProto ID
ID

2.4

- 2 Auth0 + PDS
- 2 handle AC handle + PDS handle
- 2 handle Auth0 → MongoDB → PDS

- 1 Auth0
- Bluesky AC ID
- PDS DID handle Auth0
- PDS

3. AT PROTOCOL ID

AT Protocol ID 3 DID handle OAuth

3.1 DID

DID (??) AT Protocol did:plc
ID DID

- P-256 K-256 (?)
- PDS URL
- handle

DID ID Handle PDS DID
AC PDS DID

3.2 Handle

AT Protocol handle (?) DID 2
DNS TXT _atproto.example.com

```
_atproto.example.com TXT "did=did:plc:abc..."
```

HTTPS Well-Known DID

```
GET /.well-known/atproto-did
Response: did:plc:abc...
```

handle DID DID handle
handle handle DNS
AC jeffrey.at.aesthetic.computer AC DNS
PDS ATProto handle
alice.bsky.social alice.dev AC ID

3.3 ATProto OAuth

AT Protocol OAuth (?) OAuth 2.1 3

PKCE Proof Key for Code Exchange (?)

PAR Pushed Authorization Requests (?)
POST URL

DPoP Demonstrating Proof of Possession (?)
JWT

3.3.1 ID

OAuth AT Protocol
HTTPS URL

```
// aesthetic.computer/oauth/client-metadata.json
{
  "client_id": "https://aesthetic.computer/...",
  "client_name": "Aesthetic Computer",
```

```
"redirect_uris": ["https://..."],
"grant_types": ["authorization_code"],
"dpop_bound_access_tokens": true
}
```

PDS URL API

3.3.2

1. handle alice.bsky.social
2. handle → DID → PDS →
3. PAR
4. PDS UI
5. PDS
6. DPoP
7. DID ID

Auth0 AC PDS—Bluesky
AC ID

4. PKT.BLOG

pckt.blog (?) AT Protocol OAuth
ATProto

4.1

ATProto handle pckt.blog handle
OAuth PDS Bluesky Blacksky
pckt.blog DPoP DID

4.2

Standard.site (?) PDS

- site.standard.publication —
- site.standard.document —
- site.standard.graph.subscription —

pckt.blog PDS ATProto

4.3 AC

pckt.blog ATProto ID AC

- pckt.blog AC
 - pckt.blog Standard.site AC 6 com-puter.aesthetic.*
 - pckt.blog PDS AC PDS
 - Node.js/JavaScript
- pckt.blog ATProto AC Auth0

5.

5.1 1 ATProto OAuth

Auth0 Auth0 Bluesky

```

1. aesthetic.computer/oauth/client-metadata.json
2. @atproto/oauth-client-node (?)
3. 2 Netlify
   • POST /api/atproto-auth/start — handle PAR
   • GET /api/atproto-auth/callback — DPoP
4. Redis DID handle DPoP
   boot.mjs Bluesky ATProto OAuth
   window.acUSER ATProto sub DID
handle API — handle

```

5.2 2 Handle

```

ATProto handle AC
1. ATProto handle alice.bsky.social alice
2. AC @handles
3. 1-16
4. —
5.
6. MongoDB DID ↔ AC sub
   handle alice.dev handle
   AC handle

```

5.3 3 ID

```

Auth0 ATProto ID
1. ATProto OAuth
2. DID Auth0 sub
3.
4. PDS AC PDS
   users.atproto ID ID

```

5.4 4 ATProto

```

1. ATProto OAuth AC PDS
2. Auth0
3. ATProto ID Auth0
4. Auth0

```

5.5 PDS

```

• Auth0 AC PDS
• PDS ATProto PDS
• AC PDS ATProto AC PDS
  media-atproto.mjs painting-atproto.mjs
  DID PDS AC PDS

```

6. HANDLE

```

Handle ID handle

```

6.1 Handle

```

AC handle

```

- 1-16
- AC
- URL @alice/painting OS
- MongoDB Redis
- PDS alice.at.aesthetic.computer

6.2 ATProto Handle

```

ATProto handle

```

- DNS
- DID
- DNS
-

6.3 2

```

AC handle DID MongoDB DID
Auth0 ATProto OAuth DID DID
AC handle
AC Native OS (?) handle config.json
ID ID @alice Alice DID
Alice Alice ID —

```

7.

```

Handle alice AC alice.bsky.social
ATProto
Auth0 ATProto OAuth AC
AC 2 sotce Auth0 ATProto ID
DID ID
WebSocket Auth0
ATProto
AC Native OS Auth0 6
ATProto QR OAuth
ID handle === "jeffrey" && sub === ADMIN_SUB
ATProto did === admin_did —

```


8.

```

ID W3C DID (?) AT Protocol
did:plc (?) plc.directory
ID did:plc
ATProto pckt.blog (?) Leaflet.pub
Offprint.app Standard.site (?) ATProto
OAuth DPoP (?) PAR (?)
PKCE (?) OAuth —
AC Auth0 SPA
ID Illich (?) ID
Auth0 — ATProto ID
Nelson (?) ID

```

9.



AT Protocol

- <https://atproto.com/specs> —
- <https://atproto.com/specs/oauth> — OAuth
- <https://atproto.com/specs/handle> — Handle
- <https://atproto.com/specs/cryptography> —
- <https://web.plc.directory/spec/v0.1/did-plc> — DID PLC
- <https://atproto.com/guides/lexicon> — Lexicon
- <https://atproto.com/guides/oauth-patterns> — OAuth
- <https://docs.bsky.app/blog/oauth-atproto> — ATProto OAuth
- <https://docs.bsky.app/docs/advanced-guides/resolving-identities> — ID
- <https://docs.bsky.app/docs/advanced-guides/oauth-client> — OAuth

ATProto Auth

- pckt.blog —
- Leaflet.pub —
- Offprint.app —

IETF

- RFC 9449 — DPoP (Demonstrating Proof of Possession)
- RFC 7636 — PKCE (Proof Key for Code Exchange)
- RFC 9126 — PAR (Pushed Authorization Requests)

References

Auth0 by Okta. Auth0 Single Page App SDK. <https://auth0.com/docs/libraries/auth0-single-page-app-sdk>, 2024. JavaScript SDK for browser-based OAuth flows.

Bluesky PBC. At protocol cryptography specification. <https://atproto.com/specs/cryptography>, 2024a. P-256 and K-256 elliptic curve signing.

Bluesky PBC. Did plc specification v0.1. <https://web.plc.directory/spec/v0.1/did-plc>, 2024b. Decentralized Identifiers for AT Protocol.

Bluesky PBC. At protocol handle specification. <https://atproto.com/specs/handle>, 2024c. Handle resolution via DNS TXT and HTTPS well-known.

Bluesky PBC. At protocol oauth specification. <https://atproto.com/specs/oauth>, 2024d. OAuth 2.1 with PKCE, DPoP, and PAR for decentralized authentication.

Bluesky PBC. At protocol specification. <https://atproto.com/specs>, 2024e. Decentralized social networking protocol.

Bluesky PBC. @atproto/oauth-client-node. <https://www.npmjs.com/package/@atproto/oauth-client-node>, 2024f. Node.js AT Protocol OAuth client library.

Daniel Fett, Brian Campbell, John Bradley, Torsten Lodderstedt, Michael Jones, and David Waite. RFC 9449: OAuth 2.0 Demonstrating Proof of Possession (DPoP). <https://datatracker.ietf.org/doc/html/rfc9449>, 2023. IETF standard for binding tokens to client key pairs.

Ivan Illich. *Tools for Conviviality*. Harper & Row, New York, 1973.

@jeffrey. Ac native os '26: A bare-metal creative computing operating system, 2026. Companion paper describing the AC Native OS.

Torsten Lodderstedt, Brian Campbell, Nat Sakimura, Dave Tonge, and Daniel Fett. RFC 9126: OAuth 2.0 Pushed Authorization Requests. <https://datatracker.ietf.org/doc/html/rfc9126>, 2021. Pushed Authorization Requests for OAuth.

Ted Nelson. *Computer Lib / Dream Machines*. Self-published, 1974. Revised edition 1987, Tempus Books/Microsoft Press.

pckt.blog. Blogging on the open social web and more exciting features. <https://devlog.pckt.blog/blogging-on-the-open-social-web-and-more-exciting-features-g9x55y6>, 2025. Development journal on ATProto blog integration.

Nat Sakimura, John Bradley, and Naveen Agarwal. RFC 7636: Proof Key for Code Exchange by OAuth Public Clients. <https://datatracker.ietf.org/doc/html/rfc7636>, 2015. PKCE for OAuth authorization code flow.

Standard.site. Standard site: Open blog publishing on at protocol. <https://standard.site/docs/introduction/>, 2025. Shared lexicons for blog content portability across AT-Proto.

W3C. Decentralized Identifiers (DIDs) v1.0. <https://www.w3.org/TR/did-core/>, 2022. W3C Recommendation for decentralized identifiers.