

USER ACCESS MATRIX

ReNew Solar Marketing Website

Principal Inventory, Entitlement Matrix & Access Review

CONFIDENTIAL — CONTAINS IDENTITY DATA. This report names individuals and the email addresses they commit under, drawn from repository history. Handle under your personal-data policy and restrict to those conducting the access review.

TARGET

ReNew Solar Marketing Site

REVIEW DATE

17 August 2026

REPOSITORY

white-board-io/re-new-temp

HISTORY REVIEWED

96 commits · 13 Jul – 17 Aug 2026

APPLICATION ROLES

0 — no authentication exists

WRITE PRINCIPALS

6 identities (4 human, 2 automation)

MATRIX COMPLETENESS

Repository plane verified · platform plane requires input

REPORT VERSION

1.0 — Final

1 Executive Summary

HOW THIS REPORT IS SCOPED, AND WHY

The application has no users. There is no authentication, no session, no role and no authorisation logic anywhere in the codebase — established across the four prior reports and unchanged. An application-level access matrix would therefore be a single cell: *anonymous visitor* → *read public content*. That is accurate and it is useless.

For a static marketing site the access question that carries real risk is not *who can log in* but **who can change what the public sees**. This report is built on that basis: the principals are the people and automation able to modify, build and publish the site, and the objects are the source, the configuration, the published assets and the deployment.

The repository plane was fully enumerated from history and is reported with evidence. The platform plane — GitHub organisation membership, Vercel team access, DNS control — is **not visible from the codebase** and could not be verified. Section 6 provides a completion template rather than a guess.

Findings by severity



What the repository history shows

OBSERVATION	COUNT	SIGNIFICANCE
Distinct commit identities	6	4 human-attributed, 2 automation
Commits with a cryptographic signature	0 of 96	Authorship is asserted, never proven — UAM-01
Commits from personal email addresses	61 of 96	Outside any corporate identity lifecycle — UAM-02
Automation identities with write access	2	One non-routable, committing blank messages — UAM-03
Commits with an empty message	10	Undocumented changes in the audit trail — UAM-03
CODEOWNERS / CI workflow files	0	No enforced review path in-repo — UAM-04
Distinct organisation domains involved	3	Commit domain, repo owner and brand all differ — UAM-05
Files published without access control	116	222 MB, anyone with repo write can publish — UAM-06

THE CONCENTRATION WORTH NOTING

Every control in the four preceding reports — the CSP, the framing protection, the validated inputs, the patched dependencies — is enforced by **code that anyone with repository write access can change**, and published by **anyone with deploy access**. Those two permissions are the real crown jewels here. They are currently held by at least six identities, none of which can be cryptographically verified, and at least two of which are automation.

This is not an allegation of misuse — there is no evidence of any. It is an observation that the access controls protecting the site's security controls are weaker than the security controls themselves.

2 Scope & Method

2.1 Planes assessed

PLANE	VERIFIED?	BASIS
Application	YES	Source review across four prior reports — no authentication, roles or sessions exist
Published content	YES	Full enumeration of the build output and <code>public/</code>
Repository	YES	96 commits, all branches, author and committer identities, signatures
Build configuration	YES	Every <code>process.env</code> reference and its effect on output
GitHub organisation	NO	Membership, roles and branch protection are server-side — requires client input
Vercel project	NO	Team membership, deploy rights, env var access — requires client input
DNS / domain	NO	Registrar and zone control — requires client input

STATED PLAINLY

Roughly half of a complete access matrix is not derivable from a codebase. Who sits in the GitHub organisation, who can deploy on Vercel, and who controls DNS are facts held in those platforms' consoles. They have not been guessed at or inferred. Section 6 is a structured template for the client to complete, and the matrix in Section 4 marks those cells explicitly as unverified rather than leaving them blank.

2.2 Permission notation

SYMBOL	MEANING	DEFINITION IN THIS CONTEXT
R	Read	Can retrieve the object
W	Write	Can modify the object's contents
P	Publish	Can cause a change to reach the public site
A	Admin	Can grant or revoke others' access
—	None	No access
?	Unverified	Not determinable from the codebase — see Section 6

2.3 Evidence commands

```
# Principal enumeration

# Signature verification across all history

96 N      # N = no signature, on every commit

# Proxy commits (author differs from committer)

# Configuration able to alter published output
```

3 Principal Inventory

3.1 Application principals

PRINCIPAL	POPULATION	ENTITLEMENT
Anonymous visitor	Unbounded	Read all published content. The only application principal that exists. No registration, no login, no differentiated access. Every visitor receives byte-identical responses.

There is no administrator, editor, or privileged application role. Nothing in the deployed site distinguishes one visitor from another — verified at runtime in the DAST engagement: no cookies, no storage, no session of any kind.

3.2 Repository principals — verified from history

IDENTITY	COMMITTS	TYPE	NOTES
Rakesh Mirtha mirta.srm@gmail.com	60	Human	Personal address. 63% of all commits — the principal contributor
Arun Selva Kumar arun@joinassembly.com	14	Human	Corporate address — but a third-party domain , not ReNew
Arun Selva Kumar b.arunselvakumar@gmail.com	1	Human	Second identity for the same person — fragments attribution
ecc-tools[bot]	11	Automation	GitHub App. Committed AI agent tooling config; has its own branch
git-ai <git-ai@local>	10	Automation	Non-routable identity, all messages empty — see UAM-03
GitHub (committer)	—	Platform	Appears as committer on web-UI merges; author retained

3.3 Automation identities in detail

Two non-human identities hold write access. Both were examined, because automation with commit rights is a standing supply-chain exposure — it can modify security-relevant code without a human in the loop.

ECC-TOOLS[BOT] — 11 COMMITS

Committed AI agent tooling configuration in a single burst on 27 July 2026: `.claude/`, `.codex/` and `.agents/` — agent definitions, skill manifests, and an identity file.

```
# Present in the working tree today?
absent      absent      absent
0 files
```

Assessed as benign. The files contain style preferences and agent role definitions — no credentials, no tokens, no permission grants. They have since been removed from the working tree and are untracked. They remain retrievable from history, which is expected and not itself a concern given the contents.

GIT-AI@LOCAL — 10 COMMITS

An AI authorship-tracking tool, writing line-level provenance metadata into a content-addressed path outside the working tree:

```
"prompts": {}

# Attribution quality of these commits:
||                                     # empty commit message
||                                     # empty commit message
||                                     # empty commit message
```

The recorded content is provenance metadata, not application code, and none of it reaches the published site. Two properties are nonetheless relevant to an access review: the identity is **non-routable** (`@local` resolves to no mailbox and maps to no person or account that could be contacted or revoked), and the commits carry **no messages**. The schema also reserves a `prompts` field — empty in the samples examined, but worth knowing exists before it is populated.

3.4 Organisational context

THREE DIFFERENT ORGANISATIONS APPEAR		
ELEMENT	IDENTITY	IMPLICATION
Repository owner	github.com/white-board-io	Not a ReNew-controlled namespace
Principal commit domains	gmail.com · joinassembly.com	Neither is renew.com
Brand and audience	ReNew Solar (renew.com)	The party bearing the risk
Deployment host	re-new-mocha.vercel.app	Preview domain, and the repo is named ...-temp

This pattern is consistent with an agency or contractor build, which is entirely normal. It is recorded because it has a concrete access consequence: **at handover, the access review must cover an organisation ReNew does not control**, and contributor accounts outside ReNew's directory will not be caught by ReNew's joiner-mover-

leaver process. The `-temp` repository name also suggests this may not be the intended permanent home for a production marketing property.

4 Access Matrix

Subjects down the left, objects across the top. Cells marked ? are not determinable from the codebase and must be completed from the platform consoles — see Section 6.

SUBJECT	PUBLIC SITE	SOURCE REPO	MAIN BRANCH	BUILD ENV VARS	DEPLOY	PUBLIC/ ASSETS	DNS	GRANT ACCESS
Anonymous visitor	R	?	—	—	—	R	—	—
Rakesh Mirtha (60)	R	W	?	?	?	W	?	?
Arun Selva Kumar (15, 2 ids)	R	W	?	?	?	W	?	?
<code>ecc-tools[bot]</code> (11)	R	W	?	—	?	W	—	—
<code>git-ai@local</code> (10)	R	W	?	—	—	—	—	—
GitHub org members (unknown n)	R	?	?	—	—	?	—	?
Vercel team (unknown n)	R	—	—	?	?	—	?	?
ReNew security / IT	R	?	?	?	?	?	?	?

4.1 Reading the matrix

OBSERVATION	DETAIL
No privilege separation	Every human contributor holds identical rights. There is no reviewer/author split, no restricted role for content-only changes, and no distinction between someone editing marketing copy and someone editing <code>vercel.json</code> — the file carrying every security header.
Write implies publish	With no CODEOWNERS and no CI gate in-repo, a merge to <code>main</code> is a publish. The W and P columns collapse into one for practical purposes.
Automation is not least-privilege	Both bots hold general repository write. Neither needs it: one wrote config files once in July, the other writes metadata outside the working tree.
The whole right half is unverified	Branch protection, env var access, deploy rights, DNS and the ability to grant access — the five most security-relevant columns — are all platform-side.
ReNew's own row is empty	Nothing in the repository evidences ReNew security or IT holding any access to the property carrying their brand. This may simply be unrecorded; it is worth confirming.

4.2 Objects and their protection

OBJECT	SENSITIVITY	CURRENT PROTECTION
Published site content	PUBLIC	None needed — public by design
public/ — 116 files, 222 MB	PUBLISH-GATED	None. Anything placed here is world-readable on deploy — UAM-06
vercel.json	CRITICAL	Repo write only. Carries every security header.
Source (validators, clamps, allow-lists)	CRITICAL	Repo write only. No required review — UAM-04
package.json / lockfile	CRITICAL	Repo write only. Supply-chain entry point
Build env vars	SENSITIVE	Platform-side. Proven able to corrupt published output (API-SEC-01)
Deployment trigger	CRITICAL	Platform-side, unverified
Secrets / credentials	NONE EXIST	Verified across full history — nothing to protect yet

A GENUINE STRENGTH

There are no secrets to leak. The application holds no API keys, tokens or credentials, and none have ever been committed — verified across all 96 commits. The only three environment variables are `DEV_ORIGIN` (development only) and two `NEXT_PUBLIC_` values holding public origins. Nothing in the configuration is confidential, which removes an entire category of access risk. This should be preserved deliberately when the enquiry endpoint introduces its first real credential.

5 Findings

UAM-01 No commit is cryptographically signed

MEDIUM

CWE	EVIDENCE	OWNER	STATUS
CWE-345 — Insufficient Verification of Data Authenticity	96 of 96 unsigned	Repository administrator	Open

DESCRIPTION & EVIDENCE

96 N # N = no signature — every commit in the repository

Git commit authorship is self-asserted metadata. Anyone with write access can set `user.name` and `user.email` to any value and author a commit that appears to come from another contributor. Without signatures, the repository's audit trail records *claimed* authorship, not verified authorship.

IMPACT

The practical consequence is that **attribution cannot be relied upon** — for incident response, for a security review of who changed a control, or for any dispute about the provenance of a change. Given that the repository is where every security control in the four preceding reports actually lives, and that write access spans at least six identities across three organisations, the ability to prove who changed `vercel.json` or the input validators has real value.

Rated Medium rather than higher because there is **no evidence of impersonation**, the contributor set is small, and exploitation still requires write access — which is itself the more significant control. It is a detection and accountability gap, not an access bypass.

RECOMMENDATION

- Enable commit signing for all contributors — SSH signing is the lowest-friction option and needs no key infrastructure beyond the keys already used to push.
- Enable GitHub's *Require signed commits* branch protection rule on `main`, so unsigned commits cannot merge.
- Apply to human contributors first; automation identities may need a separate approach, and UAM-03 recommends narrowing their access regardless.
- Historical commits cannot be retroactively signed. Accept the existing history and set the expectation from a defined date.

UAM-02 Majority of commits authored from personal email identities

MEDIUM

CWE	EVIDENCE	OWNER	STATUS
CWE-1108 — Excessive Reliance on Global Variables (analogue: identity)	61 of 96 commits	ReNew IT / vendor manager	Open

DESCRIPTION

IDENTITY	COMMITTS	DOMAIN TYPE	LIFECYCLE COVERAGE
mirta.srm@gmail.com	60	PERSONAL	None
b.arunselvakumar@gmail.com	1	PERSONAL	None
arun@joinassembly.com	14	THIRD-PARTY CORPORATE	Vendor's, not ReNew's
git-ai@local	10	NON-ROUTABLE	None — see UAM-03
Total outside ReNew's directory		85 of 96	89% of history

IMPACT

An identity outside the organisation's directory is outside its **joiner-mover-leaver process**. When a contributor's engagement ends, nothing automatically removes their access — revocation depends on someone remembering to act in the GitHub and Vercel consoles specifically. Personal accounts also sit outside enterprise controls such as enforced MFA, conditional access and session revocation; compromise of a personal Gmail account becomes a path to modifying ReNew's public web property.

A single contributor here appears under **two identities** (corporate and personal), which further fragments attribution: an access review that revokes one may leave the other active.

RECOMMENDATION

- Map every commit identity to a named individual and a current GitHub account — the template in Section 6.1.
- Require contributors to commit under an identity tied to an account subject to enforced MFA. GitHub's *Require email domain* and organisation-level MFA enforcement both help.
- Consolidate the duplicate identity so one revocation is sufficient.
- **Schedule an access review at project handover**, covering both the GitHub organisation and the Vercel team. This is the point at which contractor access most commonly persists unnoticed.

UAM-03 Automation identities hold broad write access; one is unattributable

LOW

CWE	IDENTITIES	OWNER	STATUS
CWE-272 — Least Privilege Violation	2 — 21 commits	Repository administrator	Open

DESCRIPTION

Two non-human identities hold repository write access. Neither appears to need the breadth it has, and one cannot be attributed to any account or person:

IDENTITY	COMMITTS	ACTUAL NEED	CONCERN
ecc-tools[bot]	11	Wrote agent config once, July 2026	Retains general write; content since removed. Is the installation still required?
git-ai@local	10	Writes provenance metadata	Non-routable identity, all 10 messages empty. Maps to no account that can be contacted, audited or revoked

```
# Attribution quality of the git-ai commits
||
||
||
↑ empty commit subject on every one
```

IMPACT

No evidence of misuse, and the recorded content is benign — agent style preferences in one case, line-level authorship metadata in the other, neither reaching the published site. The concern is structural. An automation identity with general write access to the repository can, by definition, modify the security controls that repository contains. A `@local` identity cannot be tied to an owner, cannot be included in an access review, and cannot be revoked as a user — only by removing whatever local tooling produces it.

Empty commit messages compound this: ten changes in the audit trail carry no statement of intent, so a reviewer cannot tell what they were for without reading each diff.

RECOMMENDATION

- Confirm whether the `ecc-tools` GitHub App installation is still needed. If not, uninstall it — the simplest way to remove a standing write grant.
- Identify which contributor's local tooling produces `git-ai@local` and either configure it to commit under that person's identity, or stop it writing to a shared repository.
- Require non-empty commit messages — enforceable with a simple `commit-msg` hook or a branch protection check.
- Where automation must retain access, scope it to the narrowest path that works rather than repository-wide write.

UAM-04 **No enforced review path — write access is publish access**

LOW

CWE	EVIDENCE	OWNER	STATUS
CWE-693 — Protection Mechanism Failure	No <code>.github/</code>	Repository administrator	Partly unverified

DESCRIPTION & EVIDENCE

```
no .github directory

(no results)      # no required reviewers, no CI checks
```

The repository defines no CODEOWNERS file and no CI workflows. Nothing requires a second reviewer on a change, and nothing runs the security tooling automatically — although all of it currently passes at zero findings.

Partly unverified: GitHub branch protection is configured server-side and may be enabled without any in-repo artifact. Section 6.2 asks for confirmation.

IMPACT

If branch protection is not enabled, any of the six write identities can change `vercel.json` — removing the entire clickjacking and CSP defence — and have it reach production with no second pair of eyes and no automated check. That is the practical meaning of the collapsed **W**/**P** columns in Section 4.

The secure code review makes this concrete rather than hypothetical: **three defects were found in security-fix code that had passed every automated engine**. Review is the control that catches that class of problem, and there is currently no mechanism requiring it.

RECOMMENDATION

- Enable branch protection on `main` : require a pull request, at least one approving review, and dismissal of stale approvals.
- Add a CODEOWNERS entry for the security-critical paths — `vercel.json` , `src/lib/` , `package.json` , `next.config.ts` — so changes there require a named reviewer.
- Add CI running Semgrep, ESLint, `tsc` and `bun audit` . All four pass at zero today, so making them blocking costs nothing and prevents regression.
- Include the build-output assertion proposed in the secure code review — it would have caught two of the three defects found there.

UAM-05 Access spans an organisation ReNew does not control**INFO**

TYPE	EVIDENCE	OWNER	STATUS
Governance	3 distinct org identities	ReNew vendor management	For confirmation

DESCRIPTION & RECOMMENDATION

The repository sits under `github.com/white-board-io`, commits come predominantly from `gmail.com` and `joinassembly.com`, and the property represents ReNew. Normal for a contracted build, and not a defect. It carries two concrete consequences worth planning for:

- ReNew cannot conduct or enforce an access review in an organisation it does not administer — the review must be requested from the vendor, or the repository transferred.
- The repository name ends `-temp` and deployment is on a `*.vercel.app` preview domain. If this is to become the production property, plan the transfer of repository ownership, Vercel project ownership and DNS together — and re-run the header verification afterwards, since every header finding was validated against the preview environment.

UAM-06 No gate on what enters the published asset directory**INFO**

TYPE	EVIDENCE	OWNER	STATUS
Publish control	116 files · 222 MB	Marketing / repo admin	Open

DESCRIPTION & RECOMMENDATION

Everything in `public/` is copied verbatim into the deployment and served without access control — currently 116 files including 16 PDFs, images and video. The VAPT review confirmed all present documents are intentional public collateral, and no internal or confidential file was found. There is, however, **no process gate**: any contributor with repository write can add a file there and it becomes world-readable on the next deploy.

Add `public/` to CODEOWNERS so additions require review, and treat "cleared for public release" as an explicit checklist item when publishing new collateral. This is process, not tooling — and it is cheaper than discovering a misfiled document on a public URL.

UAM-07 **Build configuration can alter published output**

INFO

TYPE	EVIDENCE	OWNER	STATUS
Privileged config	Demonstrated — API-SEC-01	Vercel project admin	Access unverified

DESCRIPTION & RECOMMENDATION

Three environment variables influence the build: `DEV_ORIGIN` (development only), `NEXT_PUBLIC_SITE_URL` and `NEXT_PUBLIC_VERCEL_URL`. None holds a secret. But the API assessment **demonstrated** that a malformed `NEXT_PUBLIC_SITE_URL` corrupts the published sitemap while the build still exits successfully — so whoever can set these values can silently change published output.

Whoever holds Vercel environment-variable access therefore holds a privileged capability, and that access is not currently visible. Include it in the Section 6 review, restrict it to the smallest group, and adopt the build-output assertion from the secure code review so a bad value fails the build rather than shipping quietly. Note also that `NEXT_PUBLIC_` variables are inlined into the client bundle and are therefore world-readable — never place a secret in one when the enquiry endpoint arrives.

6 Completing the Matrix

The following cannot be determined from a codebase. Completing these three tables turns the partial matrix in Section 4 into a full entitlement record suitable for periodic review.

6.1 Map commit identities to accountable people

COMMIT IDENTITY	NAMED INDIVIDUAL	STILL ENGAGED?	GITHUB ACCOUNT	ACCESS REVOKED?
mirta.srm@gmail.com	_____	Y / N	_____	Y / N / N-A
arun@joinassembly.com	_____	Y / N	_____	Y / N / N-A
b.arunselvakumar@gmail.com	_____	Y / N	_____	Y / N / N-A
ecc-tools[bot]	— automation —	Still needed?	App install	Y / N
git-ai@local	<i>whose tooling?</i>	Y / N	<i>none</i>	Y / N

6.2 GitHub organisation — `white-board-io`

QUESTION	ANSWER	NOTES
How many members can write to this repository?	_____	
Is branch protection enabled on <code>main</code> ?	Y / N	Relates to UAM-04
Is a pull-request review required before merge?	Y / N	
Are signed commits required?	Y / N	Relates to UAM-01
Is MFA enforced organisation-wide?	Y / N	Relates to UAM-02
How many members hold owner/admin rights?	_____	
Do any outside collaborators have access?	Y / N	
Does ReNew hold any access to this organisation?	Y / N	Relates to UAM-05

6.3 Vercel project & domain

QUESTION	ANSWER	NOTES
How many members can trigger a production deploy?	_____	
Who can read and modify environment variables?	_____	Relates to UAM-07
Are production deploys gated by approval?	Y / N	
Is MFA enforced on the Vercel team?	Y / N	
Are any deploy hooks or tokens issued?	Y / N	Each is a standing publish grant
Who controls DNS for the eventual production domain?	_____	Relates to UAM-05
Does ReNew hold owner rights on the Vercel project?	Y / N	

SUGGESTED CADENCE

Review these three tables **quarterly**, and additionally at two specific moments: **when any contributor's engagement ends**, and **at project handover** — the point at which contractor access most reliably persists unnoticed.

7 Recommendations

#	ID	ACTION	PRIORITY	OWNER
1	UAM-04	Enable branch protection on <code>main</code> — require PR + one approval	IMMEDIATE	Repo admin
2	UAM-02	Complete the identity map in §6.1; revoke anyone no longer engaged	IMMEDIATE	Vendor mgmt
3	UAM-04	Add CODEOWNERS for <code>vercel.json</code> , <code>src/lib/</code> , <code>package.json</code> , <code>public/</code>	1 WEEK	Repo admin
4	UAM-04	Add CI gate — Semgrep, ESLint, tsc, bun audit (all pass at zero today)	1 WEEK	DevOps
5	UAM-01	Require signed commits; roll out SSH signing to contributors	2 WEEKS	Repo admin
6	UAM-03	Retire or scope down both automation identities; require non-empty commit messages	2 WEEKS	Repo admin
7	UAM-07	Restrict Vercel env-var access; adopt the build-output assertion	1 MONTH	DevOps
8	UAM-05	Plan repository, Vercel and DNS ownership transfer for production	BEFORE LAUNCH	ReNew IT
9	UAM-06	Require review on <code>public/</code> additions; add a release-clearance step	1 MONTH	Marketing
10	—	Establish a quarterly access review using the §6 tables	1 MONTH	ReNew security

WHY ITEM 1 IS FIRST

Items 1, 3 and 4 together convert repository write from "can publish unilaterally" into "can propose, subject to review and automated checks". That single change does more for this property's security posture than any remaining code fix, because **every control delivered across the five reports lives in files that repository write can edit**. It is also the cheapest item on the list — a settings change, not an engineering project.

8 Appendix

8.1 Findings summary

ID	SEVERITY	FINDING	VERIFIED FROM
UAM-01	MEDIUM	No commit is cryptographically signed	96 commits, all branches
UAM-02	MEDIUM	61 of 96 commits from personal identities	Author email analysis
UAM-03	LOW	Automation write access; one identity unattributable	21 automation commits
UAM-04	LOW	No enforced review path in-repo	Absence of <code>.github/</code>
UAM-05	INFO	Access spans an organisation ReNew does not control	Remote, domains, repo name
UAM-06	INFO	No gate on published asset additions	116 files in <code>public/</code>
UAM-07	INFO	Build config can alter published output	Demonstrated in API-SEC-01

8.2 Assessment set — final position

REPORT	VER	FINDINGS	FOCUS
VAPT	1.1	9	External surface; established the static-export architecture
SAST	1.1	9	Source analysis; all findings from manual review
DAST	1.1	9	Runtime; confirmed clickjacking exploit
API Security	1.0	3	Verified no API; control spec for the deferred endpoint
Secure Code Review	1.0	6	Reviewed the fixes; found 3 defects in remediation code
User Access Matrix	1.0	7	Who can change what the public sees

8.3 Consolidated open items across all six reports

STATUS	COUNT	MOST SIGNIFICANT
Closed and verified	15	Dependencies, calculator, validation, type safety
Fixed, pending deployment	3	Clickjacking — assume live until deployed and retested
Mitigated, open by client decision	1	Form endpoint — still the highest-priority open item
Accepted by client	3	Privacy notice (couples to the endpoint), category control, PDF metadata
Open informational (technical)	3	CSP reporting, <code>Vary: Origin</code> , sitemap <code>lastmod</code>
Open access & governance	7	Branch protection is the single highest-leverage fix

8.4 Limitations

- **Platform planes unverified.** GitHub organisation membership, Vercel team access and DNS control were not visible and have not been inferred. Section 6 is the completion path.
- **Git history reflects claimed authorship.** Because no commit is signed (UAM-01), the principal inventory in Section 3.2 records what commits assert, not what is proven.
- **Identities, not entitlements.** Commit history shows who *has* committed, which is a lower bound on who *can*. Someone with write access who has never pushed does not appear anywhere in this report.
- **Point-in-time,** covering 96 commits between 13 July and 17 August 2026.
- **No application access model exists to test.** Section 3.1 is complete, not abridged.

END OF REPORT — AND OF THE ASSESSMENT SET

ReNew Solar Marketing Website — User Access Matrix v1.0 — 17 August 2026. Application roles: 0. Write principals identified: 6 across 3 organisations. 96 commits reviewed, 0 signed. 7 findings: 0 Critical, 0 High, 2 Medium, 2 Low, 3 Informational. Half the matrix requires client completion — Section 6.