

Table 1: Spec A (Treatment + FE + Beds + Chain-at-Start): All Outcomes

Outcome	Coefficient (SE)	Observations
Case Mix		
Case mix (total)	0.0525*** (0.0059)	457,842
Non-Profit Status		
Non-profit status (0/1)	-0.0680*** (0.0086)	550,330
Strategic / Business Model		
Occupancy rate	2.6841*** (0.3497)	550,330
Medicare share	1.6100*** (0.2159)	550,330
Medicaid share	-1.1710* (0.5952)	550,330
Average length of stay	-13.3641*** (4.3491)	540,346
Spare capacity	-0.0263*** (0.0035)	550,330
Staffing		
RN HPRD	-0.0368*** (0.0055)	550,330
LPN HPRD	-0.0039 (0.0062)	550,330
CNA HPRD	-0.0532*** (0.0096)	550,330
Total HPRD	-0.0940*** (0.0134)	550,330
Quality (Short-Stay)		
Pneumococcal vaccine	-4.2357*** (0.6547)	160,452
New antipsychotic medication	-0.0187 (0.0432)	134,023
Improved function	-0.0569 (0.4888)	88,792
Influenza vaccine	-3.7639*** (0.6372)	128,634
Quality (Long-Stay)		
Decline in physical functioning	0.3240 (0.2696)	164,005
Weight loss	0.2039* (0.1040)	170,757
Catheter use	-0.1694*** (0.0488)	172,698
Urinary tract infections	-0.3279*** (0.0765)	174,408
Falls with major injury	0.0126 (0.0636)	175,150
Anti-psychotic medication use	-0.3354 (0.2218)	171,378
Anti-anxiety/hypnotic medication use	-0.2312 (0.2019)	171,878
Pressure injuries	0.2586 (0.1762)	121,971

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-period fixed effects; sample excludes facilities ever government-owned.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.

Transition quarter excluded from quality specifications.

Table 2: Spec B (A + Case-mix + Non-profit): Strategic, Staffing, and Quality Outcomes

Outcome	Coefficient (SE)	Observations
Strategic / Business Model		
Occupancy rate	2.7047*** (0.3493)	550,330
Medicare share	1.3142*** (0.2126)	550,330
Medicaid share	-0.9711 (0.6054)	550,330
Average length of stay	-11.9128*** (4.4174)	540,346
Spare capacity	-0.0267*** (0.0035)	550,330
Staffing		
RN HPRD	-0.0383*** (0.0056)	550,330
LPN HPRD	-0.0054 (0.0063)	550,330
CNA HPRD	-0.0548*** (0.0096)	550,330
Total HPRD	-0.0984*** (0.0136)	550,330
Quality (Short-Stay)		
Pneumococcal vaccine	-4.4026*** (0.6631)	159,748
New antipsychotic medication	-0.0121 (0.0438)	133,518
Improved function	-0.0814 (0.5013)	88,625
Influenza vaccine	-3.7850*** (0.6439)	128,378
Quality (Long-Stay)		
Decline in physical functioning	0.4013 (0.2526)	163,094
Weight loss	0.1188 (0.1067)	169,777
Catheter use	-0.1613*** (0.0491)	171,692
Urinary tract infections	-0.3091*** (0.0747)	173,393
Falls with major injury	0.0136 (0.0625)	174,123
Anti-psychotic medication use	-0.2578 (0.2237)	170,408
Anti-anxiety/hypnotic medication use	-0.2410 (0.2021)	170,891
Pressure injuries	0.2381 (0.1792)	121,689

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-period fixed effects; sample excludes facilities ever government-owned.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.

Transition quarter excluded from quality specifications.

Table 3: Spec C (B + Occupancy + Payer Mix + LOS): Staffing and Quality Outcomes

Outcome	Coefficient (SE)	Observations
Staffing		
RN HPRD	−0.0359*** (0.0056)	540,346
LPN HPRD	0.0016 (0.0063)	540,346
CNA HPRD	−0.0446*** (0.0097)	540,346
Total HPRD	−0.0789*** (0.0136)	540,346
Quality (Short-Stay)		
Pneumococcal vaccine	−4.7400*** (0.6968)	144,339
New antipsychotic medication	−0.0337 (0.0462)	120,800
Improved function	−0.5070 (0.5231)	79,681
Influenza vaccine	−3.9334*** (0.6697)	115,942
Quality (Long-Stay)		
Decline in physical functioning	0.3275 (0.2595)	150,201
Weight loss	0.0443 (0.1112)	156,141
Catheter use	−0.1459*** (0.0516)	157,515
Urinary tract infections	−0.2752*** (0.0747)	158,822
Falls with major injury	0.0033 (0.0656)	159,389
Anti-psychotic medication use	−0.1289 (0.2258)	156,259
Anti-anxiety/hypnotic medication use	−0.3074 (0.2048)	157,112
Pressure injuries	0.2717 (0.1837)	112,111

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-period fixed effects; sample excludes facilities ever government-owned.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.

Transition quarter excluded from quality specifications.

Table 4: Spec D (C + Staffing): Quality Outcomes

Outcome	Coefficient (SE)	Observations
Quality (Short-Stay)		
Pneumococcal vaccine	-4.4915*** (0.6883)	144,339
New antipsychotic medication	-0.0390 (0.0464)	120,800
Improved function	-0.5141 (0.5214)	79,681
Influenza vaccine	-3.8017*** (0.6632)	115,942
Quality (Long-Stay)		
Decline in physical functioning	0.3502 (0.2657)	150,201
Weight loss	0.0396 (0.1112)	156,141
Catheter use	-0.1488*** (0.0518)	157,515
Urinary tract infections	-0.2698*** (0.0750)	158,822
Falls with major injury	0.0051 (0.0663)	159,389
Anti-psychotic medication use	-0.1473 (0.2274)	156,259
Anti-anxiety/hypnotic medication use	-0.2854 (0.2054)	157,112
Pressure injuries	0.2898 (0.1854)	112,111

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-period fixed effects; sample excludes facilities ever government-owned.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.

Transition quarter excluded from quality specifications.