

Table 1: Robustness: Case-Mix Control Granularity (State vs. National, Quartile vs. Decile)

Outcome	State Quartile (current default)	State Decile	National Quartile	National Decile
RN HPRD	−0.0316*** (0.0052)	−0.0318*** (0.0052)	−0.0318*** (0.0052)	−0.0322*** (0.0052)
LPN HPRD	−0.0004 (0.0060)	−0.0006 (0.0060)	−0.0002 (0.0060)	−0.0003 (0.0060)
CNA HPRD	−0.0548*** (0.0093)	−0.0552*** (0.0093)	−0.0551*** (0.0093)	−0.0556*** (0.0093)
Total HPRD	−0.0868*** (0.0129)	−0.0876*** (0.0129)	−0.0871*** (0.0130)	−0.0881*** (0.0129)

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. $N = 626,307$ for all models. Only the case-mix control set changes across columns – base controls (beds, government, non-profit, chain, occupancy rate, Medicare share, Medicaid share), facility and calendar-month fixed effects, and the anticipation-window exclusion are identical across all four columns.

“State Quartile” is the project’s current default (see `_setup.R`’s `preferred_case_mix_controls`). Quartile bins use dummies for bins 2-4 (bin 1 omitted as reference); decile bins use dummies for bins 2-10 (bin 1 omitted as reference).

Standard errors are clustered two ways by facility and calendar month. Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.