

Table 1: Effect of Ownership Change on Nursing Staffing: Chain vs. Non-Chain Facilities

Outcome	RN	LPN	CNA	Total
Chain (baseline) (N = 314,227 facility-months)				
HPRD	−0.0349*** (0.0067)	0.0063 (0.0074)	−0.0259** (0.0110)	−0.0545*** (0.0153)
Log(HPRD)	−0.1302*** (0.0199)	0.0062 (0.0116)	−0.0146** (0.0056)	−0.0189*** (0.0048)
Non-chain (baseline) (N = 236,107 facility-months)				
HPRD	−0.0360*** (0.0097)	−0.0213* (0.0109)	−0.0980*** (0.0181)	−0.1553*** (0.0254)
Log(HPRD)	−0.0803*** (0.0304)	−0.0161 (0.0165)	−0.0470*** (0.0092)	−0.0449*** (0.0076)

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-month fixed effects and control for the number of certified beds. Standard errors are two-way clustered by facility and calendar month.

Chain status is each facility's classification at their first observation in the panel. Facilities with no available chain classification are excluded from every split.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.

Table 2: Effect of Ownership Change on Business-Model Outcomes: Chain vs. Non-Chain Facilities

Outcome	Chain	Non-chain
Occupancy rate	2.0323*** (0.4183)	3.8652*** (0.6009)
Medicare share	1.7674*** (0.2309)	1.5532*** (0.4195)
Medicaid share	0.1444 (0.7331)	-3.6300*** (0.9690)
Average length of stay	-8.3079 (5.1823)	-23.7048*** (8.4841)

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-month fixed effects and control for the number of certified beds. Standard errors are two-way clustered by facility and calendar month.

Occupancy rate is residents as a share of available bed-days. Payer shares are shares of patient days. Chain sample: N = 314,227 facility-months. Non-chain sample: N = 236,107 facility-months.

Chain status is each facility's classification at their first observation in the panel. Facilities with no available chain classification are excluded from every split.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.

Table 3: Effect of Ownership Change on Quality Measures: Chain vs. Non-Chain Facilities

Outcome	Chain	Non-chain
Panel A: Long-stay labor-saving mechanism measures		
Catheter use	−0.0742 (0.0558)	−0.3393*** (0.0867)
Anti-psychotic medication use	−0.1557 (0.2684)	−0.7330* (0.3717)
Anti-anxiety/hypnotic medication use	−0.3438 (0.2507)	0.0499 (0.3478)
Panel B: Long-stay resident outcome measures		
Pressure injuries	0.3500 (0.2135)	0.0489 (0.2480)
Falls with major injury	0.0487 (0.0782)	−0.0684 (0.1160)
Weight loss	0.0111 (0.1280)	0.5783*** (0.1906)
Decline in physical functioning	0.5098* (0.2932)	−0.0020 (0.4252)
Urinary tract infections	−0.2544*** (0.0903)	−0.4555*** (0.1269)
Panel C: Short-stay measures		
New antipsychotic medication	−0.0470 (0.0518)	0.0444 (0.0957)
Improved function	−0.2525 (0.5659)	0.0974 (1.0001)

Notes: Each cell reports the coefficient on *post*, with standard errors in parentheses. All specifications include facility and calendar-quarter fixed effects and control for the number of certified beds. Standard errors are two-way clustered by facility and calendar quarter.

Long-stay measures (Panels A-B) and short-stay measures (Panel C) are constructed from different resident populations and are not directly comparable to one another. For every measure, lower values indicate better measured quality.

Pressure injuries is estimated on 2018–2023 only; improved function is estimated on 2017–2022 only. Chain sample: N = 104,485 facility-quarters. Non-chain sample: N = 78,316 facility-quarters.

Chain status is each facility’s classification at their first observation in the panel. Facilities with no available chain classification are excluded from every split.

Statistical significance: *** $p < 0.01$, ** $p < 0.05$, * $p < 0.10$.