

01 | Build contract and scope

Tencent hackathon UI demo | Codex build specification | Version 1.0 | 30 September 2026

Build a functional mobile-first web app that helps a person manage daily care, dependent reminders, appointments and sample benefits. The main question is: "What do I need to do next, and who in my family needs attention?" The product working name is Care Buddy. Show "Powered by WorkBuddy" beneath the name. Both strings must be configurable in one place. Do not add Tencent or WhiteCoat logos or claim an endorsement.

This document is the build contract for a synthetic hackathon demo. The handwritten source appears to say Car Buddy; car connectivity wording and the final GP action are uncertain. Care Buddy, the layouts, copy, data and behaviour below are proposed design choices. They are not confirmed existing product features. No Figma design or implementation repository was inspected. No clinical or insurance approval is implied.

Required scope: Today, reminder create/edit/detail, Family, dependent detail/add, appointments/detail/preparation, Benefits/detail/check, Buddy chat with confirmed actions, routine GP entry, simulated urgent-help state, notifications, settings and simulated car connection with parked/driving views. All visible buttons must work or explicitly explain why the simulated action is unavailable.

Excluded: real login, real patient data, diagnosis, medication advice, live insurance adjudication, booking, payment, claims, emergency dispatch, Bluetooth, vehicle SDKs, live weather, real push notifications, server integrations and LLM calls. Do not request location, contacts, microphone, Bluetooth or notification permissions. No data leaves the browser.

Default implementation: React, TypeScript and Vite; plain CSS and a small local state store. Use an existing compatible stack if building inside an authorised demo repository. Do not migrate an unrelated app. Use localStorage for fictional demo state only. No backend is required. This is a recommendation, not evidence that such a codebase exists.

Deliver a runnable app, installation/run instructions, automated tests and screenshots. Test the real app before reporting completion. A PDF, static mockup, non-working button set or screenshots alone are not the requested Codex build outcome.

Definition of done: the complete demo journey works; every acceptance test in sections 13 and 14 is exercised; responsive, accessibility and browser-state checks pass; limitations stay visible. Public hosting, native APK packaging and external publication are separate tasks, not authorised by this specification.

02 | Visual system and responsive shell

Design a calm, usable care app. Use a white canvas, blue primary actions and readable dark text. Avoid KPI charts, decorative gradients, glass effects, excessive cards and hospital imagery. The interface should feel useful on a phone, not like a resized administrative dashboard.

Proposed demo tokens, not an approved brand system: primary #006A8E; primary hover #00566F; background #F6F8FB; surface #FFFFFF; text #172B3A; secondary text #526171; border #DCE3EB. Use dark amber #8A4B00 on pale amber #FFF4DF for overdue items. Use dark red #B42318 on #FEF3F2 for urgent help. Always pair colour with a word and icon. Verify WCAG AA contrast in the actual implementation.

Typography: system font stack with locally available sans-serif fallback. Body 16px/24px; helper 14px/20px; page title 28px/34px; section title 20px/26px; card title 18px/24px. Do not depend on downloaded fonts. Use an 8px spacing rhythm; 20px mobile page gutters; 16px card padding; 16px card radius; 12px button radius. Primary controls are at least 48px high; other interactive targets at least 44 by 44px.

Phone layout: one column with a 64px header, profile selector, scrollable main content and fixed bottom navigation. Respect safe-area insets. Reserve enough bottom space so navigation cannot cover the last control. Bottom tabs in order: Today, Family, Benefits, Buddy. Each has an icon and text, plus a visible selected state.

At 768px and above, keep a readable content width of at most 880px. At 1024px and above, replace bottom navigation with a left rail and use a main column plus optional next-appointment side panel. Do not stretch cards edge to edge across a desktop. At 320px, wrap labels instead of reducing text size or allowing horizontal overflow.

Persistent header controls: wordmark, notification bell with unread count and profile selector labelled "Viewing: Me". The header makes the selected person obvious. Add "Demo data" beside the wordmark. A settings button opens a sheet. The simulated driving state replaces this shell with the restricted car screen.

Use outline icons from one local library or inline SVG. No icon-only controls without accessible names. Motion is limited to a brief sheet transition and button feedback; honour prefers-reduced-motion. Do not animate medical status changes.

03 | Navigation and shared state rules

Use addressable routes: /today, /family, /family/:profileId, /appointments/:appointmentId, /benefits, /benefits/:benefitId, /buddy, /care/gp, /car and /settings. Reminder details and forms may be sheets; encode their IDs in the URL or preserve a return route so browser Back closes the sheet first. Direct URLs must validate IDs and show a friendly not-found state.

Keep one selected profile ID for Today, Benefits and Buddy. Entering a dependent detail switches to that person. Selecting a different profile cancels unconfirmed action previews, clears contextual attachments and loads that person's thread. Never silently apply an action to the previously selected person. Every mutating confirmation names the recipient.

Keep fictional data under localStorage key care-buddy-demo-v1 with a schema version. Persist reminders, completion history, preparation checks, fictional dependents, simulated connection, preferences and per-profile chat history. Start in parked/disconnected state on every reload even if a prior session was driving. Persisted connection may restore as parked only. Validate stored shape; invalid data falls back to seed data with "Demo data was reset because it could not be loaded."

Use a fixed demo clock: 30 September 2026, 09:00, Asia/Singapore. Display "Demo clock: 30 Sep, 9:00 AM" in settings. Do not derive fixtures from the machine clock. Presenter controls may advance the demo clock by 15 minutes or restore it. Store timestamps as ISO strings with explicit offset. Use the demo timezone for labels and comparisons.

Shared sheets: full width on phone, max 520px on desktop; title, close button, scrollable content and visible action footer. Trap keyboard focus, support Escape and return focus to the opener. A destructive confirmation is separate from an edit sheet. Forms retain entered values after validation failure; closing a dirty form asks "Discard changes?"

Feedback: save confirmation toast with aria-live polite; error inline near the field plus a form summary. Never show success before state is saved. Storage failure shows "Could not save on this device" with Retry; keep unsaved input. Simulate failure from presenter controls. Empty lists show an explanation and useful action. Loading skeletons appear only for simulated loading, not as a permanent decoration.

Changing tabs preserves each page's scroll position where practical. Unknown routes offer "Go to Today". Profile changes update the visible heading before any new data appears.

04 | Today screen and daily timeline

Screen order: header; selected-person chip; title "Your day" or "Maya's day"; short summary; Next up card; appointments strip if any; daily timeline; optional weather note; Add reminder action. Show contextual Ask Buddy inside the relevant card instead of a floating button that obscures content.

Initial Me view: summary "You have an overdue reminder and an appointment today." Next up is "Morning medication", "For: Me", "Due at 8:00 AM", status "Overdue". Supporting copy: "Follow the instructions you entered. This demo does not provide medication advice." Actions: "Mark as taken", "Remind me later", "Ask Buddy". Mark as taken records a self-reported completion and shows "Marked as taken for Me" with Undo. Undo restores the prior status and removes that completion event.

Next up selection: choose the earliest overdue incomplete reminder first; otherwise earliest due incomplete item, including an appointment; break ties by stable ID. Do not make an urgent-help scenario part of this ranking. If none remains, show "Nothing else scheduled" with "Add reminder". Completed items never reappear as next up unless undone.

Timeline groups: Earlier, Upcoming, Completed. Rows show type icon, title, time, status text and person. Tapping a row opens its detail. Earlier holds incomplete overdue reminders; Upcoming holds future or due items; Completed is collapsed with count. Appointment rows keep appointment status distinct from reminder status. Visiting appointment detail does not mark an appointment attended.

Weather note uses a fixed fictional forecast: "Sample forecast: rain this afternoon. Check travel plans before your appointment." Label "Sample weather". It opens an informational sheet without requesting location. Allow dismissing it for the current demo session.

Snooze opens choices: 15 minutes, 1 hour, Choose time. A new due time must be after the demo clock. Confirm with "Remind Me at 9:15 AM?" for the default 15-minute choice. Preserve the original scheduled time in history. Repeated snoozes replace the current snooze time rather than duplicating reminders.

Switching to Maya shows her screening reminder and appointment; switching to Leo shows his dental visit and bath-time reminder. A caregiver cannot mark restricted-profile medication complete. Show "You can view reminders, but cannot update this profile" and a disabled control with explanation.

The next appointment strip shows title, start time and "View appointment". No real booking or route service opens.

05 | Reminder details, create and edit

Reminder detail sheet: title; "For: [person]"; category; due time; recurrence; status; instructions; source label "Entered in this demo"; action buttons; activity history. Show full instructions here, but never on the driving screen. Medication detail says "Completion is self-reported, not clinically verified."

Categories: Medication, Bedtime, Personal care, Appointment preparation, Other. Bath time is a Personal care example. Weather is a sample notice, not a prescribed care reminder. Primary completion label is "Mark as taken" for Medication and "Mark complete" otherwise. Do not change doses, provide missed-dose instructions or suggest taking medication late.

Create form fields: Person (selected profile default), Category (required), Title (required, 3 to 80 characters), Date (required), Time (required), Repeat (None or Daily), Instructions (optional, at most 500 characters). Medication instructions are free text with "Use your existing instructions. Buddy does not prescribe medication." Do not ask for a drug dose or calculate one. Appointment-preparation reminders may carry an appointment ID.

Field errors: "Enter a title with 3 to 80 characters", "Choose a date", "Choose a time", "Choose a time after the demo clock", "Keep instructions within 500 characters". Trim outer whitespace, reject empty whitespace-only titles, render user text as text rather than HTML. Avoid rejecting ordinary punctuation in names and notes.

Save confirmation names the target: "Create reminder for Maya?" with the title and formatted time. On confirm, save once, close sheet, show toast and update Today. Disable submit during saving to prevent duplicate records. If cancelled, do not mutate state. Editing replaces the existing record and preserves ID/history. Title and schedule changes appear in its activity history.

Delete action opens "Delete this reminder?" with person and title. Buttons: "Keep reminder" and "Delete reminder". Remove from active lists; retain a local demo history entry. Do not delete unrelated appointment or chat records. Undo a deletion restores the same ID.

Daily recurrence: completing today's occurrence creates the next local-day occurrence at the scheduled time. Undo removes that generated next occurrence and restores today. Editing repeat to None stops future generation, not past completion history. Do not create a whole year of records. Store series ID and local occurrence date to enforce one occurrence per day.

Past appointment-linked preparation does not reschedule an appointment. Restricted profiles may view detail but have no create/edit/delete permission. Explain the limitation instead of pretending a successful save.

06 | Family and dependent management

Family screen: title "Family"; helper "Keep track of care for the people you support"; profile rows; "Add dependent". Use fictional initial profiles Me, Maya (Parent) and Leo (Child). Each row shows avatar initials, relationship, next scheduled action and access label. Avoid medical condition badges on the list.

Maya detail: header "Maya", "Parent", access "Can manage reminders". Sections are Next action, Reminders, Upcoming appointments and Sample benefits. Persistent scope line: "Actions on this page are for Maya." "Ask Buddy about Maya" opens her own chat. "Back to Family" returns to the family list without changing the selected profile. Profile selector remains explicit.

Leo detail is view-only in the seed scenario: "Can view reminders". Appointment preparation checkboxes and reminder mutations are disabled. "Why can't I edit?" opens "This demo profile is view-only. Changing a relationship label does not grant access." Do not add a fake consent approval switch to turn access on.

Add dependent form: Display name (2 to 40 characters), Relationship (Parent, Child, Partner, Other), fictional-demo acknowledgement checkbox. Helper: "Use a fictional name. Do not enter real health information." Do not collect date of birth, government ID, email, phone, address or insurance identifiers. Add the new profile with view access by default. Show "Profile added with view access. No invitation or consent request was sent."

An empty newly added profile shows "No reminders or appointments yet" and a view-access explanation. The presenter can choose a manage-access fixture in settings for testing, clearly labelled "Demo permission scenario"; this is not a user-facing consent workflow or real access-control service.

Remove a fictional dependent: confirm exact display name; remove that person's reminders, appointments, benefits, chat and notifications from active demo state. If selected, switch to Me and close their sheets. Do not allow removal of Me. State "This only removes fictional data from this browser." Keep removal event local; do not claim a server audit.

Do not infer access from relationship or age. Define capabilities explicitly per profile: canView and canManage. Validate capability and recipient at action confirmation, not only while drawing a disabled button. Direct links to invalid or inaccessible IDs show a safe not-found/access state.

For the demo, all information is fictional. Do not imply that browser-local permissions are production security. Real dependent identity and consent are outside this build.

07 | Appointments and routine GP access

Appointment detail shows person, title, date/time, status "Scheduled (demo)", fictional location and preparation section. Use "Demo clinic A" and "Demo clinic B", not real providers. Display "Sample appointment. No booking has been made." Actions: "Preparation checklist", "Ask Buddy", "Check sample benefits", "Create preparation reminder".

Initial fixtures: Me, Routine health check, 30 September 2026 at 14:00; Maya, Health screening, 1 October 2026 at 10:00; Leo, Dental visit, 2 October 2026 at 16:00. Duration may be displayed as a fictional 30-minute slot. Address field is "Location provided in a real booking"; do not invent a real address or make a map link.

Preparation checklist is logistical only: "Review instructions from the provider", "Bring documents requested by the provider", "Confirm transport plans". Store checkbox state per appointment; only manage-access profiles can change it. Never invent fasting, medication-stopping or procedure-specific medical instructions. Helper: "Contact the provider for medical preparation instructions."

Create preparation reminder defaults to the appointment title plus "preparation", selected appointment person, None recurrence and an editable future date/time. For Maya's seeded demo flow, default to 30 September at 19:00. If a default is past, ask for a future time. Confirm before saving. Link the saved reminder to the appointment without claiming a booking update.

Sample benefits action selects the same person and opens the benefit result scoped to this appointment category. Return navigation restores the appointment. Profile switching while viewing a detail routes to the new person's Today rather than relabelling another person's appointment.

Routine GP route /care/gp: title "Find GP care"; explanation "This demo shows a routine care-access option. It does not assess symptoms or book care." Options: "View sample GP benefit" and "Preview appointment request". The preview contains Person and Preferred day/time, then "Preview request". Final sheet says "Demo only. This request has not been sent." No call, payment, queue or doctor availability is claimed.

The handwritten final GP item is unclear. This route is an explicit proposed interpretation, not a transcription. Keep it visually distinct from urgent help. A user with an urgent concern should not be directed to a fictional routine booking. Do not introduce autonomous referral, medical clearance or medication advice.

08 | Benefits and eligibility presentation

Benefits screen uses the global selected person. Title "Sample benefits" and a persistent note: "Illustrative plan data. Confirm cover with your insurer or benefits administrator." Show plan label "WorkBuddy demo plan", selected profile and "Sample policy date: 30 Sep 2026". No real insurer logos or policy number.

Show four category rows: GP visits, Health screening, Dental and Other services. Each row has a status label, brief condition and "View details". Do not show monetary limits or balances unless they exist in the fictional fixture and are explicitly labelled sample. This specification does not require financial amounts.

Seed results: Me GP = Listed in sample plan; Me health check = Conditions apply; Maya screening = Conditions apply; Leo dental = Needs confirmation; Other services = Not listed in sample data. Add source "Fictional demo policy, v1". "Not listed" is not "Not covered". Absence from a fixture must never be presented as a real rejection.

Detail screen: category, person, result, policy source/date, conditions and next step. Conditions for screening: "Eligibility and provider requirements would need confirmation." For dental unknown: "This demo does not contain enough information to confirm dental cover." CTAs: "Check an appointment" and "Ask Buddy about this result". Buddy repeats the fixture status and source; it cannot upgrade unknown or conditional status to covered.

Check appointment form: person is visible and locked to current profile; choose one of their seeded appointments or a service category. Clicking "Check sample benefits" briefly shows "Checking sample data", then the deterministic result. The result is computed from local profile/category fixture mapping, never an LLM inference. Unknown mapping returns Needs confirmation.

Result language uses "Listed in sample plan", "Conditions apply", "Needs confirmation" or "Not listed in sample data". No green guaranteed-cover badge, claim approval, promise of reimbursement or insurer adjudication. Present a documented next step: "Confirm the current terms with your benefits administrator."

Add sample benefit sheet supports Category and Notes only, labelled "Add fictional benefit note". It saves a note, not verified entitlement. Notes carry source "User-entered demo note" and result Needs confirmation. Reject empty category; cap notes at 500 characters. This implements the sketch's add-benefit idea without fabricating plan validation.

Resetting or switching profiles must not leak another person's benefits. View-only profiles can read sample benefit data but cannot add notes. Unknown policy date displays "Date not supplied", never a manufactured update date.

09 | Buddy chat and confirmed actions

Buddy header shows "Buddy", "For: [person]" and "Scripted demo assistant". Introduction: "I can help you organise reminders and explain this demo's sample information. I do not diagnose, prescribe or confirm insurance cover." Suggested prompts: "Prepare for my appointment", "Create a bedtime reminder", "Explain my sample benefits".

Use a deterministic local response engine, not a live LLM. Implement the known demo intents and a safe fallback. Text entry is capped at 500 characters. Trim whitespace; disable send for empty text. Render text safely. Never send a message off-device. Replies can appear after a short local delay, honouring reduced-motion settings. State loading as "Buddy is preparing a demo response".

Context entry from a reminder/appointment/benefit displays an attachment chip with person, title and Remove. Only use objects belonging to that person. Clearing context leaves the typed message. Profile switching cancels draft actions and selects that person's separate thread. Driving mode blocks sending and hides health/chat content.

Intent 1: appointment preparation. Reply with the logistical checklist from section 07, then offer "Create preparation reminder". Preview contains Person, Reminder title, date/time and source appointment. Buttons: "Confirm reminder", "Edit", "Cancel". Confirm validates current recipient, permission and future time, saves once and adds a receipt with a link to Today. Double-clicking Confirm must not duplicate it.

Intent 2: bedtime reminder. Request a time if not provided. Recognise explicit 12-hour AM/PM and 24-hour time; ambiguous "at 8" asks "Do you mean 8:00 AM or 8:00 PM?" Use a confirmation card with Repeat None/Daily. Do not infer a medical sleep recommendation. Intent 3: sample benefits. Return exact local fixture status, source/date and limitations; link to detail.

Unsupported input: "This demo can help with reminders, appointment preparation and sample benefits. Choose an option below." Medication question: "I cannot advise on doses or missed medication. Follow your existing instructions or contact a qualified clinician." Do not create new medication instructions from chat.

Urgent-help demo trigger is a named presenter scenario or prompt chip "Run urgent-help demo". Do not claim clinically reliable symptom detection from keyword matching. It opens the labelled urgent-help state in section 10. Routine symptom prose gets the limitation message and help options, not a diagnosis.

Message history retains timestamps using the demo clock and action receipts. Cancelling a preview adds "No changes made". Simulated chat failure preserves the outgoing message/draft, shows Retry and does not execute pending actions.

10 | Alerts, notifications and demo safety

Notifications screen opens from the bell. Rows show generic title, time, unread/read state and target person where safe inside the app. Initial items: "Reminder due" for Me; "Appointment preparation" for Maya; "Sample benefit needs confirmation" for Leo. Clicking marks read and opens the validated target. Missing targets show "This item is no longer available" without a broken route.

Default notification previews outside detail are generic. Do not expose medication names, instructions or clinical information on lock-screen-like mockups or car views. Notifications are simulated in-app entries. Never request OS push permission or claim that a real alert was delivered.

Urgent-help page is a separate full-screen state with a red-accent heading, not a dismissible success toast. Show "Urgent-help demo" and "Simulated scenario. No emergency service has been contacted." Main copy: "If you believe there is an immediate danger, contact your local emergency service. Buddy cannot assess or handle an emergency."

Actions: "View emergency-help instructions", "Return to demo". The instruction sheet repeats that the user must contact the appropriate local service directly. Do not use a live tel link, invent an emergency number or imply that pressing a button calls anyone. Emergency-number integration is outside this demo. A production version requires a verified market-specific route and qualified clinical review.

Presenter-triggered urgent help adds a local notification labelled "Simulated urgent-help alert" and visibly opens the page. It does not broadcast to a dependent, clinician or care team. Acknowledging it records only "Demo alert viewed"; it does not mark the person safe or resolved.

Severities remain separate: overdue reminder = amber status; sample-benefit uncertainty = neutral information; urgent-help simulation = red. Do not create a health risk score from missed reminders. Do not transform missed medication into a clinical emergency conclusion.

Settings entry "About this demo" lists all simulated systems: assistant, weather, benefits, appointments, notifications, GP request and car connection. Footer: "Fictional data only. Not a medical or insurance service." This notice must remain accessible without dominating every screen.

Presenter scenarios include Empty day, Loading, Save error, Unknown benefit, View-only dependent, Missing appointment and Urgent-help demo. Scenarios are locally controlled test fixtures, not evidence of backend execution. Restore base fixtures with Reset demo and confirm that changes are removed.

11 | Simulated car connection and restricted mode

Car connection is an optional demo surface, reachable from settings and a small "Car mode" action on Today. Do not let it displace daily-care priorities. Label all screens "Simulated connection". No Bluetooth scan, device pairing or vehicle data exchange occurs.

Disconnected screen: simple car outline, "Connect a demo car", helper "Preview how generic reminders could appear while parked or driving." The connect sheet has toggles for Generic reminders (on by default) and Spoken reminders (off by default). Explain "This simulation does not share health details with a vehicle." Clicking "Connect demo car" sets local connected/parked state and shows "Demo car connected".

Parked screen: status "Connected · Parked (simulation)"; next appointment generic summary; generic reminder card; "Enter driving preview"; "Disconnect"; "Back to app". Full care details remain in the phone app, not on the car canvas. Use "You have a reminder" rather than medication title/instructions. If generic reminders are off, show "Reminder previews are off".

Driving preview replaces the main app shell. Show "Driving preview", "View care details when parked", optional large generic "Reminder waiting" and one "Return to parked preview" control. Do not show profile health details, text composer, editable forms, chat history, appointment preparation or insurance data. Bottom navigation and notification detail are unavailable. This is a visual simulation, not certified automotive safety design.

Route/action guard: while driving, attempts to open /buddy, forms, sensitive detail or tab routes redirect to the restricted car view with "Available when parked". The explicit presenter action to return to parked is the only exit from driving mode. Reload exits driving as a conservative demo default. Do not infer real speed or actual parked state.

Audio is optional browser speech synthesis, initiated only by the user pressing "Play generic reminder" while parked. Copy: "You have a reminder. View it when parked." It must not say a medication, condition or dependent's health details. If the browser lacks speech synthesis, show "Audio preview is unavailable in this browser"; no fake playback animation. Stop audio on disconnect or mode exit.

Disconnect clears simulated connection and returns to Today. Disabled audio and privacy preferences persist locally. No connection-success claim refers to a physical vehicle. Native Android APK, Android Auto and Tencent automotive SDK integration are not part of Codex's build scope.

12 | Demo data and action semantics

Seed fictional profiles: p-me / Me / Self / manage; p-maya / Maya / Parent / manage; p-leo / Leo / Child / view-only. IDs are fixed. New records use stable generated IDs. A relationship label never determines capability.

Seed reminders: r-med-me, p-me, Medication, "Morning medication", 2026-09-30T08:00:00+08:00, Daily, incomplete, note "Use the instructions already provided to you"; r-bed-me, p-me, Bedtime, "Bedtime reminder", 2026-09-30T22:00:00+08:00, Daily; r-screen-maya, p-maya, Appointment preparation, "Review screening preparation", 2026-09-30T19:00:00+08:00, None, linked a-screen-maya; r-bath-leo, p-leo, Personal care, "Bath-time reminder", 2026-09-30T19:30:00+08:00, Daily. All start incomplete. They are invented fixtures, not medical recommendations.

Seed appointments: a-check-me / p-me / health-check / Routine health check / 2026-09-30T14:00:00+08:00 / Demo clinic A; a-screen-maya / p-maya / screening / Health screening / 2026-10-01T10:00:00+08:00 / Demo clinic A; a-dental-leo / p-leo / dental / Dental visit / 2026-10-02T16:00:00+08:00 / Demo clinic B. Checklists start unchecked.

Minimum entity fields: Profile(id, displayName, relationship, canView, canManage); Reminder(id, profileId, category, title, scheduledAt, snoozedUntil, recurrence, seriesId, occurrenceDate, instructions, appointmentId, completedAt, deletedAt); Appointment(id, profileId, category, title, startsAt, locationLabel, checklist); Benefit(id, profileId, category, status, conditions, source, policyDate); ChatMessage(id, profileId, role, text, contextId, timestamp, actionReceipt); Notification(id, profileId, title, targetType, targetId, readAt, timestamp). Optional values may be null; do not invent unknown policy dates.

Reminder status is derived: completed if completedAt exists; otherwise overdue if effective due time is before demo now; due if equal; upcoming if after. Effective due time uses snoozedUntil when present. Deleted records are absent from active lists. Appointments remain scheduled until a presenter fixture changes them; reminder completion cannot change their status.

All actions are local commands: completeReminder, undoCompletion, snoozeReminder, createReminder, editReminder, deleteReminder, addDependent, removeDependent, toggleChecklist, addBenefitNote, confirmChatAction, markNotificationRead, setCarMode, resetDemo. Revalidate person, ownership, capability and entity existence at execution time. Use an action ID for confirmed chat previews and submissions to prevent duplicate application. No network side effects.

Reset demo restores exactly these fixtures, clears history and returns to Me/Today/disconnected. Version mismatch performs a safe reset with a notice. Keep only fictional content in storage.

13 | Acceptance tests: core journeys

Codex must run these tests against the actual app and record pass/fail. These are proposed acceptance criteria, not results from an implemented app.

AC01 Start/reset: launch at /today with base fixtures. Me is selected; Morning medication is overdue; demo-data label is visible; clock is fixed at 09:00. Reset after changes restores the same state.

AC02 Complete/undo: mark Morning medication as taken. It moves to Completed; next up changes; a self-report receipt appears; one next-day occurrence is created. Undo restores today's overdue item and removes the generated occurrence. Repeat click cannot duplicate history/occurrences.

AC03 Snooze: snooze 15 minutes. Effective due time becomes 09:15; one record remains. Reject a time at/before 09:00. Reload preserves the saved snooze. Original scheduled time stays in history.

AC04 Create/edit/delete: create a Personal care reminder for Me with valid future time. It appears once. Edit changes that record without changing ID. Cancel/dirty discard create no changes. Delete removes it; Undo restores it. Invalid title/time/overlong notes show precise errors.

AC05 Profile isolation: switch Me to Maya then Leo. Today, Benefits and Buddy show the selected person only. An unconfirmed Me chat action is cancelled on switch. Confirming a stale action cannot write to Maya or Me.

AC06 Dependent permissions: Leo detail is readable; mutation controls explain view-only. Direct route or command attempt cannot save. Add a fictional dependent; it has view access. Remove it and confirm its scoped active data disappears, other profiles remain intact and selected profile falls back to Me.

AC07 Appointment preparation: Maya screening opens the correct fixture. Save logistical checklist checks, reload and verify persistence. Create a preparation reminder through confirmation. No booking status changes and no medical instructions are invented.

AC08 Benefits: check Me health check, Maya screening and Leo dental. Exact seeded conditional/unknown labels and source/date appear. Unmapped category returns Needs confirmation. A user-entered benefit note cannot become verified cover.

AC09 Chat: each supported prompt gives its scripted response. Bedtime "at 8" asks AM/PM. Confirm a future reminder once; Today contains one record. Edit and Cancel work; Cancel says No changes made. Unsupported and medication-advice questions return the specified limitation messages.

AC10 GP preview: choose routine GP access; preview a request. The final state says no request was sent. There is no network call, actual booking, emergency handling or hidden payment flow.

14 | Acceptance tests: failures, safety and build handoff

AC11 Urgent-help: trigger the named simulation. The page and notification explicitly say simulated; no service has been contacted. Acknowledgement records viewed only. Routine reminder completion never triggers an emergency claim.

AC12 Car: connect demo car, change generic/audio preferences, enter driving preview. Health/chat details disappear. Direct navigation to /buddy and forms is blocked. Return parked works; disconnect returns Today. Reload never resumes driving. Unsupported audio shows an honest unavailable state.

AC13 Storage/error: simulate save failure. No success toast or duplicate record appears; input remains; Retry saves once. Corrupt the local schema: app resets safely with notice. Missing appointment/notification targets show friendly states. Empty day has a working Add reminder action.

AC14 Responsive/keyboard: test 320, 390, 768 and 1440px widths, plus 200% zoom. No horizontal overflow, clipped text or covered controls. Traverse every main action with keyboard; visible focus persists; sheets trap and restore focus; Escape closes safely; labels/errors are accessible. Check contrast and reduced motion. Capture actual screenshots, not fabricated previews.

AC15 Privacy/network: verify no real PII fields, outbound data calls, secrets, remote fonts, permission requests or real tel links. Script injection text renders as plain text. Driving previews and generic notifications contain no medication names/instructions. Benefits never promise cover. Demo permission fixtures are not claimed as production authorisation.

AC16 Persistence/idempotence: reload after reminder, checklist, benefit-note and chat changes. All valid fictional state restores; invalid IDs do not crash. Rapid double-submit and stale profile/entity confirmations do not create duplicate or cross-profile writes.

Codex execution order: inspect the authorised target and its instructions; if an existing codebase is involved, verify repository/index state and use graph-first structural inspection where available before source-dependent decisions. Then implement shell and seeded store; Today/reminders; Family/appointments; Benefits; Buddy confirmations; alerts/car/settings; tests and responsive polish. No production repository mutation without explicit scope.

Working-artifact handoff must include exact run commands, dependency lockfile, tested browser, automated test results with failures/skips named, screenshots for required widths and key safety states, and a short limitations list. Do not report build complete while any named acceptance criterion is failed or untested. Keep the PDF and app copy consistent.

Source basis: Alex's supplied sketch and request, plus the proposed concept record in `whitecoat-global/alexlew-kb`, `WC/PRODUCT/tencent-care-buddy-ui-concept-2026-09-30.md`, reopened from GitHub main on 30 September 2026. This document adds a build contract; it does not prove implementation, Tencent integration, clinical validation or deployment.