



My Github repo URL


W11-P1: Supabase Database Setting



W11-P2: Connecting Supabase



W11-P3: Put md img file into Supabase



W11-P4: Connect Supabase from local pgAdmin, restore midprep_xx.tar

The screenshot shows the pgAdmin 4 interface. On the left, the 'Schemas' tree is expanded to 'public', and the 'Tables (3)' sub-tree is expanded, with 'product_xx' selected. The main pane displays a SQL query:

```
1 SELECT * FROM public.product_xx
2 ORDER BY pid ASC
```

Below the query, the 'Data Output' tab is active, showing a table with 8 rows. The table has columns: pid (integer), pname (character varying (255)), cat_id (integer), price (real), and img_url (character varying (255)).

pid	pname	cat_id	price	img_url
1	Blue Tanktop	4	25	/img/womens/blue-tank.png
2	Floral Blouse	4	20	/img/womens/floral-blouse.png
3	Floral Dress	4	80	/img/womens/floral-skirt.png
4	Red Dots Dress	4	80	/img/womens/red-polka-dot-dress.png
5	Brown Brim	1	25	/img/hats/brown-brim.png
6	Blue Beanie	1	18	/img/hats/blue-beanie.png
7	Brown Cowboy	1	35	/img/hats/brown-cowboy.png
8	Grey Brim	1	25	/img/hats/grey-brim.png

At the bottom, a green status bar indicates: 'Successfully run. Total query runtime: 1 secs 308 msec. 8 rows affected.'

The screenshot shows the Supabase Table editor interface. The 'Table editor' tab is active, and the 'product_xx' table is selected. The table has columns: pid (integer), pname (varchar), cat_id (integer), price (float4), and img_url (varchar). The table contains 8 rows of data.

pid	pname	cat_id	price	img_url
1	Blue Tanktop	4	25	/img/womens/blue-tank.png
2	Floral Blouse	4	20	/img/womens/floral-blouse.png
3	Floral Dress	4	80	/img/womens/floral-skirt.png
4	Red Dots Dress	4	80	/img/womens/red-polka-dot-dress.png
5	Brown Brim	1	25	/img/hats/brown-brim.png
6	Blue Beanie	1	18	/img/hats/blue-beanie.png
7	Brown Cowboy	1	35	/img/hats/brown-cowboy.png
8	Grey Brim	1	25	/img/hats/grey-brim.png

A warning message is displayed: 'WARNING: You are allowing anonymous access to your table. Enable Row Level Security'. The bottom status bar shows 'Page 1 of 1', '100 rows', and '8 records'.

Github logs of Week 11

```
git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2023-04-25"
3474611 whitestorm2346 Wed Apr 26 15:00:27 2023 +0800 W11-P4: Connect Supabase from local pgAdmin, restore mid
b2584c5 whitestorm2346 Wed Apr 26 14:35:40 2023 +0800 W11-P3: Put md img file into Supabase
9a1c115 whitestorm2346 Wed Apr 26 14:13:14 2023 +0800 W11-P2: Connecting Supabase
dbbd558 whitestorm2346 Wed Apr 26 13:46:34 2023 +0800 W11-P1: Supabase Database Setting
```