



**HOME IS
NOT A PLACE
IT'S A FEELING**

**SAVE
TREE**

**SAVE
LIFE**



*Interior
&
Exterior*

COMPANY PROFILE

SNG ECO PVT. LTD INDIA, Ahmedabad, Gujarat Introduce ourselves to you as leading renowned manufacturer of a qualitative assortment of **GREEN PLASTWOOD** WPC Interior & Exterior products We hold the power to manufacture with 3 plants across different locations in Gujarat, India. It's a pioneer in WPC Products of different types with a total Manufacturing capacity of 50 million meters per annum.

GREEN PLASTWOOD is India's Leading Manufacturing company using European Technology with higher output and quality raw material.

WHY CHOOSE THE GREEN PLASTWOOD

- ▶ Advanced infrastructure, superior quality products, Experienced and skilled workforce Ethical Business policies.
- ▶ Timely delivery, Market leading prices.
- ▶ With the aim to attain maximum customer contentment, we give priority to the requirements of the clients and put our extreme efforts satisfy their needs completely.
- ▶ We have developed a separate team of customer care executives, who interacts with the clients on regular basis. Through these interactions, we are able to encounter the exact requirements and preferences of the clients.

VISION

To build a business that actually provides the construction Industry with better economical options in terms of building material while conserving our forest and significantly impacting our environment in a positive way.



MISSION

To Slowly replace the usage of wood in construction with quality Green Plastwood WPC products and further our Research and development in order to develop better quality products while simultaneously maintaining an effort to conserve trees and protect the environment. Finally, with all this we aim to stay a step ahead in a rapidly.



GREEN PLASTWOOD WPC Product Comparison

CHARACTERISTICS	GREEN PLASTWOOD WPC PRODUCTS	Plywoods
Water & Moisture Proof	✓	✗
Termite & Pest Proof	✓	✗
No Shrinking, No Swelling	✓	✗
Fire Retardant	✓	✗
Borer Proof	✓	✗
Corrosion Retardant	✓	✓
Maintenance Friendly	✓	✗
Environment Friendly	✓	✗
Smooth Surface	Much More Smoother	Less Smoother
Outdoor Adaptability	✓	✓
Gluing & Lamination	✓	✓
Weather & Ageing Resistant	✓	✓
High Screw Adaptability	✓	✓
Sawing & Cutting	✓	✓
Use of Traditional Tools	✓	✓

SALIENT FEATURES OF WPC PRODUCTS



**UV
PROTECTION**



**ECO
FRIENDLY**



**100% TERMITE
PROOF**



**WATER
PROOF**



**HIGH
DENSITY**



**FIRE
RETARDANT**



**CARPENTER
FRIENDLY**



**100%
RECYCLABLE**



**NON
TOXIC**



**ANTI
CORROSION**

1 WPC DOOR FRAME

2 WPC WINDOW FRAME

3 WPC DOOR

4 WPC 3 LAYER BOARD

5 WPC BOARD

6 WPC LOUVERS

7 WPC WALL CLADDING

8 WPC PLANK

9 WPC DECK FLOOR


10 WPC DECK TILE

11 WPC PERGOLA

12 WPC GAZEBO



Green Plastwood WPC range of application based low maintenance decking suitable for every need. Elegant colours, combined with different surface finishes, results in an unmatched choice for different conditions which look great and will stay that way. High Performance, low on maintenance, Green Plastwood WPC reversible deck planks are fitted to an aluminium framework with concealed fixtures, offering barefoot safe anti-skid surfaces.







Product Specification



Dimensions
Standard Length
Surface Finishes
Colour

: 150 mm x 23 mm
: 8ft, 10ft
: Brushing, Sanding
: Teak, Brown, Grey



Hardware & Accessories



Nylon Deck Clip



Steel Deck Clip



Starter Clip



WPC Edge Clip

Applications

Bridge



Staircase





Garden Area



Bench



Green Plastwood WPC Cladding boards lend a distinct impression on facades. They are highly resistant to fading or dis-colouration, Give new look to the building for years, without any hassles of periodic maintenance. Interlocking assembly of the product ensures no water leaks to the building super structure hollow core technology for insulation are benefits which may not be available in other facade solutions.




Product Specification




Dimensions
Standard Length
Surface Finishes
Colour

: 145 mm x 20.5 mm
: 8ft, 10ft
: Brushing, Sanding
: Teak, Brown, Grey




Typical Plain Detail

Substructure
For Cladding
Screw For Cladding
Panel Fixing
WPC Cladding
Panel




Typical Corner Detail

Substructure
For Cladding
Corner Angle
For Corner Panel
WPC Cladding
Panel



Typical Intermediate Detail

Screw For Cladding
Panel Fixing
Bracket For SUB
Structure Fixing
WPC Cladding
Panel
Substructure
For Cladding




Typical Top Detail

Flashing Panel
@ TOP
WPC Cladding
Panel
Screw Cladding
Panel Fixing
Substructure
For Cladding




Fixing Detail of Elevation Cladding

Fixing Details of False Cladding




Typical Plain Detail

Substructure
For False Ceiling
WPC Cladding
Panel




Typical End Detail

Suspension
For False Ceiling
Substructure
For False Ceiling
WPC Angle For
End Panels
WPC Cladding
Panel Ceiling



Typical Plain Detail

Suspension
For False Ceiling
Substructure
For False Ceiling
WPC Cladding
Panel-Ceiling



Typical End Detail

Suspension
For False Ceiling
Wall Angle For
End Panels
WPC Cladding
Panel Ceiling

Hardware & Accessories



Wall Cladding - Applications

House Elevation



Ceiling Elevation



Wall Elevation




Outer Elevation



Green Plastwood WPC PLANKS display exceptional premium aesthetics for multiple exterior applications. Combining wood and thermoplastics (HDPE). Green Plastwood WPC Planks are the most suitable product for exteriors delivering high durability and product lifetime without any maintenance when compared to conventional materials like cement fiber boards and aluminum. Green Plastwood Planks are the perfect fit for louvers, railings and multiple other architectural exterior use.



● WPC PLANKS



Dimensions

Standard Length

Surface Finishes

Colour

: 142 mm x 10 mm


: 8ft, 10ft

: Sanding, Brushing


: Teak, Brown, Grey




Installation




Horizontal Fixing Detail



Horizontal Corner Detail



Bottom Fixing Detail



Top Fixing Detail



Wall Plank- Applications

Balcony



Ceiling



Gate



Railing



Substructure Box



Bolt Nut




U Channle/bracket



Hex Screw #8x19

Green Plastwood WPC Deck Tiles is the quick and simple solution if you want to transform your balconies or rooftops. Green Plastwood WPC provides a range of WPC Deck Tiles with a series of color and wood grain for selection. The installation is very easy as far as the flat surface are concerned, simple steps can complete the outdoor floor laying and no need to use other tools.

Green Plastwood WPC Deck Tiles have a non-slip deck surface that can be used as a non-slip floor next to the swimming pool. High strength plastics interlock frame at the bottom facilitates air circulation and water discharged from the bottom.



Dimensions

Surface Finishes

Colour

: 300 mm x 300 mm

: Brushing

: Teak, Brown, Grey



Deck Tiles - Applications

Swimming Pool



Seating



The Deck Tile is relatively easy to install Using its four Side Interlocking base making it very user friendly. Each side has two male and female connectors that connect to an adjacent tile, these connectors are circled in Diagram 1.




Diagram : 1

Place the first tile in a corner of flush along the edge of the area you will be installing as shown in Diagram 2.




Diagram:2

Next take another tile and determine which type of pattern / style you like to do. Vertical is shown in Diagram 3 and horizontal is shown in Diagram 4.




Diagram : 3




Diagram : 4

Now, take the second tile and align the connectors up with the first tile as shown in Diagram 5.




Diagram : 5

Then, attach the first two connectors into each other as shown in Diagram 6, you might need to lift up on one of the tiles to get a better Grip.




Diagram : 6

Green Plastwood WPC hollow profiles are the perfect materials for pergolas, gazebos and elevation features. Our light weight selections replace heavy steel frames or wood which demand periodic maintenance and painting to avoid deterioration from exposure to weather or corrosion, with a wood appearance that requires little maintenance, Green Plastwood WPC retain natural wood aesthetics in terrace and garden pergolas, cantilever features, car parks, features of buildings and other applications.



Dimensions : 48 mm x 38 mm
Standard Length : 8ft, 10ft
Surface Finishes : Brushing

Dimensions : 120 mm x 60 mm
Standard Length : 8ft, 10ft
Surface Finishes : Brushing



Dimensions : 150 mm x 150 mm
Standard Length : 8ft, 10ft
Surface Finishes : Brushing

Applications

Terrace Pergola



Garden Pergola









Garden Gazebo



GAZEBO





Green Plastwood Rafters helps in protecting the garden areas from animals and gives flexibility to personalize the living space. Rafters also use in baffle ceiling, louvered partitions, staircase railing partition, roofing sunshade, Elevation Sunshade.



Dimensions
Standard Length
Surface Finishes

: 48 mm x 38 mm
: 8ft, 10ft
: Brushing

Dimensions
Standard Length
Surface Finishes


: 120 mm x 60 mm
: 8ft, 10ft
: Brushing




Dimensions
Standard Length
Surface Finishes

: 150 mm x 150 mm
: 8ft, 10ft
: Brushing

BAFFLE CEILING SYSTEM



Typical Fixing Detail-A



Typical Fixing Detail-B


Hardware & Accessories



PARTITION SYSTEM




Hardware & Accessories



Horizontal Fixing Detail


L Bracket For Plank Fixing
Wpc Louver Plank
Steel Reinforcement



Vertical Fixing Detail


wpc louver plank
steel reinforcement
L bracket for plank fixing
expansion bolt

Elevation Sunshade System Horizontal




Expansion Bolt
L Bracket For Rhs Fixing
MS Tubes For Louver Fixing
U Bracket For Panel Holding
Wpc Louver Profile
Steel Reinforcement Profile For Wpc Panels

Horizontal Fixing Detail




WPC Louver Panel of Required Size
Steel Reinforcement Profile WPC Panels
RHS For Louver Fixing
Hook Bracket For Panel Fixing
U Bracket For Panel Holding

Vertical Fixing Detail




Vertical Beam to Beam




steel L bracket for louver fixing
expansion bolt for L bracket fixing
HEX Screw for louver fixing with L bracket
wpc louver profile

Horizontal Fixing Detail




steel L bracket for louver fixing
HEX Screw for louver fixing with L bracket
wpc louver profile

Horizontal Spacing Detail



wpc louver profile
HEX Screw for louver fixing with L bracket
steel L bracket for louver fixing
expansion bolt for L bracket fixing

Bottom Fixing Detail



expansion bolt for L bracket
wpc louver profile
steel L bracket for louver fixing

Top Fixing Detail

WPC Rafter Application

Terrace



Dining



Partition



Hardware & Accessories



Expansion Bolt



Wall Bracket



Panel Bracket



Rectangular MS Tube Reinforcement



BOLT NUT



HEX Screw




L Bracket



U Bracket

Presenting a remarkable combination of nature and technology, Which offers a highly Superior, Resilient and Cost Effective alternate to real wood cladding. Created from the fusion of recycled hardwood fibers and virgin polymer resins using the latest Co-Extrusion Technology, Green plastwood WPC Exterior Louver & Interior - Louver Panels are Pre Finished, Ready to Install, Completely Water & Termite Proof, Stain resistant and durable enough to last for a lifetime. Our Louver Panels can be used to beautify all Exterior & Interior Walls and Ceilings in residential and commercial applications without any fear of deformation, rot or fading.



Dimensions : 215 mm x 26 mm
Standard Length : 8ft, 10ft
Colour : Brown

Dimensions : 215 mm x 25 mm
Standard Length : 8ft, 10ft
Colour : Teak



Dimensions : 215 mm x 25 mm
Standard Length : 8ft, 10ft
Colour : Grey

WALL PANEL

Interior & Exterior

Office Ceiling



Living Room



Bungalow





PARTICIPATION OF EXHIBITION



PLASTINDIA
2023



OUR CLIENTS



Awaited Your Brand.....

India





Our Network of Inner Strength



9+
CERTIFICATES



300+
PROJECTS



50+
MAJOR STOCK POINTS



400000
Sq. Mtr.
Production Capacity



4+
COUNTRY EXPORT



50+
CORPORATE SUPPLY

SNG ECO INDIA PVT LTD



Corporate Office :

1313, 1314, 13th Floor, Fortune Business Hub,
Nr. Shell Petrol Pump, Science City Road,
Sola, Ahmedabad-380060, Gujarat, India.



Email: sales@sngecoindia.com



www.greenplastwood.co.in | www.sngecoindia.com



Business Associate

