

TOSHIBA



QUIETLY **ADVANCED**

MINIMAL IN FORM. MAXIMUM IN THOUGHT.

SHI
BU
— 渋い

The new Toshiba Hi-Wall Series, Shibui represents a new era of premium cooling. Built for spaces that value elegance, silence, and superior engineering, this range blends sophisticated aesthetics with Japanese precision to elevate the way you experience comfort.

PRECISION REDEFINED THROUGH DESIGN

Every detail in the new Toshiba Hi-Wall Series, Shibui is designed with purpose. With thoughtful engineering, a clean matte finish, and smooth, quiet cooling, it brings comfort to any space in a way that feels natural and welcoming.



THE MATTE FINISH OF MODERN LUXURY

Crafted with a soft matte texture and a refined silhouette, the indoor unit blends into contemporary spaces with ease. Its calm, modern finish adds to the environment without drawing attention, letting the space feel balanced and uncluttered.

REDEFINE



BUILT FOR TODAY. READY FOR TOMORROW.

The next-generation Hi-Wall Series, Shibui is engineered to deliver consistent, dependable cooling across all conditions.



Fast, responsive cooling



Stable inverter performance



High-ambient capability for extreme temperatures



Clear temperature display

THE SMARTER REMOTE

Your first connection to comfort should be as premium as the AC itself. Introducing the all-new USB-rechargeable remote:



No more batteries



Minimalist design with premium tactile buttons



Long lasting power and sustainability



Smooth, intuitive navigation

A remote that complements your lifestyle - stylish, modern, and thoughtful.



4-WAY FLEXIBLE SWING COMFORT

The advanced 4-way flexible swing distributes air evenly across the room, reaching every corner with balanced, consistent cooling. Whether you are relaxing, working, or entertaining, comfort remains uniform throughout.

PRECISION AIR FILTRATION

This AC protects your home with:

PM 2.5 filtration



Nano-coating technology for longer machine life



Cleaner airflow and reduced impurities



Every breath feels lighter, fresher, and healthier.

COMFORT THAT CLEANS ITSELF

With Toshiba's Self-Cleaning Technology, your AC stays fresh inside-out. The fan continues to run after shutdown, preventing moisture buildup, mold formation, and odor. This means cleaner air, better performance, and longer lifespan - naturally.

ENGINEERED WITH JAPANESE PRECISION

Rooted in the discipline of Japanese engineering.

-  High ambient cooling up to 52°C
-  Low sound operation at just 32 dB(A)
-  Multiple Capacity modes for every occasion
-  Eco-friendly performance with sustained durability

It's cooling made smarter,
stronger & more refined.



ENGINEERED FOR RESPONSIBLE COOLING

The new Hi-Wall Series, Shibui uses
R32 refrigerant- a safer, greener choice.


-  Lower Global Warming Potential
-  Zero ozone depletion
-  Better energy efficiency

PRECISION COOLING FOR DESIGNED SPACES

Choose the perfect fit for your space:

Model	Indoor	RAS-13P5KCV3XGQ-IN	RAS-18P5KCV3XGQ-IN	RAS-24P5KCV3XGQ-IN
	Outdoor	RAS-13P5ACV3XGQ-IN	RAS-18P5ACV3XGQ-IN	RAS-24P5ACV3XGQ-IN
Capacity Rated (Min-Max)	kW	3.6 (1.6-3.7)	5.25 (2.1 - 5.4)	6.4 (2.8 - 6.8)
Power Consumption	kW	1.024	1.540	1.816
ISEER		4.40	4.40	4.40
Star Rating		3 Star	3 Star	3 Star
Indoor Unit Dimension (H x W x D)	mm	314 x 960 x 226	314 x 960 x 226	356 x 1100 x 248
Indoor Weight	Kg	11.1	11.4	14.9
Airflow	CFM	601 / 548 / 442/ 389 / 330	619 / 571 / 471 / 454 / 401	854 / 766 / 707 / 589 / 495
Indoor Sound Pressure	dB (A)	46/44/39/34/32	48/44/39/34/32	49/46/43/39/34
Outdoor Unit Dimension (H x W x D)	(mm)	560 x 835 x 297	560 x 835 x 297	560 x 835 x 352
Outdoor Weight	Kg	22	22.7	27
Outdoor Sound Pressure	dB (A)	54	53	54
Ambient operation	Min (°C)	15	15	15
	Max (°C)	52	52	52
Piping connections	Liquid side (mm)	6.35	6.35	6.35
	Gas side (mm)	9.52	12.70	12.70
Pipe length	Total length (m) inclusive of vertical lift (m)	15	15	15
	Vertical lift (m)	5	5	5
Refrigerant		R32		

With Kit Models *RAS-xxP5xCVxXGQ-IT



RAS-13P5KCV5XGQ-IN	RAS-18P5KCV5XGQ-IN	RAS-24P5KCV5XGQ-IN
RAS-13P5ACV5XGQ-IN	RAS-18P5ACV5XGQ-IN	RAS-24P5ACV5XGQ-IN
3.45 (1.7 - 4.0)	5.25 (2.2 - 5.5)	6.2 (3.1 - 6.8)
0.803	1.182	1.349
5.60	5.65	5.65
5 Star	5 Star	5 Star
314 x 960 x 226	356 x 1100 x 248	356 x 1100 x 248
11.4	14.9	15.5
619 / 571 / 471 / 454 / 401	854 / 766 / 707 / 589 / 495	777 / 748 / 695 / 577 / 483
48/44/39/34/32	49/46/43/39/34	49/46/43/39/34
560 x 835 x 352	562 x 835 x 352	702 x 956 x 390
24.6	28.7	38.2
56	55	55
15	15	15
52	52	52
6.35	6.35	9.52
12.70	12.70	15.88
15	15	15
5	5	5
R32		

Notes:
Rated conditions: Indoor air temperature 27°C DB / 19°C WB, Outdoor air temperature 35°C DB.
Star rating as per the standards & labeling program of the Bureau of Energy Efficiency.
Airflow is measured at high fan speed.

SHI
BU
— 渋い



For more details, please contact our sales office:

Corporate & Registered Office: Carrier Airconditioning & Refrigeration Ltd, Kherki Daula Post, Narsingpur, Gurgaon 122004, Tel: 0124-4825500 **Sales Offices:-** **Ahmedabad:** 079-44820400/401 **Ghaziabad:** 0120-4183260 **Bangalore:** 080-43442000 **Bhubaneswar:** 9778030033 **Chandigarh:** 0172-5007549/50 **Chennai:** 044-66448888 **Cochin:** 0484-4029000/001, **Coimbatore:** 739744420 **Daryaganj:** 011-23244491, 9810973264 **Delhi/NCR:** 0124-4873200 **Goa:** 9987868667 **Guwahati:** 9831079624 **Hyderabad:** 040-4181 2222 **Indore:** 0731-2445200 **Jaipur:** 0141-4921737 / 738 **Kolkata:** 033-40592000/3000 **Lucknow:** 0522-4158701/704 **Navi Mumbai/Thane:** 9167788252 **Mumbai:** 022-61700700 **Nagpur:** 9881714903 **Patna:** 7070621177 **Pune:** 020-48571000 **Raipur:** 9752542882 **Surat:** 7433920332

CIN: U74999HR1992FLC036104/ **Website:** www.carrierindia.com, www.toshibaac.in, **E-mail:** info@toshibaac.in | customersupport@carrier.com



March 2026

QUIETLY ADVANCED
MINIMAL IN FORM. MAXIMUM IN THOUGHT.

SHI
BU
— 渋い

All rights reserved by Carrier. Toshiba is a registered trademark of Toshiba Corporation and is used under license by Carrier. Specifications and designs are subject to change without notice and may include preliminary information. Non-metric weights and measurements are approximate. All data was deemed correct at the time of creation. The visuals of the products in the brochure are representative only, actual products might differ from the ones shown. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognised and acknowledged. Any disputes arising from or related to the use of this catalogue or the products described herein shall be subject to the exclusive jurisdiction of the courts at Gurugram, India.