DSA 8070 R Session 9: Factor Analysis

Whitney

October 17, 2021

Contents


Load the stock price data
Summary statistics
Scatter plot matrix
Compute PCs from the correlation matrix
Factor Loadings and specific variances
MLE

Load the stock price data

```
url <- "http://users.stat.umn.edu/~sandy/courses/8053/Data/Wichern_data/T8-4.DAT"
stock <- read.table(url, sep = "\t", header = F)
colnames(stock) <- c("JP Morgan", "City bank", "Wells Fargo", "Royal Dutch", "Exxon")</pre>
```

Summary statistics

Scatter plot matrix



Compute PCs from the correlation matrix

```
(s.cor <- var(stock_std))
             JP Morgan City bank Wells Fargo Royal Dutch
## JP Morgan
             ## City bank
            0.6322878 1.0000000 0.5741424 0.3222921 0.2126747
## Wells Fargo 0.5104973 0.5741424 1.0000000 0.1824992 0.1462067
## Royal Dutch 0.1146019 0.3222921 0.1824992 1.0000000 0.6833777
             0.1544628 0.2126747
                                           0.6833777 1.0000000
## Exxon
                               0.1462067
s.pca <- prcomp(stock, scale = T, center = T)</pre>
s.pca$rotation
##
                   PC1
                            PC2
                                       PC3
                                                 PC4
            ## JP Morgan
## City bank -0.5324055 0.2364624 -0.13610618 -0.6292079 -0.49618794
## Wells Fargo -0.4651633 0.3151795 0.77182810 0.2889658 0.07116948
## Royal Dutch -0.3873459 -0.5850373 0.09336192 -0.3812515 0.59466408
             -0.3606821 -0.6058463 -0.10882629   0.4934145 -0.49755167
## Exxon
s \leftarrow var(s.pca$x)
(Proportion.std <- round(diag(s) / sum(diag(s)), 3))
    PC1
         PC2 PC3
                    PC4
## 0.487 0.281 0.100 0.080 0.051
```

```
(Cumulative.std <- round(cumsum(diag(s)) / sum(diag(s)), 3))
     PC1
           PC2
                 PC3
                       PC4
                              PC5
## 0.487 0.769 0.869 0.949 1.000
p <- 5
par(las = 1, mgp = c(2, 1, 0), mar = c(3, 3, 1, 3))
plot(1:p, Proportion.std, xlab = "# of PCs", ylim = c(0, 1),
ylab = "Proportion", pch = 16, cex = 0.8, xaxt = "n", col = "blue")
axis(1, at = 1:p)
mtext("Cumulative", 4, las = 0, line = 2)
axis(4, col = "green"); axis(2, col = "blue")
grid()
points(1:p, Cumulative.std, cex = 1, col = "green")
  1.0
                                                                         0
                                                                               1.0
                                                         Ó
                                         Ó
  8.0
                                                                               0.8
                          0
Proportion
9.0
  0.2
                                                                               0.2
  0.0
                                                                               0.0
                          2
          1
                                          3
                                                                         5
                                                         4
                                      # of PCs
```

Factor Loadings and specific variances


```
# m = 2, factor Loadings
lambda <- s.pca$sdev^2
e <- s.pca$rotation
sqrt(lambda[1]) * e[, 1]

## JP Morgan City bank Wells Fargo Royal Dutch Exxon
## -0.7323218 -0.8311791 -0.7262022 -0.6047155 -0.5630885</pre>
```

```
sqrt(lambda[2]) * e[, 2]
##
                 City bank Wells Fargo Royal Dutch
     JP Morgan
                                                          Exxon
                             0.3738582 -0.6939569
##
     0.4365209
                 0.2804859
                                                    -0.7186401
# specific Variances
sVar \leftarrow diag(s.cor - (lambda[1] * e[, 1] * t(e[, 1]) + lambda[2] * e[, 2] * t(e[, 2])))
# residual matrix
round(s.cor - (lambda[1] * e[, 1] %*% t(e[, 1]) + lambda[2] * e[, 2] %*% t(e[, 2]) + diag(sVar)), 2)
##
               JP Morgan City bank Wells Fargo Royal Dutch Exxon
                             -0.10
                                         -0.18
## JP Morgan
                    0.00
                                                      -0.03 0.06
                                         -0.13
                                                       0.01 -0.05
## City bank
                   -0.10
                              0.00
## Wells Fargo
                                          0.00
                                                       0.00 0.01
                   -0.18
                             -0.13
## Royal Dutch
                                          0.00
                                                       0.00 - 0.16
                   -0.03
                              0.01
## Exxon
                    0.06
                             -0.05
                                          0.01
                                                     -0.16 0.00
```

MLE

```
(stock.fac <- factanal(stock, factors = 2,</pre>
method = "mle", scale = T, center = T))
##
## Call:
## factanal(x = stock, factors = 2, method = "mle", scale = T, center = T)
##
## Uniquenesses:
##
     JP Morgan
                 City bank Wells Fargo Royal Dutch
                                                          Exxon
##
         0.417
                     0.275
                                 0.542
                                              0.005
                                                          0.530
##
## Loadings:
##
               Factor1 Factor2
## JP Morgan
               0.763
## City bank
               0.819
                       0.232
## Wells Fargo 0.668
                       0.108
## Royal Dutch 0.113
                       0.991
## Exxon
               0.108
                       0.677
##
##
                  Factor1 Factor2
                            1.507
## SS loadings
                    1.725
## Proportion Var
                    0.345
                            0.301
## Cumulative Var
                    0.345
                            0.646
##
## Test of the hypothesis that 2 factors are sufficient.
## The chi square statistic is 1.97 on 1 degree of freedom.
## The p-value is 0.16
par(las = 1, mgp = c(2, 1, 0), mar = c(3, 3, 1, 3))
plot(stock.fac$loadings, xlab = "F1 Loadings", ylab = "F2 Loadings",
     type = "n", xlim = c(-0.1, 1.1), ylim = c(-0.1, 1.1))
text(stock.fac$loadings, labels = colnames(stock))
```



```
# residual matrix
pred <- (stock.fac$loadings %*% t(stock.fac$loadings)) + diag(stock.fac$uniqueness)
(resid <- s.cor - pred)</pre>
```

```
##
                   JP Morgan
                                 City bank
                                             Wells Fargo
                                                           Royal Dutch
## JP Morgan
                1.055860e-07
                             7.496780e-06 -2.564223e-03 -3.325561e-04
## City bank
                7.496780e-06
                                           1.608871e-03 2.116218e-04
                              3.255673e-08
## Wells Fargo -2.564223e-03
                              1.608871e-03 5.157368e-08 -9.518792e-06
## Royal Dutch -3.325561e-04
                              2.116218e-04 -9.518792e-06 -1.559500e-06
## Exxon
                5.198222e-02 -3.307885e-02 5.547153e-04 1.218853e-04
##
                       Exxon
                5.198222e-02
## JP Morgan
## City bank
               -3.307885e-02
## Wells Fargo 5.547153e-04
## Royal Dutch 1.218853e-04
## Exxon
                2.670491e-07
```