

umbraco  
manchester

welcome

<https://www.meetup.com/Manchester-Umbraco-Meetup/>





## Harnessing Umbraco Engage: A Tailored Content Experience



Phil Whittaker  
HiFi



Jon Whitter  
Cantarus

A decorative graphic on the left side of the slide, consisting of a cluster of overlapping hexagons in two shades of green. The hexagons are arranged in a honeycomb-like pattern, with some being a darker green and others a lighter green.

## Part 1

Analytics

A/B Testing

Segmentation

Personas

Debugging

Custom Rules

# agenda





A decorative graphic in the top-left corner consisting of a cluster of overlapping hexagons. The hexagons are outlined in a dark green color, and the interior of each hexagon is a lighter shade of green. The pattern is partially cut off by the left and top edges of the slide.

Thanks to Paul Seal

Clean Starter Kit

agenda

A dark green background with a lighter green honeycomb pattern on the left side.

WiFi

Umbraco Guest

OwnTheExperience!



# Overview of Engage



<https://github.com/whitter/umbraco-engage-workshop>

```
git clone -b backoffice
```

```
https://github.com/whitter/umbraco-engage-workshop.git
```

```
engage-workshop-backoffice
```

Check the appsettings.json connection string

If you do not have MS SQL Server try this:

```
Server=20.117.184.27;Database=db-name;User
```

```
Id=engage-workshop;Password=6nDDgafyp5s90O7V;TrustServerCertificate=true;
```



<https://engage-workshop.cantarusdev.co.uk/>

Do **not** login!



# Analytics Setup

- Basic analytics is out of the box, no need to do anything
- Further analytics can be added to gather additional data
  - Time on page
  - Scroll depth
  - Heat maps
  - Video interactions
  - Umbraco Form interactions
- Bridging libraries are available to push these additional event to GTM/GA
- GTM events are also added for tracking active segments and A/B variants
- Lots of settings control over data retention

# Why Analytics, What About GA?

- Engage Analytics is not a replacement for external tools like Google Analytics.
- Tracking is the foundation for all of Engage's features—Analytics simply provides persistence and visibility into that tracked data.
- And yes, let's talk about everyone's favorite topic: GDPR and other data regulations.
- Engage makes compliance easier to manage:
  - Fine-grained control over data retention and anonymisation
  - Full control over whether A/B Testing, Analytics, or Personalisation is enabled
  - Segmentation criteria results are cached and don't necessarily require analytics



```
// CookieModulePermissions.cs
public class CookieModulePermissions : IModulePermissions
{
    public bool AbTestingIsAllowed(HttpContext context)
    {
        return true;
    }

    public bool AnalyticsIsAllowed(HttpContext context)
    {
        return true;
    }

    public bool PersonalizationIsAllowed(HttpContext context)
    {
        return true;
    }
}

// Program.cs
builder.Services.AddUnique<IModulePermissions, CookieModulePermissions>();
```



# A/B Split Testing

# A/B Testing Overview

- **The Change**
- **The Metric**
  - **How many trigger each variant**
  - **How many convert**



# Example Scenario

- Imagine our website uses a contact form to generate leads
- On average, around 10% of form submissions convert into actual sales
- For the sake of this example, let's assume each sale is worth £1,000
- We've been tasked with making changes to the homepage in hopes of increasing the number of leads generated



# Setup a Goal

- Given our scenario, we want to set up a goal to track contact form submissions
- We can also assign a monetary value to this goal based on the information we have:
  - A sale is worth £1,000
  - Approximately 10% of form submissions result in a sale
- This means each form submission is effectively worth £100 (since 1 in 10 submissions turns into a £1,000 sale):
  - $£1,000 \times 0.1 = £100$

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)**umbraco**  
engage

## Settings

You are running in trial mode. Purchase a license [here](#).

[Goals](#)[IP Filters](#)[Configuration](#)[Permissions](#)[Statistics](#)

### Setup your goals

Within this section you are able to set your global goals. These goals will become available throughout Umbraco Engage and will become visible within Analytics.



**Tip:** do you have a clear purpose with your website like gathering newsletter subscriptions? Then set it as a **macro** goal and Umbraco Engage will keep an extra eye on that specific goal for you!

### All goals

[Create new goal](#)

| GOAL | TRIGGER | TYPE | COMPLETIONS (LAST 30 DAYS) | ACTIVE | IMPLICIT SCORING |
|------|---------|------|----------------------------|--------|------------------|
|------|---------|------|----------------------------|--------|------------------|

No goals have been created yet!

Show rows:   1-0 of 0



U

Content

Media

Engage

Settings

Packages

Start

Analytics

A/B Testing

Personalization

Settings

GoalsIP FiltersConfigurationPermissionsStatistics

Setup your goals

Within this section you are able to set your global goals. The goals will become available throughout Umbraco Engage and become visible within Analytics.

Tip: do you have a clear purpose with your website like gathering newsletter subscriptions? Then set it as a macro goal and Umbraco Engage will keep an extra eye on that specific goal for you!

Close X

Create new goal

Name \*

Increase lead generation

Value

100

Conversion type

macro

micro

You want your goal to

increase

decrease

Your goal is triggered by \*

Umbraco Forms submission

Trigger the goal for

Any Umbraco Form

These specific Umbraco Forms

Type to filter forms

Contact

Implicit scoring

Enable Persona and Journey step scoring

umbracoengage

Create new goal

ACTIVEIMPLICIT SCORING

Show rows: 201-0 of 0

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)**umbraco**  
engage

## Settings

You are running in trial mode. Purchase a license [here](#).

[Goals](#)[IP Filters](#)[Configuration](#)[Permissions](#)[Statistics](#)

### Setup your goals

Within this section you are able to set your global goals. These goals will become available throughout Umbraco Engage and will become visible within Analytics.



**Tip:** do you have a clear purpose with your website like gathering newsletter subscriptions? Then set it as a **macro** goal and Umbraco Engage will keep an extra eye on that specific goal for you!

#### All goals

[Create new goal](#)

| GOAL                     | TRIGGER                  | TYPE  | COMPLETIONS (LAST 30 DAYS) | ACTIVE | IMPLICIT SCORING |  |
|--------------------------|--------------------------|-------|----------------------------|--------|------------------|--|
| Increase lead generation | Umbraco Forms submission | Macro | 0                          | Yes    | No               |  |

Show rows:  1-1 of 1



```
public class PageController : Controller
{
    private readonly IGoalService _goalService;

    public PageController(IGoalService goalService) => _goalService = goalService;

    [HttpGet]
    public IActionResult Index()
    {
        ...

        _goalService.TriggerGoal(1L, 100);

        ...
    }
}
```




# Creating A/B Split Tests

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## A/B Testing

You are running in trial mode. [Purchase a license here.](#)

[Add new project](#) 

There are no projects yet. Create your first project:

[Add new project](#)



A/B T

Contact Form

0 tests

Edit this project

Back

## Edit this project

Close X

### Information

Project name \*

Contact Form Conversions

Information about this project

### Preview:

Contact Form Conversions

Workshop User

Cancel

☒ Active project

Delete this project and all tests

Save

This project is empty. Start testing:

Create new test

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## A/B Testing

You are running in trial mode. Purchase a license [here](#).

[Start new test](#) →


### Contact Form Conversions

📅 0 tests

🕒 0 active

👤 Workshop User

🔗 [Edit this project](#)

[← Back](#)[Create new test](#)

This project is empty. Start testing:

[Create new test](#)

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

Content

Home



Content



API



Analytics



A/B tests



Personalization



Info


Actions ▾

▸ [Home](#)



Recycle Bin

[A/B Testing](#)



There are no A/B tests created for this page yet

[Start a test →](#)



Content

Home



Actions ▾

Home

Recycle Bin

A/B Testing

### 1. Information

Provide some information about this test so other users also understand the purpose of it.

Title of this test \*

Home Page - Contact Form Conversion

Part of project \*

Contact Form Conversions ▾



Description/hypothesis

### 2. Setup Test

Choose if you want to test one specific page or a broader set of pages.

Select test type \*

Single Page ▾

Assigning visitors to this A/B Test ⓘ

On any page

Only on this page

Add variants \*

Setup your test by adding one or more variants.

A

Original

Edit



B

A/B Variant 1

Edit



Add a variant

### 3. Settings

Which conversion goal do you want to improve and which percentage of your visitors should be subjected to the test?

Select a conversion goal \*

Increase lead generation ▾



Set audience percentage



The advanced settings below can be changed if you want to overrule the default values. Please note that changing them may have serious impact on your test.

Advanced settings ⓘ



You expect a conversion change of 10% resulting in a conversion rate of 5.5%

Content

Home

Recycle Bin

Home

Default

Save & Preview

Content

Footer

SEO

Title

Enter the title for the page.  
If this is empty the name of  
the page will be used.

Clean Starter Kit

Subtitle

Enter a subtitle for this page

For Umbraco

Main Image

Choose the main image for  
this page



Content Rows

Add the rows of content for  
the page

Blog Articles

Add content

Home

A/B Test variant - A/B Variant 1

Edit variant

Save & Preview

A/B Testing

Content

Footer

SEO

Title

Enter the title for the page.  
If this is empty the name of  
the page will be used.

Subtitle

Enter a subtitle for this page

Main Image

Choose the main image for  
this page



Content Rows

Add the rows of content for  
the page

Rich Text: Interested in reaching out to us, why not head

Blog Articles

Add content

To the A/B test

Save and preview

Save...

Save and publish...

Content

Home

Home

Recycle Bin

A/B Testing

Home Page - Contact Form  
Conversion #2

Information

Settings

Estimated test duration unknown

It is not possible to calculate the expected duration of your test. If the tested pages are relatively new then this can be caused by the lack of sufficient analytics data. In any other case; change the MDE value within the 'Advanced settings' section and try again. Please be aware that it is ok to start testing anyway!

Scoring overview

Last updated: Never

| VARIANT         | VISITORS | PAGEVIEWS | GOAL COMPLETIONS | CONVERSION RATE | MACRO CONVERSION | STATUS |
|-----------------|----------|-----------|------------------|-----------------|------------------|--------|
| A Original      | 0        | 0         | 0                | -               | Ok               | Draft  |
| B A/B Variant 1 | 0        | 0         | 0                | 0%              | Ok               | Draft  |

Edit settings

Delete test

or

Schedule test

or

Start test now

# Clean Starter Kit

For Umbraco

Like what you see, why not send us a message on the [contact page](#).

## Join the Umbraco Community on Mastodon

*Posted by Paul Seal on October 03, 2023*

---

## Podcasts and Videos

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

Content

Home

Default



Content



API



Analytics



A/B tests



Personalization



Info

Actions



Home



Recycle Bin

### A/B testing on this page

Start an A/B test for this page. This will default to a Single Page test which allows you to A/B test Umbraco content.

Start a test →

#### Show status

☒ New

☒ Running

☒ Completed

#### Created by

All

Running

Running

STARTED ON

April 15, 2025 9:14 AM

### Home Page - Contact Form Conversion



Single page



2 variants



Running for 8 days



17 Visitors



Workshop User

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

Content

Home

Default



Content



API



Analytics



A/B tests



Personalization



Info

Actions

Home



Recycle Bin

A/B Testing

## Home Page - Contact Form Conversion #1

Information



Settings



Your test should run for another 10 days

With a conversion increase of 350% variant A/B Variant seems to be in the lead.

For this result to become reliable variant A/B Variant needs a total of 13 unique visitors which results in an additional 5 visitors. Based upon the current statistics of 1 daily unique visitor this test should run for another approximately 10 days.

### Scoring overview

Last updated: 2025-04-17 05:00

| VARIANT       | VISITORS    | PAGEVIEWS | GOAL COMPLETIONS | CONVERSION RATE | MACRO CONVERSION | STATUS  |
|---------------|-------------|-----------|------------------|-----------------|------------------|---------|
| A Original    | 9<br>52.94% | 36        | 1                | 11.11%          | Ok               | Running |
| B A/B Variant | 8<br>47.06% | 50        | 4                | 50%<br>350%     | Ok               | Running |

← Back

End test →

Content

Home

Recycle Bin

Home

Home  
Conversion

Information

Settings

Select the winning variant

Close

Please complete the test by selecting a winning variant. Does it seem that there is no winner? No worries; simply select that option. These results will be used for reporting purposes within your test project.



My test did not result in a winner.

|                       | VARIANT         | VISITORS | GOAL / VALUE | DIFFERENCE | MACRO CONVERSION | STATUS  |
|-----------------------|-----------------|----------|--------------|------------|------------------|---------|
| <input type="radio"/> | A Original      | / 4,755  | 0x / € 100   | 0%         | Ok               | Stopped |
| <input type="radio"/> | B A/B Variant 1 | / 4,755  | 0x / € 100   | 0%         | Ok               | Stopped |

Cancel

Confirm

Home

Actions

A/B Testing

6:36

winner →

Content

Home

Default



Actions

Home



Recycle Bin

Start a test →

A/B Testing

Completed

STOPPED ON

March 25, 2025 4:46 PM



Home Page - Contact Form Conversion

Single page 2 variants 0 Visitors Workshop User

Completed

STOPPED ON

March 25, 2025 4:43 PM



Home Page - Contact Form Conversion

Single page 2 variants 0 Visitors Workshop User

Completed

STOPPED ON

March 25, 2025 4:49 PM



Home Page - Contact Form Conversion

Single page 2 variants 0 Visitors Workshop User

Home







# Personas

- Implicitly categories users into a persona
- This is handled through a points system
- Points can be gained by performing certain actions
  - Visiting pages
  - UTM campaign tagging
  - Goal completion
  - And even in code
- A user can gain points in multiple personas but only one will be active at a time




[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Persona groups

[Add new persona group +](#)

There are no persona groups. Start creating persona groups:

[Add new persona group +](#)

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)**umbraco**  
engage

## Personalization

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)**Persona groups**[Add new persona group +](#)

### Create persona group

[Close](#) ✕**Title \*****Description \*****Advanced settings**[Cancel](#)[Create persona group →](#)

There are no persona groups. Start creating persona groups:

[Add new persona group +](#)

U

Content

Media

Engage

Settings

Packages

Start

Analytics

A/B Testing

Personalization

Personalization

Applied PersonalizationSegmentsReferral Scoring

Persona groups

Add new persona group +

Site Users

Advanced settings

Threshold value:

25

Minimal deviation:

Absolute valuePercentage

Minimal deviation value:

0

Expiration type:

NeverDaysSessions

Maximum points to score:

10

CancelCreate persona group →

Search

?

WU

umbracoengage

Persona groups:

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Persona groups

Site Users

0 personas Site Users



Add new persona group +

### Site Users

Workshop User

Site Users

Edit

It's empty here. Start by adding some persona's



[Add persona](#) +

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)**umbraco**  
engage

## Personalization

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)

### Persona groups

**Site Users**

0 personas Site Users

[Add new persona group +](#)


### Create new persona

[Close](#) X**Title/name \***

Community Interest

**Description \***

Community Interest

**Select a color \*****Select an image**[Cancel](#)[Add persona →](#)

t by adding some persona's

d persona +



[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Persona groups

Site Users

1 persona Site Users



Add new persona group +

### Site Users



Workshop User

Site Users

Edit



Community Interest  
Community Interest



[Add persona](#) +

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

## Content

[Home](#)[Features](#)[About](#)[Blog](#)[Contact](#)[Error](#)[XMLSitemap](#)[Search](#)[Authors](#)[Categories](#)[Login](#)[Recycle Bin](#)[Join the Umbraco Community on Mastodon](#)[Content](#)[API](#)[Analytics](#)[A/B tests](#)[Personalization](#)[Info](#)[Actions](#)[Personalization](#)[Personalized variants](#)[Content scoring](#)[Segment insights](#)[Applied segments insights](#)

### How to score your content

Here you can score this page against your persona groups and customer journey phases. Per persona and per customer step you can specify how relevant this page is. When a visitor visits this page these scores are added to the implicit scoring of this visitor.

Available persona groups

#### Site Users

0 1 2 3 4 5 6 7 8 9 10

SCORE FROM 0 - 10



Community Interest



Available journeys

You have no customer journey steps configured. You should [add these journey steps first](#), before you can score this page.

[Save scoring](#)

UContentMediaEngageSettingsPackages

StartAnalyticsA/B TestingPersonalization

Settings

GoalsIP FiltersConfigurationPermissionsStat

Setup your goals

Within this section you are able to set your global goals. The goals will become available throughout Umbraco Engage and will become visible within Analytics.

Tip: do you have a clear purpose with your website like gathering newsletter subscriptions? Then set it as a macro goal and Umbraco Engage will keep an extra eye on that specific goal for you!

Trigger the goal for

Any Umbraco FormThese specific Umbraco Forms

Type to filter forms

☒ Contact

Implicit scoring

☐ Disable Persona and Journey step scoring

Persona groups

Site Users

0 1 2 3 4 5 6 7 8 9 10

SCORE FROM 0 - 10

Community Interest

5

Journey groups

You have no customer journey steps configured. You should [add these journey steps first](#).

Cancel

☐ Active goal

Save

umbracoengage

Create new goal

ACTIVEIMPLICIT SCORING

YesNo

Show rows: 201-1 of 1




[https://localhost:44397/?utm\\_source=newsletter&utm\\_medium=email&utm\\_campaign=workshop](https://localhost:44397/?utm_source=newsletter&utm_medium=email&utm_campaign=workshop)

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Campaign scoring

In this section you can score campaigns, based on utm-parameters. You can group several campaigns in a campaign group. The groups can be scored against your customer journeys and personas.

#### Types

[Campaign groups \(0\)](#)[Scored campaigns \(0\)](#)[Unscored campaigns \(1\)](#)[Last 30 days](#)[Add new group +](#)

#### Campaign groups

GROUPS

DESCRIPTION

# OF CAMPAIGNS

No groups defined.

[Create your first group. +](#)

U

ContentMediaEngageSettingsPackages

StartAnalyticsA/B TestingPersonalization

Personalization

Applied PersonalizationSegmentsReferral Scoring



### Campaign scoring

In this section you can score campaigns, based on utm-parameters. You can group several campaigns in a campaign group. The groups can be scored against your customer journeys and personas.

Close X

Add new campaign group

Title \*

Community Newsletters

Description \*

Community Newsletters

Campaigns

There are no campaigns assigned to this group. Start assigning campaigns on the tab 'Unscored campaigns'

Persona groups

Site Users

0 1 2 3 4 5 6 7 8 9 10

SCORE FROM 0 - 10

Community Interest

4

Journey groups

You have no customer journey steps configured. You should [add these journey steps first](#), before you can score your campaigns.

umbracoengage


WU

Add new group +

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Campaign scoring

In this section you can score campaigns, based on utm-parameters. You can group several campaigns in a campaign group. The groups can be scored against your customer journeys and personas.

#### Types

[Campaign groups \(1\)](#)[Scored campaigns \(0\)](#)[Unscored campaigns \(1\)](#)[Last 30 days](#)[Add new group +](#)

#### Campaign groups

| GROUPS                | DESCRIPTION           | # OF CAMPAIGNS |                                                                                                                                                                         |
|-----------------------|-----------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Community Newsletters | Community Newsletters | 0              |   |

Campaign group "Community Newsletters" saved



You are running in trial mode. Purchase a license [here](#).

You are running in trial mode. Purchase a license [here](#).

## Insights



Campaign groups (1)

Scored campaigns (0)

### Unscored campaigns (1)

Last 30 days

### Unscored campaigns

| UTM_SOURCE | UTM_MEDIUM | UTM_CAMPAIGN | UTM_TERM | UTM_CONTENT | UTM_SOURCE_PLATFORM | UTM_CREATIVE_FORMAT | UTM_MARKETING_TACTIC |        |
|------------|------------|--------------|----------|-------------|---------------------|---------------------|----------------------|--------|
| newsletter | email      | workshop     | <empty>  | <empty>     | <empty>             | <empty>             | <empty>              | Assign |

### Campaign scoring

In this section you can score campaigns, based on utm-parameters. You can group several campaigns in a campaign group. The groups can be scored against your customer journeys and personas.



[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)**umbraco**  
engage

## Personalization

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)

### Campaign scoring

In this section you can score campaigns, based on utm-parameters. You can group several campaigns in a campaign group. The groups can be scored against your customer journeys and personas.

[Close](#) X

### Assign this campaign

Assigns campaigns matching the following rules to a specific campaign group:

|                                     |                      |            |
|-------------------------------------|----------------------|------------|
| <input checked="" type="checkbox"/> | utm_source           | newsletter |
| <input checked="" type="checkbox"/> | utm_medium           | email      |
| <input checked="" type="checkbox"/> | utm_campaign         | workshop   |
| <input type="checkbox"/>            | utm_term             |            |
| <input type="checkbox"/>            | utm_content          |            |
| <input type="checkbox"/>            | utm_source_platform  |            |
| <input type="checkbox"/>            | utm_creative_format  |            |
| <input type="checkbox"/>            | utm_marketing_tactic |            |

Assign to group \*

Community Newsletters


Cancel

Assign to group →

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Campaign scoring

In this section you can score campaigns, based on utm-parameters. You can group several campaigns in a campaign group. The groups can be scored against your customer journeys and personas.

#### Types

[Campaign groups \(1\)](#)[Scored campaigns \(1\)](#)[Unscored campaigns \(0\)](#)[Last 30 days](#)[Add new group +](#)

#### Campaign groups

| GROUPS                | DESCRIPTION           | # OF CAMPAIGNS |                                                                                                                                                                         |
|-----------------------|-----------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Community Newsletters | Community Newsletters | 1              |   |



# Segmentation

- Segments are the system that govern personalisation
- Sets of rules that determine if they are active or not
- Use analytics to gain understanding into the performance of a segment
- Multiple segments can be active at any time
- Ordering matters, it controls which active segment wins in personalisation
- Active segments can be evaluated in code
- Like A/B testing segments can have control groups



[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)

## Personalization

You are running in trial mode. Purchase a license [here](#).

[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

### Segment builder

Make use of aggregated implicit and explicit data to setup and manage subsets of users (segments). Segments can be used to recognize your visitors and personalize their digital experience.

Use core segments for long-term marketing strategy. The personalization of website content based upon the customer journey, for example.

Setup temporary segments for short-term strategy to be able to, for example, personalize the 'About us' page for visitors who have read that vacancy page with that key job opening which is hard to fill.

#### Filter

[All](#)[Temporary](#)[Core](#)[Last 30 days](#)[Add new segment +](#)

#### Temporary segments

##### Temporary segments

NAME AND DESCRIPTION

USED PARAMETERS

END DATE

APPLIED

PRIORITY

No temporary segments found.

[Create your first segment. +](#)

#### Core segments

##### Core segments

NAME AND DESCRIPTION

USED PARAMETERS

APPLIED

PRIORITY

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[WU](#)[Start](#)[Analytics](#)[A...](#)**umbraco**  
engage

## Add new segment

[Close](#) ×

### Segment

Create a segment that can be used to personalize the website. First give the segment a name and description. Then select one or more parameters that control which visitors will be added to the segment.

Title/name \*

Description \*

Segment type \*

Core

Temporary

The advanced settings below can be changed if you want to override the default values. Please note that changing them may have serious impact on the effectiveness of your segment.

Advanced settings

1. Choose a parameter

2. Setup the parameter

### Select a parameter

IMPLICIT



Persona

IMPLICIT



Journey



Visited Page(s)



Browser



Device type



Time of day



Day of week



Location



Number of sessions



Logged in members



Registered members



Event trigger

### Build your segment

Let's build a segment! Use the steps above. Pick, setup and save your parameters in order to build a segment.



Cancel

Delete

Add segment →

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[Users](#)[Forms](#)[Packages](#)[Settings](#)[Engage](#)[Translation](#)**umbraco**  
engage[Close](#)

## Add new segment

### Segment

Create a segment that can be used to personalize the website. First give the segment a name and description. Then select one or more parameters that control which visitors will be added to the segment.

#### Title/name \*

#### Description \*

#### Segment type \*

☒ Core☐ Temporary

The advanced settings below can be changed if you want to override the default values. Please note that changing them may have serious impact on the effectiveness of your segment.

[Advanced settings](#) [Cancel](#)[Delete](#) [Add segment](#) [1. Choose a parameter](#)[2. Setup the parameter](#)☒ Include☐ Exclude

#### Time of day

##### From



##### Until

[Save parameter](#)

#### Applied parameters



## Add new segment

### Segment

Create a segment that can be used to personalize the website. First give the segment a name and description. Then select one or more parameters that control which visitors will be added to the segment.

#### Title/name \*

#### Description \*

#### Segment type \*

☒ Core☐ Temporary

The advanced settings below can be changed if you want to overrule the default values. Please note that changing them may have serious impact on the effectiveness of your segment.

#### Advanced settings

[Cancel](#)[Delete](#)[Add segment](#)

### 1. Choose a parameter

### 2. Setup the parameter

#### Select a parameter

IMPLICIT



Persona

IMPLICIT



Journey



Visited Page(s)



Browser



Device type



Time of day



Location



Number of sessions



Logged in



Registered



Clicked



Notified

#### Applied parameters

🕒 From 14:00 until 17:00 ☑



[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[A/B Testing](#)[Personalization](#)[Profiles](#)[Reporting](#)[Settings](#)[Applied Personalization](#)[Segments](#)[Referral Scoring](#)[Campaign Scoring](#)[Personas](#)[Journeys](#)[Insights](#)

## Segment builder

Make use of aggregated implicit and explicit data to setup and manage subsets of users (segments).

Segments can be used to recognize your visitors and personalize their digital experience.

Use core segments for long-term marketing strategy. The personalization of website content based upon the customer journey, for example.

Setup temporary segments for short-term strategy to be able to, for example, personalize the 'About us' page for visitors who have read that vacancy page with that key job opening which is hard to fill.

Filter

[All](#)[Temporary](#)[Core](#)[Last 30 days](#)[Add new segment +](#)

Temporary segments

### Temporary segments

| NAME AND DESCRIPTION | USED PARAMETERS | END DATE | APPLIED | PRIORITY |
|----------------------|-----------------|----------|---------|----------|
|----------------------|-----------------|----------|---------|----------|

No temporary segments found.



Core segments

### Core segments

| NAME AND DESCRIPTION | USED PARAMETERS | APPLIED | PRIORITY |
|----------------------|-----------------|---------|----------|
|----------------------|-----------------|---------|----------|

Daily Promotion  
Daily Promotion

From 14:00 until 17:00

0x





# Applied Personalisation

# Applied Personalisation

- Segments can be used to control when personalisation happens
- Any page on the site can have personalisation applied (with the right settings on doc types and properties)
- Any blank property on a variant with automatically fallback to the default
- No code changes required in views



[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

Content

Home



Content



API



Analytics



A/B tests



Personalization



Info

Actions ▾

Home



Recycle Bin

Personalized variants


Content scoring

Segment insights

Applied segments insights



Personalization



This node has no personalized variants yet.

Start personalizing your website by click "Add personalized variant"

Add personalized variant

Add personalized variant

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

## Content

### Home

- Features
- About
- Blog
- Contact
- Error
- XMLSitemap
- Search
- Authors
- Categories
- Login
- Recycle Bin

## Home

[Personalized variants](#)[Content scoring](#)[Segment ins](#)[Close](#) X[A/B tests](#)[Personalization](#)[Info](#)[Actions](#) ▾[Personalization](#)

### Add a new variant

Please select a segment for which you want to personalize the experience of this page. Give the personalized variant a descriptive name and a short description.

Select a segment \*

Daily Promotion - Core segment ▾

Description

Name \*

Home Page - Daily Promotion

[Add new variant](#)

This node has no personalized variants yet.

Start personalizing your website by click "Add personalized variant"

[Add personalized variant](#)[Add personalized variant](#)

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)

Content

Home

Default



Save & Preview



Content

Footer

SEO

Title

Enter the title for the page.  
If this is empty the name of  
the page will be used.

Clean Starter Kit

Subtitle

Enter a subtitle for this page

For Umbraco

Main Image

Choose the main image for  
this page



Content Rows

Add the rows of content for  
the page

Blog Articles

Add content

Home

Home

Personalized variant - Home Page - Daily Prom...



Edit variant



Save & Preview



Personalization

Content

Footer

SEO

Title

Enter the title for the page.  
If this is empty the name of  
the page will be used.

Subtitle

Enter a subtitle for this page

Main Image

Choose the main image for  
this page



Content Rows

Add the rows of content for  
the page



Rich Text: Join us between 16:00 and 17:00 for happy  
hour! ...



Blog Articles

Add content

To all variants



Save and preview

Save...

Save and publish...



Home



Features



About



Blog



Contact



Error



XMLSitemap



Search



Authors



Categories



Login



Recycle Bin

A photograph of a white Apple keyboard on a light-colored desk. To the left of the keyboard is a white spiral-bound notebook with a black pen resting on it. To the right is a dark-colored laptop. The background is a solid green color.

# Clean Starter Kit

For Umbraco

Join us between 16:00 and 17:00 for happy hour! #h5yr

## Join the Umbraco Community on Mastodon

*Posted by Paul Seal on October 03, 2023*

---

## Podcasts and Videos

From the Umbraco Community


*Posted by Paul Seal on October 03, 2023*





# Example Scenario

- Image that our website is has a promotion every day between certain hours
- We have been tasked with making the home page make a song and dance about this promotion
- But we only want this extra content to be present during the promotion and a few hours before the promotion starts




# Setup the Segmentation

- Given our scenario we need to setup a new segment
- This segment needs criteria to make it active during our desired times
- Apply this segment to our home page
- Create content for the promotion



# Example Scenario

- Our website has different classifications of users, let's say users that are wanting to learn and users wishing to engage in the community
- We have been asked to make the website feel more personal and tailored to each of these user types



# Setup the Personas and Segmentation

- Given our scenario we need to setup some personas
- We will use are none variant (default) content for our “learning” users
- This means me need a persona for the “Community Interest” users
- We need to setup scoring to move visitors into this persona
- Then as before setup a new segment and personalise pages on the site





# Debugging Engage



←!— master.cshtml →

<partial name="Umbraco.Engage/Cockpit" />



# Custom Segment Rules

# Custom segmentation rule

- There are very few moving parts to making your own rule.
- All that is needed is to have a:
  - Rule definition
  - Rule factory
  - Visual render
- Avert your eyes, there will be a bit of AngularJS







```
public class DayOfWeekSegmentRuleConfig
{
    public DayOfWeek DayOfWeek { get; set; }
}
```



```
public class DayOfWeekSegmentRule : BaseSegmentRule
{
    public DayOfWeekSegmentRuleConfig TypedConfig { get; }

    public override SegmentRuleValidationMode ValidationMode ⇒ SegmentRuleValidationMode.Once;

    public DayOfWeekSegmentRule(
        long id,
        long segmentId,
        string type,
        string config,
        bool isNegation,
        DateTime created,
        DateTime? updated,
        DayOfWeekSegmentRuleConfig typedConfig) : base(id, segmentId, type, config, isNegation, created, updated)
        ⇒ TypedConfig = typedConfig;

    public override bool IsSatisfied(IPersonalizationProfile context)
        ⇒ context.Pageview.Timestamp.DayOfWeek == TypedConfig.DayOfWeek;
}
```



```
public class DayOfWeekSegmentRuleFactory : ISegmentRuleFactory
{
    public string RuleType { get; } = "DayOfWeek";

    public ISegmentRule CreateRule(string config, bool isNegation, long id, long segmentId, DateTime created, DateTime? updated)
    {
        var typedConfig = JsonConvert.DeserializeObject<DayOfWeekSegmentRuleConfig>(config);

        return new DayOfWeekSegmentRule(id, segmentId, RuleType, config, isNegation, created, updated, typedConfig);
    }
}
```



```
public class DayOfWeekCockpitSegmentRuleFactory : ICockpitSegmentRuleFactory
{
    public bool TryCreate(ISegmentRule segmentRule, bool isSatisfied, out CockpitSegmentRule? cockpitSegmentRule)
    {
        cockpitSegmentRule = null;

        if (segmentRule is DayOfWeekSegmentRule dayOfWeekRule)
        {
            cockpitSegmentRule = new CockpitSegmentRule
            {
                Name = "Day of week",
                Icon = "data:image/png;base64, ... ",
                Config = dayOfWeekRule.TypedConfig.DayOfWeek.ToString(),
                IsNegation = segmentRule.IsNegation,
                IsSatisfied = isSatisfied,
                Type = segmentRule.Type,
            };

            return true;
        }

        return false;
    }
}
```



```
builder.Services.AddTransient<ISegmentRuleFactory, DayOfWeekSegmentRuleFactory>();  
builder.Services.AddTransient<ICockpitSegmentRuleFactory, DayOfWeekCockpitSegmentRuleFactory>();
```

```
angular.module("umbraco").run([
    "umsSegmentRuleRepository",
    function (ruleRepo) {
        var rule = {
            name: "Day of week",
            type: "DayOfWeek",
            iconUrl:
                "data:image/png;base64, ... ",
            order: 4,

            defaultConfig: {
                dayOfWeek: null,
            },

            data: {
                days: {
                    0: "Sunday",
                    1: "Monday",
                    2: "Tuesday",
                    3: "Wednesday",
                    4: "Thursday",
                    5: "Friday",
                    6: "Saturday",
                },
            },

            components: {
                display: "segment-rule-day-of-week-display",
                editor: "segment-rule-day-of-week-editor",
            },
        };

        ruleRepo.addRule(rule);
    },
]);
```



```
angular.module("umbraco").component("segmentRuleDayOfWeekEditor", {  
  templateUrl:  
    "/App_Plugins/day-of-week-rule/segment-rule-day-of-week-editor.html",  
  bindings: {  
    rule: "<",  
    config: "<",  
    save: "&",  
  },  
});
```



```
<ums-segment-rule-editor
  name="$ctrl.rule.name"
  type="$ctrl.rule.type"
  save="$ctrl.save()"
>
<div
  class="ums-flexgrid__container ums-flexgrid__container--sm ums-flexgrid__container--flexstart is-animated"
>
  <div class="ums-flexgrid__item ums-flexgrid__item--1-2">
    <select
      class="ums-form__select"
      ng-options="value as day for (value, day) in $ctrl.rule.data.days"
      ng-model="$ctrl.config.dayOfWeek"
    >
      <option value=""> Select -</option>
    </select>
  </div>
</div>
</ums-segment-rule-editor>
```






```
angular.module("umbraco").component("segmentRuleDayOfWeekDisplay", {  
  templateUrl:  
    "/App_Plugins/day-of-week-rule/segment-rule-day-of-week-display.html",  
  bindings: {  
    config: "<",  
    rule: "<",  
  },  
});
```



```
<span class="ums-segmentrule__wrapper ums-segmentrule__wrapper--thin">  
  <span  
    class="ums-segmentrule__rulecontent"  
    ng-bind="$ctrl.rule.data.days[$ctrl.config.dayOfWeek]"  
  ></span>  
</span>
```

[Content](#)[Media](#)[Engage](#)[Settings](#)[Packages](#)[Users](#)[Members](#)[Forms](#)[Translation](#)[Start](#)[Analytics](#)[Users](#)[Settings](#)[Packages](#)[Members](#)[Forms](#)[Translation](#)**umbraco**  
engage**Personalization**

Applied Personalization



## Segment builder

Make use of aggregated data to setup and manage segments. Segments can be used to personalize their digital experience.

Use core segments for the personalization of the customer journey, for example, for visitors who have a key job opening which is a new segment.

Setup temporary segments to be able to, for example, target visitors who have a key job opening which is a new segment.

## Add new segment

### Segment

Create a segment that can be used to personalize the website. First give the segment a name and description. Then select one or more parameters that control which visitors will be added to the segment.

**Title/name \*****Description \*****Segment type \***

Core

Temporary

The advanced settings below can be changed if you want to override the default values. Please note that changing them may have serious impact on the effectiveness of your segment.

**Advanced settings**

Cancel

Delete

[Close](#) **1. Choose a parameter****2. Setup the parameter**

Include

Exclude


**Day of week**

Sunday

[Delete parameter](#) [Save parameter](#) **Applied parameters**

Sunday

[Add segment](#)



# Umbraco Headless

# Our Headless Setup

- Fully functioning headless version of Clean Starter Kit
  - Next Js
    - Using statically generated pages
  - Umbraco
    - Content Delivery API
  - Strongly Typed Umbraco Models
    - Delivery Api Extensions
    - Orval generator using Fetch + Custom Client
  - On demand content generation
    - Umbraco Notifications Handlers
    - Next Js incremental static regeneration



# Install Headless Project

- Download code repo

```
git clone -b frontend https://github.com/whitter/umbraco-engage-workshop.git engage-workshop-frontend
```


- Setup .env.local in your root directory

```
NEXT_PUBLIC_UMBRACO_BASE_URL=http://localhost:23142  
UMBRACO_REVALIDATE_SECRET='SOMETHING_SECRET'  
UMBRACO_REVALIDATE_ACCESS_CONTROL_ORIGIN=""
```

- npm install
- npm run dev

# Next Js Primer

## App Router



# Next Js Primer

## Page Content

```
export default async function Page({ params }: { params: Promise<{ page: string[] }> }) {  
  
  const dictionaryItems = await getDictionaryItems();  
  const { page } = await params;  
  const pageContent = await getPage<ContentContentResponseModel>(`/${page.join('/')}/`);  
  
  return (  
    <>  
      {pageContent} && <PageHeader content={pageContent} />  
      <article>  
        <div className="container">  
          <div className="row">  
            <div className="col-lg-8 col-md-10 mx-auto">  
              {pageContent?.properties?.contentRows?.items?.map((item, index) => {  
                return GetComponent(dictionaryItems, item, index);  
              })}  
            </div>  
          </div>  
        </div>  
      </article>  
    </>  
  );  
}
```



# Next Js Primer

## Page MetaData

```
export async function generateMetadata({ params }: { params: Promise<{ page: string[] }> }) : Promise<Metadata> {  
  const { page } = await params;  
  const metaContent = await getPage<SEocontrolsContentResponseModel>(`/${page.join('/')}/`);  
  
  if (!metaContent) return notFound();  
  
  return getMeta(metaContent);  
}
```

# Next Js Primer

## Generate Static Params

```
export async function generateStaticParams() {  
  
  const pages = await getContentPages();  
  const allPaths = pages.map((page) => ({  
    |   page: page.route?.path?.split('/').filter((segment) => segment !== '') || [],  
  })))  
  
  return allPaths;  
}
```

# Next Js Primer

## Connecting to Umbraco

```
export async function getPage<T>(handle: string): Promise<T | undefined> {  
  
  const response = await getContentItemByPath20(handle, {}, {});  
  
  if(response.status === 200) {  
    |  
    const page : T = response.data as T;  
    return page;  
  
  }  
  else {  
    console.error("Error status", response.status);  
    console.error("Error fetching page content", response.data);  
  }  
}
```

# Testing Incremental Static Generation

- `npm run build`

```
✓ Finalizing page optimization
```

| Route (app)                           | Size    | First Load JS |
|---------------------------------------|---------|---------------|
| ○ /                                   | 1.16 kB | 426 kB        |
| ○ /_not-found                         | 147 B   | 101 kB        |
| ● / [...page]                         | 1.16 kB | 426 kB        |
| ├ /about                              |         |               |
| └ /features                           |         |               |
| f /api/revalidate                     | 147 B   | 101 kB        |
| ○ /authors                            | 315 B   | 109 kB        |
| ● /authors/[slug]                     | 1.16 kB | 426 kB        |
| ○ /blog                               | 1.16 kB | 426 kB        |
| ● /blog/[slug]                        | 1.16 kB | 426 kB        |
| ○ /contact                            | 1.11 kB | 113 kB        |
| ○ /robots.txt                         | 147 B   | 101 kB        |
| ○ /search                             | 20 kB   | 134 kB        |
| f /sitemap.xml                        | 147 B   | 101 kB        |
| + First Load JS shared by all         | 101 kB  |               |
| ├ chunks/4bd1b696-7514213894eafa96.js | 53.3 kB |               |
| ├ chunks/684-7053df2aeaba7132.js      | 45.8 kB |               |
| └ other shared chunks (total)         | 1.94 kB |               |

|             |                                                                      |
|-------------|----------------------------------------------------------------------|
| ○ (Static)  | prerendered as static content                                        |
| ● (SSG)     | prerendered as static HTML (uses <code>generateStaticParams</code> ) |
| f (Dynamic) | server-rendered on demand                                            |




# Umbraco Engage: Headless

# Umbraco Engage - Swagger Review


<http://localhost:8000/umbraco/swagger/index.html?urls.primaryName=Umbraco+Engage+API>

# Headless visitor tracking

## Initial Page View



## Subsequent Page View



# Add Engage Service Layer

- **Post page view**
- **Get Active Segment**
- **Get Segments**

<https://github.com/whitter/umbraco-engage-workshop/blob/frontend-with-segments/src/umbraco/engage.ts>



# Add Next Js Middleware

- Ignore for assets (.ico / media / css etc)
- Create server tracking request
- Get the active segment for user at path and for locale
- Set cookie with external visitor id
- Rewrite url to include segment

`/[segment-name]/about-us`

<https://github.com/whitter/umbraco-engage-workshop/blob/frontend-with-segments/src/middleware.ts>

# Add segments to Umbraco page fetch

- Add segment as an optional parameter
- Create Add the segment as a header (if it exists)

```
export async function getPage<T>(handle: string, segment?: string): Promise<T | undefined> {  
  
  let options : RequestInit = {};  
  if(segment && segment !== "default") {  
    options = {  
      headers: {  
        "Forced-Segment": segment,  
      }  
    };  
  }  
}
```

<https://github.com/whitter/umbraco-engage-workshop/blob/frontend-with-segments/src/umbraco/index.ts>

# Update pages

- Add new segment to dynamic route
  - Create a new folder called [segment]
  - Copy the /src/app/index.tsx to the new [segment] folder
  - Copy the /src/app/[...page] folder to the new [segment] folder
- Add the segments to the route params for both generateMetadata & default (index.tsx & /[...page]/index.tsx)

```
export default async function Home({ params }: { params: Promise<{ segment: string }> }) {
```

```
export async function generateMetadata({ params }: { params: Promise<{ segment: string }> }) : Promise<Metadata> {
```

index.tsx

```
export default async function Page({ params }: { params: Promise<{ segment: string, page: string[] }> }) {
```

```
export async function generateMetadata({ params }: { params: Promise<{ segment: string, page: string[] }> }) : Promise<Metadata> {
```

/[...page]/index.tsx)

# Update pages

- Update all references to `getPage` to pass the new segment

```
const homePage = await getPage<HomeContentResponseModel>('', segment);
```

```
const metaContent = await getPage<SEocontrolsContentResponseModel>('', segment);
```

index.tsx

```
const pageContent = await getPage<ContentContentResponseModel>(`/${page.join('/')}`, segment);
```

```
const metaContent = await getPage<SEocontrolsContentResponseModel>(`/${page.join('/')}`, segment);
```

/[...page]/index.tsx)

# Update pages

- Add generateStaticParams for index.tsx

```
export async function generateStaticParams() {  
  const allSegments: { segment: string; }[] = [];  
  
  const segmentResponse = await getSegments('');  
  
  segmentResponse.data?.segments?.forEach((segment) => {  
    allSegments.push({  
      segment: segment.umbracoSegmentAlias!,  
    });  
  });  
  
  allSegments.push({  
    segment: "default",  
  });  
  
  return allSegments;  
}
```

<https://github.com/whitter/umbraco-engage-workshop/blob/frontend-with-segments/src/app/%5Bsegment%5D/page.tsx>

# Update pages

- Update generateStaticParams for /[...page]/index.tsx)

```
export async function generateStaticParams() {  
  
  const pages = await getContentPages();  
  const allPaths = pages.map((page) => ({  
    | page: page.route?.path?.split('/').filter((segment) => segment !== '') || [],  
  }));  
  
  return allPaths;  
}
```

```
export async function generateStaticParams() {  
  
  const pages = await getContentPages();  
  const allPaths: { segment: string; slug: string[] }[] = [];  
  
  pages.map(async (page) => {  
    const segmentResponse = await getSegments(page.route?.path!);  
  
    segmentResponse.data?.segments?.forEach((segment) => {  
      allPaths.push({  
        | segment: segment.umbracoSegmentAlias!,  
        | slug: page.route!.path!.split("/"),  
      });  
    });  
  
    allPaths.push({  
      | segment: "default",  
      | slug: page.route!.path!.split("/"),  
    });  
  })  
  
  return allPaths;  
}
```

# Test incremental SSG still OK

- `npm run build`

Generating page optimizations

| Route (app)                           | Size                                                                 | First Load JS |
|---------------------------------------|----------------------------------------------------------------------|---------------|
| o /_not-found                         | 147 B                                                                | 101 kB        |
| ● /[segment]                          | 1.16 kB                                                              | 426 kB        |
| └ /default                            |                                                                      |               |
| ● /[segment]/[...page]                | 1.16 kB                                                              | 426 kB        |
| f /api/revalidate                     | 147 B                                                                | 101 kB        |
| o /authors                            | 315 B                                                                | 109 kB        |
| ● /authors/[slug]                     | 1.16 kB                                                              | 426 kB        |
| o /blog                               | 1.16 kB                                                              | 426 kB        |
| ● /blog/[slug]                        | 1.16 kB                                                              | 426 kB        |
| o /contact                            | 1.11 kB                                                              | 113 kB        |
| o /robots.txt                         | 147 B                                                                | 101 kB        |
| o /search                             | 20 kB                                                                | 134 kB        |
| f /sitemap.xml                        | 147 B                                                                | 101 kB        |
| + First Load JS shared by all         | 101 kB                                                               |               |
| └ chunks/4bd1b696-7514213894eafa96.js | 53.3 kB                                                              |               |
| └ chunks/684-7053df2aeaba7132.js      | 45.8 kB                                                              |               |
| └ other shared chunks (total)         | 1.94 kB                                                              |               |
| f Middleware                          | 32.8 kB                                                              |               |
| o (Static)                            | prerendered as static content                                        |               |
| ● (SSG)                               | prerendered as static HTML (uses <code>generateStaticParams</code> ) |               |
| f (Dynamic)                           | server-rendered on demand                                            |               |








## Appendix : Next Js Revalidation

# Next Js Revalidation



# Next Js Revalidation (Umbraco)

0 references

```
23 public async Task HandleAsync(ContentPublishedNotification notification, CancellationToken cancellationToken)
24 {
25     if (notification.PublishedEntities.Any(x => x.Level is 1 or 2 && !x.GetValue<bool>("hideFromTopNavigation")))
26     {
27         _logger.LogInformation("Navigation next js revalidation triggered");
28         await _revalidateService.ForNavigation();
29     }
30
31     foreach (var content in notification.PublishedEntities)
32     {
33         if(AllowedContentContentType.Any(x => x == content.ContentType.Alias))
34         {
35             if (_umbracoContextAccessor.TryGetUmbracoContext(out var umbracoContext) && umbracoContext != null && umbracoContext.Content != null)
36             {
37                 var publishedContent = umbracoContext.Content.GetById(content.Id);
38                 if(publishedContent != null)
39                 {
40                     var path = publishedContent.Url();
41                     _logger.LogInformation($"Web Content next js revalidation triggered for path {path}");
42                     await _revalidateService.ForContent(path);
43                 }
44             }
45         }
46     }
47 }
48 }
```

# Next Js Revalidation (Next Js Route)

```
const { contentPath, updateNavigation, updateLocalisation } = JSON.parse(text) as RevalidatePayload;

if(contentPath) {
  let url = removeLastSlash(contentPath)
  if(url === '') url = '/';
  revalidatePath(url);
  revalidateTag('navigation')
  console.log(`revalidated content path ${url}`)
}

if(updateNavigation) {
  revalidateTag('navigation')
  console.log(`revalidated layout navigation`)
}
```

# Next Js Revalidation (Next Js Fetch)

```
✓ export async function getNavigation(): Promise<VisibilityControlsContentResponseModel[]> {  
  
    const response = await getContent20({  
        fetch: "children:/",  
        sort: ["sortOrder:asc"]  
    }, {  
        next: {  
            tags: ['navigation'],  
        }  
    });  
}
```

# Update Umbraco Project

## Change App Setting

```
"NextJs": {  
  "Revalidate": {  
    "Enabled": true,  
    "WebHookUrls": "[\"http://localhost:3000/api/revalidate\"]",  
    "WebHookSecret": "SOMETHING_SECRET"  
  }  
}
```