BRAND GUIDELINES

Version 2.9 · 2 November 2026

Whity

A blank sheet, on the platform beneath it.



CONTENTS

Whity brand guidelines

	Introduction	3
01	Logo	7
02	Colour	15
03	Typography	19
04	Shape, space and depth	22
05	Iconography	26
06	Motion	28
07	Voice and content	30
08	Arabic and right-to-left	32
09	White-label and partners	35
10	Patterns	38
11	Products, names and plans	39
12	Engineering handoff (v2.9)	41
13	App map (v2.9)	47
14	Social and presentation	53
15	Agent UI	55
16	Documents	59
17	Components	62
18	Document editor	73
19	Plugin store	89
20	Home	96
21	Page patterns and people	100
22	Forms	108
23	Documents and routing	115
24	AI and agents	122
25	Workspace, billing and settings	130

INTRODUCTION

A blank sheet, on the platform beneath it

Whity is the platform a company's systems sit on: identity, permissions, documents, forms and apps, where AI agents can see and act across everything while a person approves what matters. It is open source at its core and white-label by design: the surface carries the customer's brand, the platform underneath is Whity's.

The whole identity repeats one picture: **a blank sheet, on the platform beneath it.** The white sheet is the customer's surface, the blue platform is Whity, and the offset between them is the idea. Interfaces say the same thing: quiet white sheets on a grey ground, one main action sitting on its plane, and agent work that stays a loose, dashed sheet until a person sets it down.

Version 2.9 (2 November 2026). The brand was rebuilt in nine stages, one decision at a time, and every decision is recorded in `00-decision-register.md`, the source of truth. This guideline, the tokens, the logo files, the components, the 13 document templates and the PDF are all drawn from it. 2.1 added the P2 components; 2.2 the design of the **document editor** (section 18) and the contract the Whity team builds it from; 2.3 the **plugin store** (section 19); 2.4 the **home** (section 20); 2.5 the **page patterns** and People screens (section 21); 2.6 **forms** (section 22); 2.7 **documents and routing** (section 23) and larger, plainer screens for people of every age; 2.8 **AI and agents** (section 24); 2.9 adds **workspace, billing and settings** (section 25), and with it every screen in the built app has a design. Versions 2.5 to 2.9 design every screen in the built app. Earlier versions are superseded.

Principles

- **Yours to brand.** A tenant's or partner's name and colour lead. Whity stays underneath, as the platform does in the mark.
- **Quiet and legible.** Pure greys, one main colour, Noto Sans at 15px, sized for people of every age. Nothing decorative competes with someone else's brand.
- **One thing on the plane.** The filled main button is the one action a view is for, and the only control that sits on the plane.
- **Easy at any age.** The people who run a company's systems are often over 50. Text is 15px and never below 13px, controls are 40px, common actions are labelled buttons, and screens speak in plain words; codes appear only on request (A.1–A.3).
- **Nothing happens unseen.** Every action is attributed, every agent is scoped, anything that matters waits for a person, and what can be undone shows Undo.
- **Open at the core.** Show how the platform works, in the blueprint style, to anyone who asks.

Using this system

- **Colour.** Tokens in Light and Dark (`tokens.json`). Whity Blue `#0961bb` is the main colour; greys have no chroma; status colours come as a fill, a text colour and a tint. Tenants change one colour and the rest is derived (Colour, White-label).
- **Type.** Noto Sans for the product at 15px (`text`), Noto Sans Arabic at the same size, Geist Mono for codes and IDs. Readex Pro 600 for brand headlines and document titles, never in the product's screens. No 700. Nothing below 11px.
- **Shape and space.** Controls 40px (32 small, 44 large) with corners ¼ of their height; cards 12px with a 1px border and no shadow; dialogs 16px; a 4px grid; 44px table rows; a 240px sidebar.
- **Depth.** The plane, a hard 3px offset down-left, sits under the main button, approved agent work and a hovered clickable card. Floating layers (menus, toasts, dialogs) get the soft `shadow-float`.
- **Focus.** A 2px ring in the main colour, offset 2px.
- **Icons.** Tabler outline, 116 curated names (`Icon`), 16px beside text. Agents are the robot face.
- **Components.** `components/bundle.js` (`window.Whity`, React 18), styled by `bundle.css`, typed in `index.d.ts`. Section 17 lists them by group; each has a card with a live preview.
- **Document editor.** Section 18 and the Document editor cards: a Notion-, Gutenberg- and Google Docs–inspired editor, designed here and built by the Whity team from `handoff/editor/`.
- **Plugin store.** Section 19 and the Plugin store cards: the store, a plugin's page, the install dialog and the Installed tab (A41).
- **Home.** Section 20 and the Home cards: one page per person, led by what waits for them.
- **Page patterns.** Section 21: list pages, record pages, states and confirming, and the People screens.
- **Forms.** Section 22: the builder, filling in, the public form and responses.
- **Documents and routing.** Section 23: the library, a document's page and its routing, templates, and the flow editor.
- **AI and agents.** Section 24: agents and their presets, an agent's page, connected AI apps, and what AI can do.
- **Workspace and settings.** Section 25: Settings, your account, billing, the audit log, and the operators' Platform pages.

- **Documents.** `Doc` and `DocPages` lay out printed pages for Whity Render. Section 16 and the 15 document cards.
- **Handoff.** Web CSS variables, TypeScript tokens, a Tailwind v4 theme, the Flutter brand extension, icons and logos in `handoff/` (section 12).


Never

- Write the name in anything but Latin letters, or translate or transliterate it. There is no Arabic name or logo.
- Rotate, mirror, stretch or recolour the mark, change its offset, or put the colour version on Whity Blue.
- Put the plane on something that has not happened, or on more than one action in a view.
- Use glowing brains, sparkles, robot illustrations or blue-purple gradients for AI. An agent is the robot-face icon on the tint, and is shown by what it does.
- Use the blueprint style for pricing, policy, marketing claims or a tenant's own pages.
- Set text below 13px, in a light weight or in 700, or in all caps outside short mono labels.
- Show a real company's or person's name in a mockup without permission: use clearly fictional names (Example Bakery) or placeholders such as [Tenant name].

SECTION 01

Logo

The mark is **a blank sheet on the platform beneath it**: a white sheet (the customer's surface) resting on a blue platform (Whity), offset up and to the right. The wordmark is "Whity" in Readex Pro 600, capital W, always in Latin letters.



The mark on its 12-module grid: side 8, offset 3, radius 2, edge 1

THE MARK

8 : 3 : 2 : 1

Side · offset · radius · edge, in modules (m). One module is the width of the blue edge: 2px when the mark is 24px.

Planes	8 m square
Offset	3 m up and right (0.375 of the side)
Radius	2 m outside, 1 m inside, concentric
Edge	1 m, the same at every angle
Canvas	12 m, 0.5 m padding, live area 11 m

Every corner is ¼ of what it ends. Every gap is 3 m.

The mark

Everything is measured in one module, **m**: the width of the blue edge (2px when the mark is 24px, the same as the Tabler icon stroke).


	Value
Planes	Both 8 m square
Offset	The sheet sits 3 m up and 3 m right of the platform (0.375 of the side)
Radius	2 m outside, 1 m inside, concentric circular arcs, so the edge is exactly 1 m at every angle
Canvas	12 m square, 0.5 m padding, live area 11 m

Three rules hold the whole identity together:

- **Every corner is ¼ of what it ends**: the planes (2 m on 8 m), the dot on the i, the letter stems, and in the interface a control's corner is ¼ of its height.
- **Every gap is 3 m**: the offset, the gap between mark and word, and the clear space.
- **Every height in the lockup is a mark measure.**

Small sizes

PIXEL-FITTED CUTS



16 px cut

`side 11 · offset 4 · edge 2 · radius 3 px`

20 px cut

`side 14 · offset 5 · edge 2 · radius 3.5 px`

24 px and up (master, m = 2 px)

`side 16 · offset 6 · edge 2 · radius 4 px`

Below 24px the mark switches to cuts drawn on whole pixels, so the edge stays 2px sharp. Each is shown on its pixel grid, then at 1×, 2× and 4×. `Mark` picks the cut from the size.

Pixel-fitted cuts for 16 and 20 pixels and the master from 24 pixels

Cut	Side · offset · edge · radius (px)	Use
16 px	11 · 4 · 2 · 3	Favicons, browser tabs, the Built on Whity badge
20 px	14 · 5 · 2 · 3.5	Touch navigation, small app chrome
Master	8 m · 3 m · 1 m · 2 m (m = 2px at 24px)	24px and up, all print

`Mark` and `Lockup` choose the cut from the size. In files: `whity-mark-16-*.svg`, `whity-mark-20-*.svg` and `whity-mark-*.svg`.

The lockup





Stacked: mark centred, 3 m above the word

The word is Readex Pro 600 at −1% tracking, outlined, with a rounded-square dot and outside corners rounded to ¼ of the stem. Its cap height is the plane's side (8 m); it starts 3 m after the sheet. Every height in the lockup is a mark measure. The lockup is the same in every language and stays left to right in Arabic.

The horizontal lockup with its cap line, baseline and 3-module gap, and the stacked lockup

- The word's cap height is the plane's side (8 m) and its x-height 6 m. The cap line is the platform's top edge and the baseline its bottom edge.
- The word starts 3 m after the sheet's right edge.
- The wordmark is Readex Pro 600, tracked −1%, outlined. The dot on the i is a rounded square as wide as the stem with corners ¼ of its side; outside corners of the letters are rounded to ¼ of the stem; inside corners stay sharp. It exists only as outlines: never set "Whity" in live type next to the mark.
- **Horizontal** is the default. **Stacked** (mark centred 3 m above the word) is for square spaces. **The mark alone** once the name is already on screen.

- The lockup is the same in every language. In Arabic layouts it stays left to right, with the mark on the left.

Clear space and minimum size



Clear space of 3 modules around the live area, and the minimum sizes

- Keep **3 m** clear around the live area.
- Minimum sizes: the horizontal lockup 20px tall on screen (word cap height 13.3px) and 6 mm in print; the stacked lockup 48px tall; the mark alone 16px.

Colourways

FIVE COLOURWAYS



colour
On white and the paper ground

reversed
On dark grounds

onbrand
On Whity Blue only

ink
One colour, window knocked out

white
One colour on dark


Exactly five. On dark the platform and edge are #59a0f9, the window white, the word #f2f3f5. The one-colour versions knock the window out. Each file has fixed colours: pick the file for the ground.

The five colourways on their grounds

File suffix	Platform and edge	Window	Word	Ground
`colour`	Whity Blue `#0961bb`	white	Ink `#0a0a0a`	White, the grey page, light photos
`reversed`	`#59a0f9`	white	`#f2f3f5`	Dark grounds, dark photos
`onbrand`	white	Whity Blue	white	Whity Blue only: the app icon, the blueprint
`ink`	one colour, window knocked out		ink	One-colour print, stamps, embossing
`white`	one colour, window knocked out		white	One colour on dark: etching, signage

Exactly five. Each file has fixed colours (an `<img>` can't follow the theme): pick the file for the ground. In code, `Mark` and `Lockup` with `tone="auto"` follow the theme.

App icon and favicons



The tile is 18 m with the mark's live area at 61% of it (3.5 m margin): the onbrand mark on Whity Blue. Never add your own corner rounding, border or shadow to the square file.

The app icon, the rounded preview and the favicons at 32, 20 and 16 pixels

- **App icon**: a Whity Blue tile of 18 m with the `onbrand` mark whose live area is 61% of the tile (3.5 m margin). The same tile is the PWA icon, the social avatar and large favicons. Ship the square (`app-icon-1024.png`); platforms apply their own corner mask. Never add rounding, a border or a shadow.
- **Favicon**: `favicon.svg` uses the 16px cut and switches to the dark colours in a dark browser theme; `favicon.ico` carries 16, 32 and 48px.

Don't



Eight misuses of the mark


- Don't rotate, stretch, mirror or recolour the mark, or change the offset. The mark never mirrors, even in Arabic.
- Don't put the colour version on Whity Blue (use `onbrand`) or on a busy photo without a sheet behind it.
- No gradients, glows, shadows or outlines.
- Don't redraw the wordmark, set it in another font or in lowercase, or translate the name.

Files: the Logos asset group (SVG and the 1024px app icon) and `handoff/logos/` (every colourway and cut, PNG exports, `favicon.svg`, `favicon.ico`, the Built on Whity badges).

SECTION 02

Colour

One blue and a set of pure greys. Whity Blue is the platform; every grey has zero chroma, so a tenant's own colour never fights a tint it did not choose.



The palette: brand blues, greys, status colours, chart series and a derived tenant colour

Brand and ground

Name	Token	Light	Dark	Role
Whity Blue	`primary`, `brand`, `ring`, `chart-1`	`#0961bb` · oklch(0.5 0.16 255)	`#59a0f9` · oklch(0.70 0.15 255)	The mark, the main action, links, focus, selected state. White text on it is 6.1:1; on dark, buttons take a dark label
Plane deep	`plane-deep`	oklch(0.3 0.1 255)	oklch(0.42 0.13 255)	The plane under the main button. Decorative only
Page	`background`	`#eeeeee`	`#0a0a0a`	The ground under every card
Card	`card`, `popover`	`#ffffff`	`#171717`	Cards, panels, menus, documents
Ink	`foreground`	`#0a0a0a`	`#fafafa`	Text
Secondary text	`muted-foreground`	`#696969` · oklch(0.52)	`#a1a1a1`	Descriptions, hints, metadata
Control border	`input`	`#929292` · oklch(0.66)	`#696969` · oklch(0.52)	Inputs, outline buttons, checkboxes: 3:1 against the card
Border, divider	`border`, `divider`	`#e5e5e5`, `#ececec`	white at 10% and 7%	Card edges and lines inside cards; decorative, so they stay light
Table header	`table-header`	`#f7f7f7`	oklch(0.23)	The header row of a table
Tint	`primary-tint`	`#ebf3fc`	`#182e4b`	The selected state (7.3), with `primary-tint-foreground` text

Status

Each status is three tokens: a **fill** (with its own label colour), a **text** colour that reads on cards and on the page, and a **tint** for badges and alert grounds. Error and destructive are one colour. Info is neutral grey: blue is kept for action and the brand.

Status	Fill · label	Text	Tint	Dark: fill · tint
Success	`#0a7e3a` · white	`#087736`	`#e0fae4`	`#5ac576` · `#14361d`
Warning	`#f2b036` · `#1a1206`	`#9a5505`	`#fef4df`	`#f7b83d` · `#432f07`
Error	`#cc2827` · white	`#c2181d`	`#fceeec`	`#f66d67` · `#4f1a18`
Info	`#555555` · white	`#555555`	`#f0f0f0`	`#aeaeae` · `#262626`

Status colours mean status only, always with a word or an icon, never as brand colours and never in marketing.

Charts

	1	2	3	4	5	6
Light	main `#0961bb`	amber `#f7a224`	sky `#91dbf2`	plum `#9d2398`	green `#35aa76`	graphite `#3a3a3a`
Dark	main `#59a0f9`	`#f7a224`	`#91dbf2`	`#d25bcb`	`#53c48e`	`#858585`

- Series 1 is always the tenant's main colour. Neighbouring series differ by at least 0.08 in OKLab under deuteranopia and protanopia, checked in both modes (the dark graphite moved to `#858585` in 2.1 to pass beside green). Graphite is also the "Other" slice.
- Every chart has a legend for two or more series, labels one value, and offers "Show as table", so nothing depends on colour alone (section 17).
- Ordered data (sequential) uses lightness steps of the main colour, not the categorical set.
- On paper, charts are grey with the one bar that matters in ink (section 16).

Tenant colour

One colour goes in; the rest is derived from its hue (decision 2.8): on dark at lightness 0.70 (chroma up to 0.15), the plane at 0.30 (up to 0.10), the tint at 0.96 (up to 0.03). Each can be overridden. The label on the colour is white or near-black, whichever passes 4.5:1; if neither does, the colour is darkened and the admin sees what changed. The demo tenant, Example Bakery, is burnt orange `#b74c05` (white label 5.2:1) with `#e97c47` on dark, `#4f1c00` plane and `#feeee7` tint.

Contrast (WCAG 2.2)

Pair	Light	Dark
Ink on page	17.1	19.0
Ink on card	19.8	17.2
Main colour on card (links)	6.1	6.7
Label on main colour	6.1	6.7
Secondary text on card · on page	5.5 · 4.7	6.9 · 7.7
Control border on card (non-text, 3:1)	3.1	3.3
Selected tint text on tint	5.5	6.8
Status text on card · on page · on its tint	5.7–7.5 · 4.9–6.4 · 5.1–6.5	6.2–10.1 on card
Warning label on warning fill	9.7	

Every text pair passes 4.5:1 in both themes; every control border and focus ring passes 3:1.

Print

Match Whity Blue from a physical proof with your printer; screen values do not convert reliably to CMYK. For one colour, use the `ink` logo files. Documents keep the tenant colour on the title only (section 16).

SECTION 03

Typography

Clean and legible first. Four open-source families (SIL Open Font License 1.1), each with one job.

TYPE

Brand: Readex Pro 600, steps of 1.25 from 16px. Site, slides, document titles, social.

49 **Agents propose.**

39 **Your team decides.**

31 **Built on Whity**

25 **Invoices that file themselves**

20 **Approve, then it happens**

Product: Noto Sans, 15px default, 13px the floor, 400 · 500 · 600, no 700

24/600 **Invoices**

20/600 **Waiting for your approval**

18/600 **Send 3 payment reminders**

16/400 Every invoice is sent to JoFotara when you issue it.

15/400 Billing assistant wants to send 3 payment reminders.

15/500 Issue invoice

13/400 Last edited 14:02 by Billing assistant

13/500 Floor: nothing smaller

Arabic: Noto Sans Arabic at the same size, line height 1.7

يريد مساعد الفوترة إرسال 3 تذكيرات بالدفع. القيمة JOD 244.500

Codes, IDs, keys: Geist Mono

`INV-1042 · invoice:remind · C-0031`

The brand headline scale in Readex Pro and the product scale in Noto Sans, with Arabic and mono samples

Family	Job
Readex Pro 600	Brand headlines: the website, slides, social posts and document titles. Never in the product's own screens. The wordmark is drawn from it.
Noto Sans 400 · 500 · 600	Everything people read in the product: titles, body, tables, buttons, forms.
Noto Sans Arabic 400 · 500 · 600	Arabic interface text, at the same size as Latin. A first-class face, never a fallback.
Geist Mono 400 · 500	Codes, IDs, permission keys (`invoice:remind`), tool names, short uppercase labels.

Product scale (Noto Sans)

Style	Size / line height	Weight	Use
`title-page`	24 / 1.25	600	Page title (`PageHeader`), one per page
`title-section`	20 / 1.25	600	Section titles
`title-card`	18 / 1.25	600	Card, dialog, drawer and proposal titles
`stat`	24 / 1.2	600	Key numbers, tabular figures
`text-lg`	16 / 1.5	400	Reading pages, emails, onboarding
`text`	**15 / 1.5**	400	The default: body, table cells, inputs (A.1)
`label`	15 / 1.25	500	Labels, buttons, tabs, table headers
`caption`	13 / 1.5	400	Hints, metadata, timestamps: the floor
`micro`	13 / 1.25	500	Counters and badges (same size as caption since A.1)

Brand scale (Readex Pro 600)

Steps of 1.25 from a 16px body: **49 · 39 · 31 · 25 · 20 · 16**. Line height 1.1 for the large sizes and 1.25 for the small; tracking −2% at 39 and 49, −1% at 20, 25 and 31. Arabic document titles use Readex Pro's Arabic design (E.35). Body text beside a brand headline stays Noto Sans. Documents use the title at 22 pt.

Arabic

- Set at **100%** of the Latin size (decision 3.7a), in Noto Sans Arabic, with a taller line: **1.7** for body text and 1.5 for labels and titles.
- No letter spacing and no uppercase styles.
- **Western digits 0–9** in every language, for money, dates, codes and data, so amounts read the same in both.
- The name stays "Whity" in Latin letters inside Arabic text, isolated with `<bdi>` (Flutter: an LTR `TextSpan`).

Rules


- **No 700** in the product, and nothing below 400. Hierarchy comes from size and 500–600.
- **Nothing below 13px** (A.1). Management screens are used mostly by people over 50, so product text is 15px and captions 13px. Printed documents and the editor sheet keep their own scales.
- **Letter spacing is 0**, except brand headlines (−1% to −2%) and short uppercase mono labels (+6%).
- **Sentence case** everywhere; uppercase only for short mono labels.
- **Tabular figures** for numbers in tables, money and times (`font-variant-numeric: tabular-nums`; Flutter `FontFeature.tabularFigures()`).
- **Line length**: reading text at most 68 characters per line; forms at most 720px wide.
- **One page title** per page, and no more than three sizes in one component.
- Never set the wordmark in live type: use `Lockup` or the logo files.

Files: `fonts/` (Noto Sans, Noto Sans Arabic, Geist Mono and Readex Pro 600, woff2) and `handoff/flutter/pubspec_fonts.yaml`.

SECTION 04

Shape, space and depth

Every screen is white sheets on a grey ground: `card` surfaces on `background`, separated by space and a light border rather than shadows. The mark's two numbers run through it: the ¼ corner and the 3px plane.



The ¼ rule from the mark: a control's corner is ¼ of its height. The plane, the mark's offset, sits only under the main button, approved agent work and a hovered clickable card. It never mirrors.

Control heights and corners, the card, the plane under the main button, the focus ring and a floating menu

Density

	Value
Controls	40px (`control-h`); small 32px for toolbars and tables; large 44px (A.1)
Table rows	48px (`row-h`)
Grid	4px steps: `space-1` 4 · `space-2` 8 · `space-3` 12 · `space-4` 16 · `space-6` 24 · `space-8` 32
Gaps	16px between groups, 24px between page sections
Touch targets	At least 44 × 44px in the tenant apps on phones

Shape: the ¼ rule

A control's corner is ¼ of its height, as the mark's corner is ¼ of its side.

Token	Radius	For
`radius-control-sm`	8	32px buttons, menu items (`radius-md`)
`radius-control`	10	40px buttons, inputs, selects
`radius-control-lg`	10	40px buttons, popovers, menus, toasts (`radius-lg`)
`radius-card`	12	Cards, alerts, tables, proposals (`radius-xl`)
`radius-dialog`	16	Dialogs (`radius-2xl`)
`radius-sm`	4	Checkboxes, inline code, keyboard hints
`radius-full`		Badges, chips, switches, avatars

Layout

	Value
App shell	Sidebar 240px (`sidebar-w`). Below 1024px it becomes a 56px rail of icons with tooltips; below 768px a drawer opened from the top bar (`AppShell`)
Breakpoints	640 · 768 · 1024 · 1280 · 1536 (Tailwind's)
Page width	Reading pages (forms, settings) at most 1280px (`content-max`), centred; tables and boards may use the full width
Gutters	24px on desktop, 16px on phones (`gutter`); cards pad 16–20px; 12 columns with 24px gaps
Reading width	Forms at most 720px (`form-max`); text at most 68 characters per line
Drawer	480px from the end edge; full screen below 768px

Surfaces and lines

- **Cards**: `card` with a 1px `border` (#e5e5e5), no shadow.
- **Dividers**: 1px `divider` (#ececec) inside cards; 1px `border` between page regions.
- **Tables**: horizontal lines only, no zebra stripes and no vertical lines; the header row is `table-header` ; numbers end-aligned in tabular figures.
- **Focus**: a 2px ring in the main colour, offset 2px, on every interactive element.

Depth: the plane

The mark's offset becomes a hard shadow, down-left, never blurred. It is used in exactly three places:

1. **The main button**: `plane-primary-rest` (3px, in `plane-deep`), growing to `plane-primary-hover` (5px) on hover as the button lifts 1px.
2. **Approved agent work**: an approved proposal is set down on `plane-rest`.
3. **A hovered clickable card**: `plane-hover`; informational cards never move.

The plane **never mirrors**: it sits down-left in every language, like the mark. Floating layers (menus, popovers, toasts, dialogs, drawers) use the soft two-layer `shadow-float` instead, over the `overlay` scrim where they are modal. The plane is never used for floating layers.

Dashed means "not yet"


A dashed edge marks something that has not happened or is not set down: a waiting agent proposal, an undone action, an empty slot to fill. Never use dashed lines as decoration.

Imagery


- Show real screens on sheets: an approval, a document, a dashboard, with realistic example data in JOD.
- Photography, when used: real work in real offices and shops, natural light, no posed handshakes or stock robots.

IN USE

The admin dashboard, light and dark



Admin dashboard



Admin dashboard

SECTION 05

Iconography

Tabler outline icons (MIT), the set the product already uses through `@tabler/icons-react`: a 24px grid, round caps and joins, drawn in `currentColor`. This system curates 116 of them under Whity's own names, so screens and docs use the same word for the same thing.

Size and weight

Size	Stroke	Where
16px	2.25 (renders 1.5px)	The default, beside 15px text: buttons, navigation, table rows, menus
20px	2	Touch navigation, cards
24px	2	Page headers, empty states
12–14px	2.25	Inside badges, chips and metadata

The 16px stroke is thicker on purpose: it renders at the same optical weight as 20 and 24px (decision 5.2). `Icon` sets it from the size.

Names

Whity's words map to one icon each: `tenant` (building), `role` (shield-lock), `permission` (key), `delegation` (user-share), `ai-principal` and `robot` (robot face), `approval` (rubber stamp), `scope` (lock-access), `routing` (route), `inbox`, `plugin` (puzzle), `tool` (MCP tools), `audit` (history), `invoice`, `quote`, `receipt`, `money`. The document editor adds 28 (2.2): `bold`, `italic`, `underline`, `strike`, `code`, `highlight`, `heading-1` to `heading-3`, `list-bullet`, `list-numbered`, `list-todo`, `blockquote`, `table`, `image`, `columns`, `divider`, `page-break`, `field` (braces), `comment`, `comment-add`, `drag` (grip), `redo`, `text`, `outline`, `suggest`, `page` and `continuous`. The full list, with each Tabler name, is in `handoff/icons/icons.json` and on the Icon card.

Agents

An agent is always Tabler's **robot face**, in the main colour on the tint (decision 5.1), in its avatar, actor chip and the AI principals screen. Never sparkles, brains, glowing effects or illustrated robots.

Direction

`chevron-left`, `chevron-right`, `arrow-right`, `send`, `undo`, `external` and `logout` mirror in right-to-left layouts; `Icon` does this by itself (`mirror: false` stops it). The mark never mirrors.

Rules

- An icon beside a word repeats it; an icon alone needs a label (`IconButton` takes `label`, which is also its tooltip).
- Don't mix in other libraries. A missing icon comes from Tabler's outline set first; anything drawn new follows the same grid, stroke and corners.
- Icons are never coloured for decoration: they take the text colour, or a status colour when they show a status.

Files: `handoff/icons/ink/*.svg` (for light grounds), `handoff/icons/paper/*.svg` (for dark grounds), `icons.json`, and Tabler's licence.

SECTION 06

Motion

Short, calm and only where it explains a change. Everything settles on one curve, without bounce.

Token	Duration	Use
`dur-fast`	120 ms	Hover, press, focus, the button lift
`dur-base`	180 ms	State changes: switches, tabs, selection, the bulk bar rising
`dur-slow`	250 ms	Things entering: dialogs, drawers, the mobile sidebar
`ease-out`	cubic-bezier(0.2, 0, 0, 1)	Every transition

The signature moment: set down

When a person approves an agent's proposal, the loose sheet is set down on the platform: the dashed edge turns solid in the main colour and the plane slides in underneath, **200 ms**, once (decision 5.4). Undo plays it backwards and the card turns dashed again. File: `approve-set-down.mp4` in Motion; keyframes in `handoff/motion/approve-set-down.json`.

Timed things

- **Toast with Undo**: 10 seconds, a thin bar runs down along its foot and pauses while the pointer or focus is on it.
- **Undo window**: after the toast, the activity item keeps Undo with a meter for the tool's window (for example 30 minutes for email).
- **Tooltips** appear after 500 ms on hover and at once on keyboard focus.

Rules

- The main button lifts 1px up-right on hover as its plane grows from 3 to 5px, and presses back down when clicked. That is the only movement on buttons.
- Clickable cards lift onto the plane; informational cards never move.
- Floating layers fade and move 4–8px into place; drawers slide from the end edge (from the left in Arabic).
- Show `Skeleton` rows for loads over 300 ms instead of a spinner.
- The mark never animates in the product. On a splash screen it may set the sheet down once (200 ms).
- **Reduced motion** shows the end state only: no movement, toasts without the running bar, skeletons hold still.

SECTION 07

Voice and content

Whity sounds like a senior engineer explaining a system to a business owner: plain, exact, calm, and on the owner's side. Whity's own brand speaks English; the product is written in English and Arabic.

English

- **Plain and direct.** Write to "you", use active verbs, and say what happens. "We" only on the website and in docs, never in the product.
- **Buttons name the action**: "Issue invoice", "Approve", "Revoke credential", "Undo". Never "Submit", "OK", "Confirm" or "Proceed".
- **Short and specific.** A fact beats a promise: "Last used today, 14:02", "12 overdue · JOD 4,860".
- **Sentence case** everywhere. No exclamation marks. No emoji in product or partner material.
- **Numbers**: Western digits, JOD with 3 decimals (JOD 301.600), dates as 27 Oct 2026 (27/10/2026 where space is short), 24-hour times.

Arabic interface

Simple Modern Standard Arabic in short sentences, written and reviewed by a native speaker before it ships; never unreviewed machine translation. The Arabic in the templates is working copy for that review.

Agents

- **Describe the action, not the agent**: the agent named by role, then who it acts for, then what it did or proposes. "Billing assistant for Rana · Sent 12 payment reminders."
- **Names by role**: Billing assistant, HR assistant, Front desk. No human first names, no "Whity AI".
- **No "I", no feelings, no apologies.** A proposal title is an imperative with a count: "Send payment reminders to 12 customers".
- **Documents an agent sent say so** in their footer, with the person it acted for.

Errors

Say what happened and what to do. No apology, no blame, one next step. Technical detail and a copyable reference go behind "Details".

Instead of	Write
Error 403	You don't have permission to edit roles. Ask an owner.
Something went wrong. Please try again later.	Invoices didn't load: the connection timed out. Try again.
Success! Your changes have been saved.	Branding saved. Your team sees it on their next page load.
Our AI agent is working its magic…	Billing assistant is reading 48 open invoices.
Are you sure?	Delete Example Bakery? This deletes the workspace for everyone in it.

Words

Use	Avoid
agent, assistant (named by role)	AI employee, copilot, bot, magic
approve, ask first, allowed, scope	autonomous, hands-free, set and forget
platform, workspace, app	suite, solution, ecosystem, synergy
a button that names the action, such as "Issue invoice"	Submit, OK, Confirm, Proceed
Built on Whity	Powered by AI, AI-first
your brand, your system (to end users)	white-label (fine with partners)

The name

"Whity", one word, capital W, in Latin letters in every language. Products are Whity plus one noun: Whity Core, Whity SDK, Whity Render, Whity ID, Whity Front Office. Third-party plugins name the job first: "Invoicing for Whity". In mockups, use clearly fictional names (Example Bakery) or placeholders ([Tenant name], [price]).

SECTION 08

Arabic and right-to-left

Whity has **no Arabic name, logo, tagline or brand copy**. The product ships a full Arabic interface, and documents can lead in Arabic, because the platform is built for companies in the Arab world.

Layout

- Set `dir="rtl"` and `lang="ar"` on the page. Components use logical properties, so the shell, rows, menus, drawers, breadcrumbs and tabs mirror on their own. The drawer and the mobile sidebar slide in from the right.
- Direction icons mirror (chevrons, `arrow-right`, `send`, `undo`, `external`, `logout`). **The mark, the lockup and the plane never mirror**: the lockup stays left to right with the mark on the left, and the plane always sits down-left.
- Numbers, money inputs, one-time codes, IBANs and codes stay left to right inside Arabic lines, isolated with `<bdi>` or Unicode isolates.

Type

- **Noto Sans Arabic at the same size as Latin** (100%), line height 1.7 for body and 1.5 for labels and titles; no letter spacing, no uppercase.
- **Document titles in Readex Pro's Arabic design** (E.35), as Latin titles are; product screens stay in Noto Sans Arabic.
- **Western digits 0–9** everywhere. Inputs accept Arabic-Indic digits and the Arabic decimal mark as typed and store Western digits.
- The name stays "Whity" in Latin letters, isolated with `<bdi>`. Never a transliteration.

Dates and calendars

- Levantine month names in Arabic: كانون الثاني، شباط، آذار، نيسان، أيار، حزيران، تموز، آب، أيلول، تشرين الأول، تشرين الثاني، كانون الأول. Dates read "27 تشرين الأول 2026".
- Calendars start on Saturday and grey Friday and Saturday as the weekend; working days run Sunday to Thursday. Both can be changed per tenant.

Documents


Either language can lead, chosen per customer: Arabic content with small English labels (the layout mirrors), or English with small Arabic labels. Amounts are written in words in both languages; the Arabic follows accounting usage (tafqeet) and must be reviewed by an Arabic-speaking accountant before shipping. See section 16.

Words and review

- Each language is named in its own script: "English", "العربية".
- Interface strings are written by a native speaker in clear Modern Standard Arabic, in short sentences, and reviewed before shipping. Every component takes `labels` for its Arabic strings.
- whity-core's catalogues (`database/i18n/ar/`) hold the shipped strings.

IN USE

Arabic, right to left



Approvals in Arabic



Tax invoice, Arabic first

SECTION 09

White-label and partners

A partner sells its own product; Whity stays underneath. The tenant's brand leads every screen, email and document its people and customers see, and Whity appears only where the partner chooses to say so, as a fact.

What a tenant or partner changes

- **Name, logo, favicon and domain**, per tenant (`admin/settings/branding`, template `TplAdminBranding`). The logo slot (`TenantLogo`) takes an upload or falls back to initials on the main colour.
- **One main colour.** The rest is derived from its hue (decision 2.8): the colour on dark (L 0.70), the plane (L 0.30) and the tint (L 0.96). The label on it is white or near-black, whichever passes 4.5:1; if neither does, the colour is darkened and the admin sees what changed. Each derived value can be overridden.
- The tokens a tenant theme sets: `primary`, `brand`, `ring`, `chart-1`, `primary-tint`, `primary-tint-foreground`, `sidebar-primary`, `sidebar-primary-foreground`, the four plane shadows and `doc-accent` (the colour on printed titles, the same in light and dark), plus `primary-foreground` (white or near-black, whichever reaches 4.5:1). `Whity.tenantTheme(colour, 'light' | 'dark')` returns all of them from one colour; `.wy-theme-partner` in `bundle.css` is the same set written out for the demo tenant (burnt orange `#b74c05`).
- **Sign-in, emails and documents** carry the tenant's logo and name (`TplAuthSignIn`, the document templates).

What stays

- Greys, status colours, type, shape, layout and components.
- The plane rules, approvals, scopes and attribution for agents. A partner can't remove them: they protect the partner's own customers.

Built on Whity

- The `BuiltOnWhity` component or `built-on-whity-light.svg` / `-dark.svg`: the 16px mark and "Built on Whity", linking to whity.dev.
- Optional for partners. When used: in the footer, the About screen or the sidebar foot; never in a header, never larger than the partner's logo, never in the partner's colour.

Co-branding (Whity beside a partner)


- The host leads in reading order. Separate the logos with a 1px `border` line as tall as the mark, with 3 m of space on each side.
- The partner's logo is no taller than the Whity mark and no wider than the Whity lockup.
- Never redraw or recolour a partner's logo, and never build a combined lockup.

Trademark (from TRADEMARK.md)


Allowed without asking	Needs written permission	Never
"Built on Whity", "compatible with Whity", "Whity hosting"	Naming a product, company or domain "Whity" or something close	Registering "Whity" or a similar mark or domain
The Built on Whity badge	Using the Whity logo as your own branding	Suggesting Whity endorses you when it doesn't
Plugins named for their job: "Invoicing for Whity"	Shipping modified Whity Core still called "Whity"	Presenting a white-labelled product as "Whity"
Tutorials, reviews, talks, critical or not	"Official partner", "Whity certified", "Whity Enterprise"	Naming Whity as the source of your warranty or support

IN USE

A partner’s brand on the same platform



Invoices in a partner’s brand



Branding settings with live preview

SECTION 10

Patterns

Two patterns, both from the mark, and one meaning for the dashed line.

Sheets on paper (everyday)

White sheets with soft corners on the grey ground, one of them on its plane. Use it for social posts, slides, document covers and website sections: one sheet carries the message; the plane sits under the one thing that matters. Headlines in Readex Pro 600, body in Noto Sans. See Social and presentation.

Blueprint (how it works)

A Whity Blue ground (`blueprint`) with a measured grid of white lines (16px fine, 80px major: `blueprint-line`, `blueprint-line-strong`), drawn boxes in 1.5px white lines and mono labels like a technical drawing ("SHEET 01 · ..."). It does not invert with the theme.

- **Use** for architecture, tenancy, the plugin boundary, the MCP and agent surface, request flows: in docs, the developer site and the technical part of a pitch.
- **Never** for pricing, policy, marketing claims or a tenant's own pages.
- Component: `Blueprint` (label, title, children); Tailwind utility `bg-blueprint-grid`.

Dashed means "not yet"

In both patterns and in the product, a dashed line is something that has not happened: an agent proposal waiting for a person, an optional step, an undone action, an empty slot. Approving sets it down: solid, on the plane.

SECTION 11

Products, names and plans

Whity is a branded house: one name and one plain noun that says what each thing does.

Name	What it is	Licence and price	Status
Whity Core	The platform: identity, tenants, permissions, documents, forms, plugins, MCP server	AGPL-3.0 with the plugin exception, free	Built
Whity SDK	The plugin SDK and UI kit	MIT, free	Built
Whity Render	Pixel-exact PDF and image export for documents, invoices, labels (the 13 document templates in section 16)	Closed, paid service	Inside Core today; to split out
Whity ID	Single sign-on and identity provider (OIDC)	Closed, paid service	Planned
Whity Front Office	First app: leads, quotes and compliant invoices	Closed, paid app	Proposed
Whity Marketplace	Partners and developers sell plugins	Revenue share	Later

When a plan doesn't include a feature, the screen shows it greyed behind a `PlanGate` card naming the plan: owners can upgrade, everyone else can ask an owner. Never hide it (decision 2.1d).

Rules

- Whity + one noun, in English in every interface language. No "AI", "Pro", "Plus" or version numbers in a product name.
- Third-party plugins name the job first: "Inventory for Whity", "WhatsApp Connector for Whity".
- Partner products carry the partner's own name, with the optional Built on Whity badge.
- Features are lower-case nouns, not brands: approvals, scopes, activity, branding, delegations.
- Agents are named by role, by the customer: "Billing assistant", "Front desk". Never a human first name.

Plans

Plans are entitlement bundles (ADR 0010) with a payment wall that defaults to "warn" (ADR 0011). Names and prices are not decided: use [plan name] and [price] in every mockup until they are. Pricing will be a base plan plus usage for agent work.

SECTION 12

Engineering handoff (v2.9)

Everything a web or Flutter team, or a coding agent, needs to build Whity screens and bring whity-core in line with the brand. `tokens.json` is the source of truth for this system; if this page and `tokens.json` ever differ, `tokens.json` wins. Every value traces back to `00-decision-register.md`.

Files

Path	For	What
`tokens.json`	all	Colours (Light, Dark), type, spacing, radii, sizes, shadows, plane, motion, each with a usage note
`handoff/tokens.flat.json`	all	The same as plain name → value JSON
`handoff/web/tokens.css`	web	CSS variables for both themes (`[data-theme]`, `.dark` and the OS setting), `@font-face`, type classes, motion
`handoff/web/tokens.ts`	web	A typed token object
`handoff/web/theme.css`	web	Tailwind v4 `@theme` additions: `shadow-plane*`, `shadow-float`, the tint, status text and tint colours, `bg-blueprint-grid`, `plane-lift`
`components/bundle.js`, `bundle.css`, `index.d.ts`	web	Reference React 18 components (`window.Whity`), their styles and types
`fonts/*.woff2`	all	Noto Sans, Noto Sans Arabic, Geist Mono, Readex Pro 600
`handoff/editor/whity-document.ts`, `README.md`	web	The document editor's contract (document model, blocks, marks, comments, suggestions, plugin block registry, saved blocks, props, publish checks) and its TipTap/ProseMirror mapping (section 18)
`handoff/flutter/lib/whity_brand.dart`	Flutter	`WhityBrand` ThemeExtension: plane, plane deep, mark sheet, blueprint, plane shadows, logo sizes, durations. Use beside `whity_tokens`
`handoff/flutter/pubspec_fonts.yaml`	Flutter	Font entries
`handoff/icons/ink/*.svg`, `paper/*.svg`, `icons.json`	all	The 116 icons for light and dark grounds, their Tabler names and which mirror
`handoff/logos/`	all	Every cut and colourway (SVG), the lockups, the app icon, `favicon.svg` and `favicon.ico`, PNG exports, Built on Whity
`handoff/motion/approve-set-down.json`	all	The set-down transition (200 ms)

Web (Next.js, Tailwind v4, shadcn)

1. Replace the values in `@amroksaleh/tokens` (soon `@whity/tokens`) with `tokens.json` v3: it adds the status text and tint colours, the selected tint, the chart palette, the control sizes and the motion tokens, and fixes contrast (see the table below).
2. Import `handoff/web/theme.css` after it for the plane, the soft float shadow and the blueprint utilities.
3. Restyle `packages/ui` to the components here: class names and states in `bundle.css` are the reference. Keep real semantics: `<button>`, `role="switch"`, `aria-current`, `aria-pressed`, `aria-sort`, `aria-expanded`.

Flutter

Add `whity_brand.dart` next to `whity_tokens`, register `WhityBrand.light` / `.dark` in `ThemeData.extensions`, and draw the plane with `WhityBrand.planeShadow(...)`. Offsets are physical (`Offset(-3, 3)`): the plane never mirrors in RTL. Use tabular figures (`FontFeature.tabularFigures()`) for numbers.

Changes whity-core needs

#	Where	Change	Decision
1	`src/design/tokens/base.json`	Adopt tokens v3: `muted-foreground` oklch(0.52), `input` oklch(0.66) / dark oklch(0.52), the status triplets, `primary-tint`, `divider`, `table-header`, `chart-2…6`, `plane-deep`, `mark-sheet`, the blueprint colours; regenerate CSS, JSON and Dart	2.5, 2.6, 2.7
2	Type	15px default (`text`, A.1), titles 24 / 20 / 18 at 600, no 700; Readex Pro only for brand headlines and document titles	3.1–3.6
3	`button`, `input`, `select`	Heights 40 (32 small, 44 large), corners ¼ of the height, table rows 48 (A.1); the outline secondary button; the plane on the default button only	4.1, 4.2, 7.1
4	`badge`, `alert`, nav, tabs	Tinted badges and alerts from the status tints; selected nav and rows on the tint; tabs underlined. Remove Tailwind palette classes (`blue-500`, `emerald-600`, `purple-…`)	7.3, 7.4
5	`card`, menus, dialogs	Cards: 1px border, no shadow. Floating layers: `shadow-float`.	4.4, 4.6
6	`data-table.tsx`	Checkbox selection with the bulk bar (count, money total, actions), sort, sticky header, row menu, totals row, loading/empty/error	7.6
7	App shell	240px sidebar, 56px rail below 1024px, drawer below 768px; the tenant logo slot and switcher; Built on Whity optional	4.5
8	Icons	Agent icon to Tabler `robot-face`; 16px icons at stroke 2.25	5.1, 5.2
9	brand.whity.dev	Replace the logo files with `handoff/logos/`; list Whity Blue as `#0961bb`	1, 2.1
10	Server	Agent proposals: when a tool call needs a permission set to "Ask first", store a proposal (tool, arguments, diff, scope, undo window) instead of executing; approve executes it as the granting person's delegate; Undo while the tool's window is open	7.5
11	Server	Per-permission mode (off · ask · allow) on AI principals, stored with the credential's scope	7.5
12	Whity Render	The `Doc` rules and the 13 templates; amount in words; JoFotara QR and reference on fiscal documents	6
13	npm, GitHub	Move `@amroksaleh/*` packages and repos to a Whity organisation	
14	Every screen	Build each screen from its card (sections 19–25, app map): the patterns of section 21 (list, record, states, confirming), plain words, names never ids, money in normal units	P, A, F, D, AI, W
15	Preferences	Text size (Standard 15px, Larger 17px) and Show technical details, stored per person	W.3, A.3

Component map

Here	In packages/ui
Button, IconButton, Tooltip	`button.tsx`, `tooltip.tsx`
Input, Textarea, Select, Combobox, Checkbox, RadioGroup, Switch	`input.tsx`, `textarea.tsx`, `select.tsx`, `command.tsx`, `checkbox.tsx`, `radio-group.tsx`, `switch.tsx`
DatePicker	`calendar.tsx` + `popover.tsx`
MoneyInput, OtpInput, SearchField, TenantLogo, TenantSwitcher	new (MoneyInput beside `money/`)
Tabs, Breadcrumb, Pagination, Segmented	`tabs.tsx`, `breadcrumb.tsx`, `pagination.tsx`, `toggle-group.tsx`
PageHeader, AppShell	`page-header.tsx`, `app-sidebar.tsx`, `page-shell.tsx`, `top-nav.tsx`
DataTable	`data-table.tsx`
Card, Dialog, ConfirmDialog, Drawer, Menu, Popover	`card.tsx`, `dialog.tsx`, `alert-dialog.tsx`, `sheet.tsx`, `dropdown-menu.tsx`, `popover.tsx`
Toast, ToastRegion	`sonner` / `toast.tsx`
Badge, Alert, EmptyState, Skeleton, Avatar	`badge.tsx`, `alert.tsx`, `empty-state.tsx`, `skeleton.tsx`, `avatar.tsx`
DescriptionList, Timeline, Money, PluginCard	new, `money/`, `plugin-card.tsx`
Mark, Lockup, BuiltOnWhity, Blueprint, Icon	new
ActorChip, ActionProposal, AgentActivity, ScopeGrant, ApprovalQueue, UndoBar	new (need server items 10 and 11)
Doc, DocPages, DocTable, DocKpis, DocBars, DocNote, DocSign, DocAmount, DocPreview	Whity Render (new)
ButtonGroup, SplitButton, ToggleGroup	`button-group.tsx` (new), `dropdown-menu.tsx`, `toggle-group.tsx`
PhoneInput, FileUpload	new
CommandPalette, Stepper	`command.tsx` in a dialog, new
BarChart, LineChart, DonutChart	new (or Recharts styled to these specs; `chart.tsx` if present)
AgentRunStatus, PlanGate	new

Agent brief

When you build a Whity screen: read `README.md` first; use the tokens, never raw colours; Noto Sans at 15px, never below 13px, never 700; plain words, with codes only behind Show technical details; common actions as labelled buttons; one filled main button per view, and the plane only under it, approved agent work and hovered clickable cards; controls 40px with ¼ corners; cards bordered, floating layers with `shadow-float`; Tabler icons by the names in `icons.json`; every agent action attributed with `ActorChip` and either allowed by its scope or shown as an `ActionProposal`; Undo instead of "Are you sure?" where it can be undone; Western digits and JOD to 3 decimals; the name always "Whity" in Latin letters; fictional names or placeholders for companies, plans and prices.

SECTION 13

App map (v2.9)

The screens of whity-core's web app as they exist in `web/app`, grouped as the sidebar groups them, with IDs for design work. **Template** names the template in this system; **Needs** marks server work for the agent features.

Navigation

Sidebar groups: (top) Dashboard · Inbox · Approvals — People — AI — Documents — Platform — Settings. The tenant switcher sits under the logo; the user and account menu at the foot. The system tenant (id 0) sees Platform; tenants see their own items. Plugin items arrive from `GET /api/navigation`.

Screens

ID	Screen	Route	Template	Needs
Overview				
A01	Dashboard (home)	`/dashboard`; `/admin` redirects here	`TplHome`, `TplHomeMember`; operators' platform cards from `TplAdminDashboard`; shell states `AppShellCollapsed`, `AppShellMobile`	section 20; one merged waiting list (Inbox and Approvals), app home cards in the plugin manifest
A02	Inbox (documents awaiting a decision)	`/admin/inbox`	`TplInbox`	section 21; states composed by the app
A03	Approvals (agent proposals)	new: `/admin/approvals`	`TplAgentApprovals`, `TplAgentApprovalsAr`, `ApprovalQueue`	server 10
People				
A10	Users · user	`/admin/users`, `/admin/users/[id]`	`TplUsers`, `TplUserRecord`, `TplUserRecordAr`	section 21
A11	User groups	`/admin/user-groups`	`TplUserGroups`	section 21
A12	Roles · role	`/admin/roles`, `/admin/roles/[id]`	`TplRoles`, `TplRoleRecord`	section 21
A13	Organisational units	`/admin/ous`	`TplOrgUnits`	section 21
A14	Delegations	`/admin/delegations`	`TplDelegations`	section 21
A15	Relations	`/admin/relations`	`TplRelations`	section 21
A16	Registrations · invitations	`/admin/registrations`	`TplApprovalGating`	section 21; request dates
AI				
A20	Agents · connected AI apps	`/admin/ai-principals`	`TplAgents`, `TplAgentPresets`, `TplConnectedApps`, `TplConnectWizard`	section 24; agents API exists, pages new; AI principals renamed
A21	Agent · connected app (what it may do)	new: `/admin/ai-principals/[id]`	`TplAgentRecord`, `TplAgentRecordAr`, `TplAgentInstructions`, `TplAgentScope`	section 24
A22	What AI can do (was MCP tools)	`/admin/mcp-tools`	`TplWhatAICanDo`	section 24; technical columns behind Show

ID	Screen	Route	Template	Needs
				technical details
A23	Agent activity	new (from audit logs)	`AgentActivity` (filter by agent), `Timeline`, `UndoBar`	
Documents				
A30	Document library · document	`/admin/document-library`, `/[id]`	`TplLibrary`, `TplDocRecord`; notes and wiki: `TplNotesWiki`	section 23; record tabs Document, Routing, History, Verification
A31	Document templates	`/admin/document-templates`	`TplDocTemplates`	section 23
A32	Route templates · routing	`/admin/document-route-templates`, `/admin/document-routing/[documentId]`	`TplRouteTemplates`, `TplFlowEditor`, `TplDocRouting`, `TplDocRoutingAr`	section 23; circulation is the record's Routing tab
A33	Document designer	`/admin/documents` (editor)	`TplDocDesigner`; the Document editor cards (section 18)	the editor, built from `handoff/editor/`
A34	Forms · form builder · public form · my submissions	`/admin/x/forms-builder`, `/admin/x/forms-catalog`, `/forms/[id]`, `/f/[slug]`, `/admin/x/my-form-submissions`	`TplFormsManage`, `TplFormBuilder`, `TplFormBuilderAr`, `TplFormResponses`, `TplFormsCatalog`, `TplFormFill`, `TplFormPublic`, `TplFormPublicStates`, `TplMySubmissions`	section 22; server-side drafts; translatable form text
Platform				
A40	Tenants · tenant	`/admin/tenants`, `/[id]`	`TplTenants`	section 25; server-side search; "workspace" in the interface
A41	Plugins: Store and Installed tabs (one sidebar item)	`/admin/plugins`, `/admin/plugins/store`, `/admin/plugins/store/<plugin>`	`TplPluginStore`, `TplPluginDetail`, `TplPluginInstall`, `TplPluginsInstalled`; `PluginCard`	section 19
A42	Billing · plans	`/admin/billing`, `/billing`	`TplBilling`, `TplBillingAr`, `TplPlans`	section 25; money in normal units
A43	Promotions	`/admin/promotions`	`TplPromotions`	section 25; JOD default
A44	Audit logs · errors · System	`/admin/audit-logs`, `/admin/errors`,	`TplAuditLog`, `TplErrors`, `TplSystem`	section 25

ID	Screen	Route	Template	Needs
		`/admin/stats` (System, operators only, H.3)		
A45	Languages · translations	`/admin/languages`, `/admin/translations`	`TplSettingsTranslations`; languages in `TplPlatformSettings`	section 25
A46	Tags · tag groups	`/admin/tags`, `/admin/tag-groups`	`TplSettingsTags`	section 25
A47	Notifications	`/admin/notifications`	`TplNotificationDelivery`	section 25
A48	Approval gating	`/admin/approval-gating/*`	`TplApprovalGating`	section 21; tier-3 confirmation
Settings				
A50	Branding	`/admin/settings/branding`	`TplSettingsGeneral`, `TplAdminBranding`	section 25; settings sub-nav
A51	Email · email domains	`/admin/settings/email`, `/email-domains`	`TplSettingsEmailDomains`; email in `TplPlatformSettings`	section 25
A52	Security · SSO · sign-up	`/admin/settings/security`, `/sso`, `/signup`	`TplSettingsSecurity`, `TplSettingsSSO`	section 25
A53	Storage · feature flags · error tracking	`/admin/settings/storage`, `/feature-flags`, `/error-tracking`	`TplPlatformSettings`	section 25
Account				
U01	Sign in · register · verify email	`/login`, `/register`, `/verify-email`	`TplAuthSignIn`	
U01b	Two-step code · turn on · recovery codes	`/login` (step 2), `/settings`	`TplAuthTwoStep`	
U02	Forgot · reset password · recovery	`/forgot-password`, `/reset-password`, `/account-recovery`	`TplAuthReset`	
U03	Accept invitation · onboarding	`/accept-invitation`, `/onboarding`	`TplAuthInvite`	
U04	Settings · licensing	`/settings`, `/licensing`	`TplAccountPrefs`, `TplAccountSecurity`, `TplLicensing`	section 25; text size preference

ID	Screen	Route	Template	Needs
U05	Status	`/status`	`TplSystemStates`	
U06	404 · 403 · 500 · offline · maintenance · rate limit	`not-found`, `error`, middleware	`TplSystemStates`	
Partner apps (built on Whity)				
P01	Front Office: invoices	plugin route	`TplPartnerInvoices`, `DataTableSelect`	Front Office app, JoFotara integration
Documents (Whity Render)				
R01	Quote	Whity Render	`TplDocQuote`	online acceptance
R02	Tax invoice (English or Arabic leads, continuation)	Whity Render	`TplDocInvoice`, `TplDocInvoiceAr`, `TplDocInvoiceLong`	JoFotara QR and reference
R03	Credit note	Whity Render	`TplDocCreditNote`	JoFotara
R04	Receipt (A5)	Whity Render	`TplDocReceipt`	
R05	Statement of account	Whity Render	`TplDocStatement`	
R06	Payment reminder	Whity Render	`TplDocReminder`	agent sending with approval
R07	Delivery note	Whity Render	`TplDocDeliveryNote`	
R08	Payslip	Whity Render	`TplDocPayslip`	HR app
R09	Employment letter	Whity Render	`TplDocEmploymentLetter`	HR app, verification page
R10	Leave approval	Whity Render	`TplDocLeaveApproval`	HR app, audit log
R11	Report	Whity Render	`TplDocReport`	
R12	Letter	Whity Render	`TplDocLetter`	
R13	Purchase order	Whity Render	`TplDocPurchaseOrder`	

Every screen in the built app (inventory of 1 November 2026) now has a design. Still to draw: agent notifications (email, push, WhatsApp), the mobile approval screen, the 80 mm thermal receipt, the publisher's page and the public marketplace.

SECTION 14

Social and presentation

Every post, slide and cover is one white sheet on the grey ground with the plane under the one thing that matters. One blue element per piece.

Sizes

Format	Size	Safe area
Link preview (Open Graph)	1200 × 630	64 px
Square post	1080 × 1080	80 px
Portrait post	1080 × 1350	80 px
Story	1080 × 1920	250 px top and bottom
Avatar	1000 × 1000 (shown round)	the app icon tile; mark inside the inner 61%
Slide	1920 × 1080	96 px

Rules

- **Headlines in Readex Pro 600** (decision 3.1), sentence case, three lines at most, on the brand scale (49 · 39 · 31 · 25 · 20) or larger multiples for slides. Body text in Noto Sans; an eyebrow in Geist Mono uppercase, tracked +6%.
- The horizontal lockup at the bottom start, at least 20px tall; the mark alone on avatars (the app icon tile).
- One blue element: the plane, a blueprint panel or the lockup. Never a blue headline on a blue panel.
- Technical posts may use the blueprint pattern for a diagram; product posts show a real screen or document on a sheet.
- No stock photos of robots, servers or handshakes. No emoji. Real names only with permission; otherwise Example Bakery and friends.
- Slides: 16:9, one idea per slide, the same sheet-on-paper layout; decks are built from the Slides tools with these tokens.
- Files: `og-image-1200x630.png` and `avatar-1000.png` in Social.

SECTION 15

Agent UI

Whity's promise is AI that sees and acts across a company while a person stays in control. These rules make that visible on every screen where an agent works.

Six rules

1. **Attribute everything.** Every action shows who did it with `ActorChip`: a person (initials), an agent (the robot face on the tint, named by role) with the person it acts **for**, or the system (the mark).
2. **Show before you act.** Anything set to "Ask first" becomes an `ActionProposal`: one line saying what will happen and how much, two examples then "Show all", before → after, the permissions it uses, and the undo window (decision 7.5a). Approve, Edit, Decline.
3. **One at a time.** The approvals inbox is a queue (`ApprovalQueue`): "1 of 3 waiting · oldest first", the next cards stacked behind (7.5b).
4. **Undo is an action, not an apology.** A 10-second toast with Undo, then Undo stays on the activity item for the tool's window with a meter (`UndoBar`, 7.5c). A confirm dialog is only for what can't be undone.
5. **Scope is visible.** `ScopeGrant` shows each `resource:action` permission as Off, Ask first or Allowed. An agent never exceeds the person who granted it, and every change is logged.
6. **Nothing sits on the plane until it has happened.** A proposal is a loose, dashed sheet; approving sets it down (solid, on the plane, 200 ms).

Proposal states

State	Look
Waiting	Dashed edge, flat, "Waiting for your approval"
Approved	Solid edge in the main colour, on the plane
Declined	Grey, title struck through
Expired	Grey, with "Ask again"
Undone	Dashed again, "Undone by …"

Run status

An agent's run shows what it is doing in plain words (`AgentRunStatus`): **Running** ("Reading 48 invoices", with progress and Stop), **Waiting for approval** (dashed, with Review), **Done**, **Failed** (with what to do next and Try again). A compact pill shows it in the top bar. Reads are quiet in the activity list; changes are filled; errors are red.

The command palette (⌘K) ends with an "Ask an agent" row: what was typed becomes a request, and the agent answers with a proposal to approve (decision 2.1c).

Words

Agents are named by role (Billing assistant, HR assistant, Front desk), never human first names or "Whity AI". They don't say "I" and don't have feelings. Messages put the agent first, then who it acts for, then the action: "Billing assistant for Rana · Sent 12 payment reminders". Documents an agent sent say so in their footer.

Where it shows


- **Approvals** (`TplAgentApprovals`, `TplAgentApprovalsAr`, `ApprovalQueue`).
- **AI principal** (`TplAgentScope`): scope, credential, rotate and revoke.
- **Agent activity** (`AgentActivity`, filterable by agent) and every record's history (`Timeline`).
- **Documents**: the payment reminder, the report and the leave approval credit the agent and the person.

In whity-core today


- **AI principals** are MCP bearer credentials issued to AI clients (`admin/ai-principals`); every MCP call runs with tenant isolation and RBAC.
- **Delegations** pass a subset of a person's permissions to roles or users (`admin/delegations`).
- **Approval gating** exists for password resets and two-step recovery (`admin/approval-gating`).
- Per-action "Ask first" proposals and per-permission modes are new: see Engineering handoff, items 10 and 11.

IN USE

Approvals: one at a time, every state




Approvals inbox




Action proposal: waiting, approved, declined, expired, undone

IN USE


Queue, activity and scope



Approval queue



Agent activity, filtered by agent




Scope grant

SECTION 16

Documents

Everything Whity Render prints: invoices, letters, payslips, reports. Documents carry the **tenant's** brand, print cleanly in black and white, and read in either language. The rules are decisions 6.1–6.8; the 13 templates were built from them in stage 8.



The 13 document templates for Example Bakery

The page

	Rule
Paper	A4 by default; A5 and US Letter follow the same rules. 80 mm thermal receipts come later
Margins	16 mm on every side (178 mm of content on A4)
Letterhead	The tenant's logo, address and tax number at the start side; the title, number and date at the end side
Colour	The tenant colour on the **title only**; everything else is ink, so documents fax and photocopy cleanly. `--doc-accent` is the tenant's print colour, the same in light and dark mode
Languages	Either language leads, per customer: Arabic with small English labels (the layout mirrors) or English with small Arabic labels. Latin values inside Arabic are isolated

Inside

	Rule
Type	Body Noto Sans 9.5 pt, labels 8.5 pt, the title Readex Pro 600 at 22 pt, codes in Geist Mono
Line items	A strong rule under the header, hairlines between rows; no zebra stripes, no grid
Numbers	Tabular figures, end-aligned, JOD to 3 decimals
Totals	An end-aligned block 46% wide; only the grand total is bold, with a 1.5 pt rule above. The amount is written in words under it, in both languages (dinars and fils)
Footer	The JoFotara stamp, reference and "Page x of y" at the start side; the QR code at the end side
Continuation	A small running header (logo, number, "continued"), the table header repeated, "Brought forward" and "Carried forward", totals on the last page only
Charts	Grey bars with the one that matters in ink, values on the bars, no legend
Agents	A document an agent made or sent says so in its footer, with the person it acted for

The set

Group	Documents	Notes
Sales	Quote · Tax invoice · Credit note · Receipt (A5)	Fiscal documents (invoice, credit note) carry the JoFotara stamp and QR; the quote's QR opens it online to accept
Accounts	Statement of account · Payment reminder · Delivery note	The statement has a running balance and ageing; the delivery note has no prices
People	Payslip · Employment letter · Leave approval	QR to verify; the employment letter keeps a signature and stamp row; the leave approval shows its trail from the audit log
General	Report · Letter · Purchase order	Reports run to several pages with key numbers and an ink-only chart

The examples tell one story for Example Bakery: quote QUO-0318 → invoice INV-1042 (JOD 301.600) → credit note CN-0012 (JOD 98.600) → receipt RCT-0207 (JOD 203.000) → the clinic's October statement.

Building one

`Doc` lays out pages with a line table, totals and words; `DocPages` gives letters and reports the same letterhead and foot; `DocTable`, `DocKpis`, `DocBars`, `DocNote`, `DocSign` and `DocAmount` are the parts; `Whity.amountInWords(amount, 'en' | 'ar')` writes JOD in words; `DocPreview` shows a document in the app. Every standard label is in `Whity.docLabels` in both languages.

Before shipping

- Have an Arabic-speaking accountant review the Arabic amount in words.
- Confirm the required invoice and credit note fields against the JoFotara specification. Every legal field comes from tenant settings.
- Whity Render should measure row heights when it paginates; the row counts in `Doc` are a safe default.

SECTION 17

Components

The stage 7 inventory: 56 components in 8 groups. The 41 P1 components (what the Front Office demo, approvals and account flows need) were built in 2.0 and the P2 components in 2.1, each with a live card; the two P3 items are still planned. Shared looks for all of them: outline secondary buttons, the main button alone on the plane (7.1); outlined 36px inputs (7.2); selected things on the tint with text in the main colour, tabs underlined (7.3); tinted status badges (7.4).

Group	Component	Priority	Status · card
Foundations	Icon (16 · 20 · 24)	P1	Built · Icon
	Mark · Lockup · Built on Whity	P1	Built · Mark, Lockup, BuiltOnWhity
	Tenant logo slot (image, initials)	P1	Built · TenantLogo
Actions	Button (main, secondary, ghost, destructive, link; 28 · 36 · 40; loading)	P1	Built · Button
	Icon button with tooltip	P1	Built · IconButton, Tooltip
	Split button · button group	P2	Built · SplitButton
	Toggle · toggle group	P2	Built · ToggleGroup
Inputs	Text field · textarea (hint, error, counter, disabled, read-only)	P1	Built · Input, TextFields
	Select · combobox (search, empty, async)	P1	Built · Select, Combobox
	Checkbox · radio · switch (indeterminate)	P1	Built · Switch, Choices
	Date · date range (Arabic months, Western digits)	P1	Built · DatePicker
	Money input (JOD, 3 decimals)	P1	Built · MoneyInput
	One-time code (6 digits, paste)	P1	Built · OtpInput
	Search field (⌘K hint)	P1	Built · SearchField
	Phone input (+962 default)	P2	Built · PhoneInput
	File upload (drag, progress, error)	P2	Built · FileUpload
	Tag input	P3	Planned
Navigation	App shell · sidebar (rail 56, drawer under 768)	P1	Built · TplAdminDashboard, AppShellCollapsed, AppShellMobile
	Top bar (search, notifications, user)	P1	Built · in AppShell
	Tenant switcher	P1	Built · TenantSwitcher
	Tabs (counts)	P1	Built · Tabs
	Pagination	P1	Built · Pagination (on the Breadcrumb card)

Group	Component	Priority	Status · card
	Breadcrumb	P2	Built · Breadcrumb
	Segmented control	P2	Built · Preferences
	Command palette (⌘K, ask an agent)	P2	Built · CommandPalette
	Stepper	P2	Built · Stepper
Data display	Data table (sort, select, bulk bar, sticky header, states, totals)	P1	Built · DataTable, DataTableSelect, DataTableStates
	Card · stat card	P1	Built · Card
	Badge · status	P1	Built · Badge
	Avatar (initials, agent, system)	P1	Built · Avatar
	Money · date	P1	Built · Money, `formatDate`
	Description list	P1	Built · DescriptionList
	Timeline (people and agents)	P1	Built · Timeline
	Tooltip	P1	Built · Tooltip
	Chart (bar, line, donut, 2.7 palette)	P2	Built · BarChart, LineChart, DonutChart (print: DocBars)
Feedback and layers	Alert (four statuses, action)	P1	Built · Alert
	Toast with Undo	P1	Built · Toast
	Dialog · confirm with typed name	P1	Built · Dialog, ConfirmDialog
	Drawer (record side panel)	P1	Built · Drawer
	Popover · menu (keyboard)	P1	Built · Menu
	Skeleton · progress	P1	Built · Skeleton
	Empty state	P1	Built · EmptyState
	Error and system states (404, 403, 500, offline)	P1	Built · TplSystemStates
Agents	Actor chip (person, agent for person, system)	P1	Built · ActorChip

Group	Component	Priority	Status · card
	Action proposal (waiting, approved, declined, expired, undone)	P1	Built · ActionProposal
	Agent activity (filter by agent)	P1	Built · AgentActivity
	Scope grant (off, ask first, allowed)	P1	Built · ScopeGrant
	Approvals inbox (one at a time)	P1	Built · ApprovalQueue, TplAgentApprovals
	Undo bar (the tool's window)	P1	Built · UndoBar
	Agent run status	P2	Built · AgentRunStatus
Platform	Language · theme switch	P1	Built · Preferences
	Document preview (zoom, print, download, send)	P1	Built · DocPreview
	Plugin card	P2	Built · PluginCard
	Branding preview	P2	Built · TplAdminBranding
	Plan gate · upgrade	P2	Built · PlanGate
	Signature · stamp	P3	Partly: DocSign on documents

Document editor

The editor's parts (shell, page view, blocks, block chrome, plugin and saved blocks, inline tools, inserting, comments and suggestions, agents, typography, Arabic) are design definitions in their own card group, with the contract in `handoff/editor/`. The Whity team builds the working editor (section 18); the components above (Menu, Popover, Tooltip, ToggleGroup, Avatar, ActorChip, AgentRunStatus, Dialog) are its parts.

Charts


Bars at most 24px thick with a 4px rounded end, square on the baseline; lines 2px with an 8px end dot ringed in the card colour; a hairline grid; one axis only. One value is labelled (the highest bar, the line's last point), every mark has a tooltip on hover and keyboard focus, a legend appears for two or more series, and every chart can switch to a table. Colours follow 2.7 in fixed order, series 1 the tenant's colour, never cycled; text is never in a series colour. Time runs left to right in both languages (decision 2.1b). Donuts fold past six slices into "Other".

Using them


`components/bundle.js` assigns `window.Whity` (React 18); `bundle.css` styles everything; `index.d.ts` types every prop. Every visible string has an English default and takes `labels` for Arabic. Components use logical properties, so `dir="rtl"` mirrors them. In whity-core these map onto `packages/ui` (shadcn); see the component map in section 12.

IN USE

The shell: sidebar, rail and drawer




Rail, 768–1023px




Drawer, under 768px

IN USE


Data, dates and layers




Data table with bulk bar



Date range




Record drawer (dark)




Toast with Undo

IN USE

Sign-in and system states




Sign in




System states

IN USE

Charts




Bar charts: one series and grouped




Line charts with the crosshair (dark)

IN USE

Command palette and agent runs




Command palette (⌘K) with the agent row




Agent run status: running, waiting, done, failed

IN USE


Steps, uploads and plan gates



Stepper



File upload (dark)



Plan gate: owner and member

SECTION 18

Document editor

One editor for everything people write in Whity: templates Whity Render prints, letters, reports, notes and wiki pages. It takes blocks and speed from Notion and Gutenberg, and pages, comments and suggestions from Google Docs. Agents write in it as suggestions only. The design system defines it (decisions E.1–E.34, the Document editor cards, `handoff/editor/`); the Whity team builds it (E.1).


The shell

Part	What it holds
Header (56px)	Back, the document's icon, title, path and save state; the mode (Editing, Suggesting, Viewing); comments; PDF; **Publish** for templates, the one action on the plane (E.9)
Toolbar (44px)	Google Docs order: undo, redo · style · bold, italic, underline, strikethrough · link, highlight · lists · Insert · Field · comment · Ask an agent · view, zoom, outline (E.5)
Body	The outline (220px), the canvas on the grey ground, the margin rail (300px) with comment and suggestion cards beside their text (E.6)
Status bar (28px)	Words, language, type, pages, who edited last

Under 1280px the outline closes; under 1024px the rail becomes a drawer; under 768px the toolbar scrolls and the bubble and / menu carry the rest.

Two views

- **Continuous** (notes, wiki): one sheet on the grey ground, 760px with 616px of text, following the theme; a per-document Full width switch for wide tables (E.34).
- **Page view** (templates, anything that prints): A4 pages at 16mm margins with the letterhead, running header and "Page x of y", white in both themes like paper (E.7, E.11). **Preview with a record** fills the fields with a record's values and hides comments and suggestions (the rail says so); it's read-only until Show fields (E.12).



The editor shell: header, toolbar, outline, continuous sheet, margin rail

Blocks

Text, Heading 1–3, Quote, Code · Bulleted, Numbered, Checklist · Callout (Note, Important) · Toggle, Columns, Divider, Page break · Table, Image, File · Record and Chart (live), Signature and stamp (E.13–E.16). Tables are document tables; data comes in as live Record and Chart blocks, frozen in each PDF at render time.

Block chrome: hovering a block shows + and a drag handle in the margin; the handle drags or opens the block menu (Turn into, Comment, Duplicate, Move, Delete). Selecting a table, image, callout or embed shows its own toolbar above it (E.8).

Plugin blocks: plugins add blocks through the block registry. Verified and first-party plugins render natively with the Whity SDK; others in a sandboxed frame. A block needs a print view to be used in templates. A disabled plugin leaves a placeholder that keeps the data and blocks publishing. Each plugin gets its own group in the / menu (E.17–E.20).

Saved blocks: select several blocks and Save as block, Synced (edit once, every document updates) or Copy, for Only me or the workspace; synced blocks can leave parts to fill per document (E.21–E.24). A published template picks up a synced block's change at its next publish (E.38).

Writing

- **The / menu and +:** every block, grouped (Whity's, Saved blocks, one group per plugin, Ask an agent last), filtered as you type. Markdown shortcuts are on; ⌘Z right after reverts one (E.28).
- **Links:** ⌘K with text selected adds a link; with nothing selected it opens the command palette (E.36).
- **The bubble:** bold, italic, underline, strikethrough, code, link, highlight (one colour, E.25), comment, Rewrite.
- **Merge fields:** `{{` or Field ▾; a chip with the field's plain name on the tint (E.26). Preview shows values; a missing value is flagged, and Whity Render won't issue a document with a required field missing (E.27).

Comments, suggestions and agents

- **Modes:** Editing, Suggesting (every edit is a suggestion), Viewing. People who can't edit are in Suggesting (E.10). Suggested text is dashed: insertions in the main colour, deletions struck through. Comments mark their text with the warning tint, on screen only (E.39).
- **Deciding:** anyone who can edit accepts or rejects any suggestion, an agent's included, and the decision is logged (E.29). Publishing a template is checked first: open suggestions, a block whose plugin is off, a block without a print view or an unknown field each block it (E.37).
- **Agents:** asked from the / menu, the toolbar, Rewrite, or an @mention in a comment, where they reply in the thread (E.30). They read the document and the records it references, within their and the person's permissions (E.31). Everything they write arrives as a dashed, attributed suggestion (E.4). They act unprompted only on a routine an owner sets up (E.32).

Type

	On screen	On paper
Title	Readex Pro 600, 31px	Readex Pro 600, 22pt, the tenant's colour
Headings	Noto Sans 600, 24 · 20 · 18px	Noto Sans 600, 14 · 12 · 10.5pt
Body	Noto Sans 16px, line height 1.5 (Arabic 1.7)	9.5pt (stage 6)


Arabic titles use Readex Pro's Arabic design (E.35). In Arabic the shell mirrors, each block follows its own text direction, and numbers, codes and amounts stay Western and left to right (section 8).

For engineering

`handoff/editor/whity-document.ts` is the contract: the document model, marks, blocks, comments and suggestions, the block registry and plugin manifest, saved blocks, the editor's props and the publish checks. `handoff/editor/README.md` maps each part onto TipTap and ProseMirror. Live collaboration (cursors, presence, version history) comes after the first version (E.3).

IN USE


The editor shell



Header, toolbar, outline, continuous sheet, margin rail, status bar

IN USE


Page view, previewing with a record (dark)



A4 page view with letterhead, previewing INV-1042

IN USE


Blocks



The block catalogue

IN USE


Block chrome



Gutter, block menu, dragging, selected blocks

IN USE


Plugin and saved blocks



Plugin blocks (native, sandboxed, plugin off) and saved blocks

IN USE


Inline tools



Selection bubble, links, merge fields, field picker

IN USE


Inserting



The / menu, filtering, empty line, Markdown shortcuts

IN USE


Comments and suggestions



Modes, suggesting, comments, the rail and the drawer

IN USE

Agents in the editor (dark)



Asking an agent, writing, suggested blocks, rewrite (dark)

IN USE

Editor typography

On screen: the continuous sheet

Payment terms

How to pay

Bank transfer

Pay by bank transfer to Example Bank, with the invoice number as the reference. Payments take two working days.

التحويل البنكي

ادفع بتحويل بنكي إلى Example Bank مع رقم الفاتورة مرجعاً. تستغرق الدفعات يومَي عمل.

Title	Readex Pro 600 · 31 / 1.15	`brand H2, -1%`
Heading 1	Noto Sans 600 · 24 / 1.25	`title-page`
Heading 2	Noto Sans 600 · 20 / 1.3	`title-section`
Heading 3	Noto Sans 600 · 18 / 1.35	`title-card`
Body	Noto Sans 400 · 16 / 1.5 (Arabic 1.7)	`text-lg`
Measure	616px text, at most 68 characters	`sheet 760, sides 72`

On paper: the page view at 100% (stage 6)

Payment terms

How to pay

Bank transfer

Pay by bank transfer to Example Bank, with the invoice number as the reference. Payments take two working days.

التحويل البنكي


ادفع بتحويل بنكي إلى Example Bank مع رقم الفاتورة مرجعاً. تستغرق الدفعات يومَي عمل.

Title	Readex Pro 600 · 22 pt	`doc-accent (tenant)`
Heading 1	Noto Sans 600 · 14 pt	`ink`
Heading 2	Noto Sans 600 · 12 pt	`ink`
Heading 3	Noto Sans 600 · 10.5 pt	`ink`
Body	Noto Sans 400 · 9.5 pt / 1.5 (Arabic 1.7)	`labels 8.5 pt`
Measure	178 mm on A4 (16 mm margins)	`stage 6`

On screen and on paper, in both languages

IN USE


The editor in Arabic



Right to left: everything mirrors except numbers and fields

IN USE

Document designer (A33): the publish check



Publishing a template: what blocks it · dark

SECTION 19

Plugin store

Where a workspace adds apps, document blocks and agent tools. It lives inside each workspace first: one sidebar item, Plugins, opens a page with two tabs, Store (`/admin/plugins/store`) and Installed (`/admin/plugins`) (A41, S.10); a public marketplace site will reuse the same pages later (S.1). Decisions S.1–S.12; cards in the "Templates · Plugin store" group, shown on the pages after this section.

The store

Part	What it holds
Search and categories	One search box (names, publishers, what a plugin adds) and one category switch: All, Finance, Sales, People, Operations, Documents, Agents
Made by Whity	First-party apps and services (Front Office, Whity Render, Whity ID) as wide cards with a blueprint strip
Sections	Most used by workspaces like yours, New, Updated, Tools for your agents; each with See all
Plugin tile	The publisher's logo, the name, the publisher and its trust mark, one line, what it adds, how many workspaces use it, the price

Names: third-party plugins are named for their job, as "[Job] for Whity" (Inventory for Whity) or with a plain name (Delivery Tracker). Names that start with "Whity" are kept for first-party products.

Trust (S.4): By Whity (first party), Verified (the publisher is checked and the plugin runs natively with Whity components) or Sandboxed (runs in an isolated frame). Alongside: the permissions it asks for, "Used by N workspaces" and the last update. No ratings or reviews until there are enough installs for them to mean something.

What it adds: small chips on every tile: Screens, Document blocks, Agent tools (on the primary tint, like everything agents do), Fields, Connects out. They answer "what changes in my workspace" before anyone opens the page.

A plugin's page

The header carries the logo, the name, the publisher, the trust mark and usage, one line, what it adds, and **Install**, the one action on the plane, with the price and "billed on your Whity invoice" (S.2). Tabs: Overview, Permissions, Changelog, Support.

The Overview shows screenshots drawn with real Whity components, a short description and **What it adds** in three boxes: Screens, Document blocks (each marked Prints or Notes only, E.18) and Agent tools (dashed), with the mode each tool starts in. The **Facts** panel beside it lists the publisher, how it runs, version and update date, languages, usage, billing and support; anything sent outside the workspace is named in a warning box with its domain.

Installing

Anyone whose role has `plugins:install` can install (S.3, S.9); `plugins:read` is enough to browse. Uploading a plugin's .zip, unreviewed code, is a separate operator permission, `plugins:upload`. Without it, Install is disabled with "Ask someone with permission to install plugins" and an **Ask to install** request. Agents can't install directly: with Ask first, an install becomes a proposal like any other action (7.5).

One dialog, with a Stepper, in up to four steps; steps that don't apply are left out:

1. **Access:** plain sentences for each permission, with the codes underneath; the screens, blocks and agent tools it adds; every outside domain in a warning row. "Allow and continue" is the consent, logged with the person and the list.
2. **Plan** (paid plugins): monthly or yearly, billed on the Whity invoice. A publisher may offer a free trial of a set length; the dialog says when billing starts and that a reminder comes before it (S.8).
3. **Set up** (if the plugin declares settings): Whity form components; "Skip for now" leaves a "Finish setting up" banner on the plugin's screens.
4. **Done:** where each added thing lives, with links. Verified and By Whity plugins are active from here; a sandboxed plugin installs turned off, and Done offers **Turn on** (S.12).

Every agent tool a plugin adds starts on **Ask first**; read-only tools may start Allowed. Admins change modes afterwards in MCP tools (S.5).

Installed plugins

The Installed tab lists every plugin with its state, version and billing. States: Active, Trial, Update waiting, Failed, Turned off. The row menu holds Open, Settings, Details, Agent tools, Turn off or on, and Uninstall.

Operator tools (S.11). People with `plugins:upload` get a ⋯ menu on the Installed tab with Upload plugin and Reload plugins. Store sources and their access tokens live in Settings › Advanced, not on the browsing page. A failed plugin's Details drawer explains the error in plain words, with the stack trace under Technical details, collapsed.


- **Updates (S.6)** install automatically and say so in the Version column. An update that asks for new permissions or new outside domains waits for approval: a warning banner names what's new, "Review access" opens the Access step with only the changes, and the old version keeps running meanwhile. Every update is in the audit log.
- **Failed:** the plugin didn't load; its blocks show the plugin-off placeholder (E.20); the row menu offers Try again and Roll back.
- **Uninstalling (S.7)** keeps the plugin's data for 30 days under "Recently removed", with Reinstall, which restores everything. Its document blocks show the placeholder meanwhile; after 30 days the data is deleted.

Still to draw

The publisher's page, search results with filters, the request-to-install flow for people without permission, the public marketplace site, and Arabic versions of the store cards.

IN USE


The store (A41)



Store home

IN USE


A plugin’s page



Plugin page

IN USE


Installing: access, plan, set up, done (dark)



Install dialog, every step

IN USE

Installed plugins



Installed tab

SECTION 20

Home

The page everyone lands on after signing in: `/dashboard`, the sidebar's Dashboard. It replaces the placeholder welcome page and the Dashboard link to server statistics. Decisions H.1–H.4; cards in the "Templates · Home" group.

One home, built per person

There is one home (H.1). Each card appears only when the person can see what it shows, so an owner, a member of staff and an operator get different pages from the same design. Nothing is a separate layout. System-tenant operators get the platform cards of the admin dashboard below Waiting for you.

Part	Who sees it	What it holds
Greeting	Everyone	"Good morning, Rana", the date and the workspace (and branch, if the person has one)
Waiting for you	Everyone	Inbox documents and agent proposals, merged, oldest first, with inline decisions (H.2)
Agents today	People with agents	The day's agent activity with a summary: done, waiting, undone
Finish setting up	Owners and admins, until done	The steps that block real work, each with why it matters
From your apps	Per app permission	One card per installed app (H.4)
Platform cards	System-tenant operators	Tenants, agent actions, plugin health, the tenant table

Waiting for you

It always comes first (H.2). Each row has an icon tile, a title with the amount in mono, who it's from (a person, or an agent "for you"), why and how long ago, and the decision. Agent proposals are dashed with the robot tile until a person decides, as everywhere. Decisions sit inline as outline buttons, Approve beside a ghost Decline or Reject, or Open when the item needs reading first; the home has no filled main button. Approving shows the Undo toast. At most six rows, then "and N more"; the footer links to Inbox and Approvals with their counts.

When nothing waits, the card collapses to one line ("Nothing is waiting for you."), so the page never opens on an empty box.

Cards from apps


Each installed app may add one card (H.4), declared in its manifest. The card names its app with its logo, shows one number that matters, a few lines and at most one chart, and links into the app. Its ⋯ menu has Hide from home and Open. Hidden cards are listed at the foot of the page with Show. Cards follow install order and can't be rearranged in this version. A card shows only the person's scope: a branch manager's Stock card counts their branch.

System

Server statistics leave the Dashboard link. `/admin/stats` becomes **System**, under Platform, for system-tenant operators only (H.3), and its numbers feed the operators' platform cards.

IN USE


Home: an owner



Home, built for an owner

IN USE

Home: a member with nothing waiting (dark)



The same home for a member of staff

SECTION 21

Page patterns and people

Version 2.5 sets the patterns every remaining screen uses (decisions P.1–P.4, V.1–V.4), then applies them to the People screens and the Inbox. Cards: "Patterns" and "Templates · People and inbox".

The sidebar

The sidebar follows the built app's groups, in sentence case: (top) Dashboard, Inbox, Approvals, My submissions; People; AI; Documents; Workspace; and Platform for system-tenant operators. Only the current group is open; the others fold to their label with a chevron (`AppShell` nav groups take `collapsed`). Labels are translated like every other string.

List pages

Page header with the one main action (Invite people, New role) and a ⋯ for the rest; tabs when the page has views; a filter bar (search, filter buttons that tint and name their value when set, a segmented status switch); then the table. Selecting rows brings the bulk bar. Every row opens something (P.1): a full **record page** for things with history and settings (people, roles, workspaces), a **drawer** for small things (a group, a unit, a delegation, a relative).

People appear as names with avatars, never as ids ("Role #3", "OU #5", a Tenant ID column). Units, roles and dates are words.

Record pages

A header with the icon or avatar, the name, a status badge, a line of key facts, and actions (outline, plus ⋯). Then tabs: **Overview**, **Access**, **History** (P.2). History is written in words ("Rana changed his unit from Sweifieh to Abdoun"), never event codes.

Fields are edited where they are (P.3). A changed field gets the primary ring and a "Was …" note; a sticky save bar names the changes and offers Discard and **Save changes**, the page's one main button. Leaving with unsaved changes asks first.

States

Drawn once, used everywhere (V.2): loading (skeleton rows in the real layout), empty for the first time (what the place is for and the action that fills it), empty after a filter (names the filter, Clear filters), error (in the failed area, with Try again), read-only (an alert naming the permission and who grants it; fields disabled, actions hidden) and access denied (what's behind it, the permission, who can give it, Ask for access).

Confirming

By how undoable an action is (P.4): undoable actions happen at once with **Undo**; hard-to-undo ones ask in a dialog that names the consequence; security-sensitive or irreversible ones also need the name or email typed. The button repeats the verb. Two-step and password-reset approvals, sign-up rejections and user deactivation, unconfirmed in the built app, now follow these tiers.


The People screens

Screen	Pattern	Notes
Inbox (A02)	List	Tabs per source; Waiting for me or Including done; states the app composes and translates
Users (A10)	List + record	Invite people; filters for role, unit, two-step; bulk change role; the record has Overview, Access, History and the save bar
Roles (A12)	List + record	Built-in roles marked and read-only; the Access tab is a grid of areas by See, Create, Change, Delete, Approve
User groups (A11)	List + drawer	Groups are rules; the drawer shows who is in it right now
Organisational units (A13)	Tree + drawer	Tree or chart; actions only with `ous:write`
Delegations (A14)	List	From → to in names, what, where, until
Family relations (A15)	List + drawer	Relatives without accounts; search across everyone
Approval gating (A16, A48)	Tabs + rows	Request dates; tier-3 confirmation for resets

The 2.5 Arabic card is the user record (`TplUserRecordAr`).

IN USE

Page states: loading, empty, filtered, error, read-only, access denied




IN USE

Confirming by how undoable an action is


1 · Undoable: act, then offer Undo

Deactivate a user, retire a promotion, hide a card, archive. It happens at once; the toast offers Undo for 10 seconds, and the record keeps a Reactivate.




2 · Hard to undo: a dialog that names the consequence

Delete a role, a unit or a group; reject a sign-up; revoke an AI credential. The title is the question; the text says what happens to people and data.




3 · Security or irreversible: the dialog, and type the name

Clear someone’s two-step, approve a password reset, delete a workspace, uninstall with data. The action stays disabled until the name is typed.




IN USE

Users: the list pattern




IN USE

A person’s page: tabs and the save bar




IN USE

A person’s page in Arabic



IN USE

A role’s access (dark)



SECTION 22

Forms

Version 2.6: building forms, filling them in, the public form and responses (decisions F.1–F.4). Cards: "Templates · Forms".

Building

A form is a record (P.2) with three tabs: **Questions**, **Responses**, **Settings**. The Questions tab is the builder (F.1): the form as people will see it, on the grey ground, with the selected question's settings in a side panel.

- Sections carry a bar in the main colour; questions are cards with their number, title, required star, help, type and a preview of the answer.
- Selecting a question rings it in the main colour and shows move, duplicate and delete.
- **Add question** between cards offers the ten kinds the platform has: short text, long text, number, date, choose one, choose several, checkbox, file, person, unit.
- The settings panel holds type, wording, help, options, Required, **Show this question** (Always or Only if …) and **Save the answer to** a field on a record. Questions with a condition show an "Only if …" pill on the canvas.
- Preview and **Publish** (the main button) sit in the header.

The Form builder list shows every form with its status (Draft, Open, Closed), who can fill it in words, responses and the last change.

Filling in

Short forms are one page. A form with sections shows them as steps with the Stepper, and the last step is Review (F.2). What the workspace already knows comes prefilled as a summary from the person's profile. The draft saves as people go, on the server, and the Forms page lists it under Continue where you left off. The description names who receives the form; the decision arrives in the Inbox. People see their own submissions, and where each is, in **My submissions**.

The public form

At `/f/[slug]`, the workspace's brand leads: its logo above the card, its colour on the card's edge, the main button and selections (F.3). A small **Built on Whity** sits in the footer with Privacy and the language switch. No sign-in, no app shell. Sent, closed and not available each give the visitor a way forward: a reference and when to expect a reply, how to reach the workspace, or to check the link.

Responses

The Responses tab (F.4) starts with a summary for each choice question, responses per week and where responses are in their routing, then a table. A response opens as a record with its answers, files and routing timeline. Export and Close the form sit in ⋯.


Fixed from the built app

All form text is translatable (the built forms were hardcoded English); choices are Whity radio buttons and selects instead of native dropdowns; the button names what happens ("Send application"), not "Submit".

The 2.6 Arabic card is the form builder (`TplFormBuilderAr`).


IN USE

The form builder




IN USE

The form builder in Arabic




IN USE

Filling in, step by step




IN USE

A public form in the workspace’s brand



IN USE

Responses (dark)



SECTION 23

Documents and routing

Version 2.7: the library, a document's page, templates, notes and wiki, route templates and the flow editor, and routing (decisions D.1–D.4). Cards: "Templates · Documents and routing". Library, Templates, Route templates and Notes and wiki stay separate sidebar items (D.1).

Library

Issued documents, browsed through a rail of saved-search folders beside a list or grid (D.4): All documents, Created by me, Waiting for me, Approved by me, From my unit, Passed through my unit, then Starred and the person's own collections. The current folder is tinted, with its count. A search, Template and Unit filters and List or Grid sit above the table. Filing only adds; nothing is moved or deleted from the library.

A document's page

Every issued document has a record page (D.3) with four tabs: **Document** (the rendered PDF with its key facts and versions), **Routing** (where it is and what you can do), **History** (in sentences) and **Verification** (the QR code, scans, and new or withdrawn codes). Download PDF and Print are visible buttons in the header; Withdraw this document is in ⋯ and asks first.

Routing

The Routing tab replaces the separate Circulation page; its old address redirects here. Each route a document is on shows its stages top to bottom: done stages green with a check, the current stage in the main colour, the next ones grey, each with the people it reached (names, never ids), the rule and the time. When the document waits for you, **Your decision** sits beside the route: an optional note everyone on the route sees, then **Approve**, Reject, Return to the sender and Forward to someone else, and one sentence saying what happens next.

Templates, notes and wiki

Templates are listed with their kind and record type in words, their status (Draft; Published, version N) and **who can see it** in a sentence. Notes and wiki pages use the same list, with New note and New wiki page both visible. Both open in the document editor (section 18).


Route templates and the flow editor

Each route is described in a sentence ("Branch manager, then the owner over JOD 1,000, then Finance"). The flow editor draws it top to bottom (D.2): a start pill, stages as cards (who it reaches, decision or sent only, the rule, conditions), branches side by side under a decision with Approved and Rejected on their arrows, and end pills. The selected stage's settings are in an inspector beside it: name, who it goes to (with how many people it reaches today), what they do, what counts as approved, and Only when. Rename and **Save route** are in the header.

The 2.7 Arabic card is the routing tab (`TplDocRoutingAr`).


IN USE

The library




IN USE

A document’s page




IN USE

Routing and your decision




IN USE

Routing in Arabic



IN USE

The route flow editor



SECTION 24

AI and agents

Version 2.8: Whity's own agents, outside AI apps connected to Whity, and what AI can do (decisions AI.1–AI.4). Cards: "Templates · AI and agents". The sidebar's AI group reads **Agents**, **Connected AI apps** and **What AI can do** (AI.1).

Agents

An agent works for one person and never has more access than that person. The Agents page lists My agents and, for admins, Everyone's agents: the agent with its job in a line, who it works for, how much it does on its own (how many actions are Allowed and how many Ask first), when it was last active, and whether it's working or paused.

New agent opens a gallery of ready agents (AI.2): Billing assistant, Stock assistant, HR helper, Document drafter, Customer replies and more, each with what it's for, three things it does and what it needs. Start from blank is the last card. A new agent starts with every action on Ask first.

An agent's page

A record page (AI.3) with tabs:

Tab	What it holds
Overview	What it does (including what it never does), today's activity, how much it does on its own, where it works (apps, channels, languages)
Instructions	Plain-language instructions written as to a new colleague; the pages and templates it may read; tone and language
What it may do	Off, Ask first or Allowed for each action, in plain words; actions the person lacks are shown with the reason
Activity	Everything it did and proposed, with Undo while the window is open

See activity and Pause are visible buttons; Delete agent is in ⋯ and asks first.

Connected AI apps

Outside apps (Claude, ChatGPT, Cursor, VS Code, n8n and others) signed in to Whity, each for one person, with what it may do in words, when it was last used and when it expires. **Connect an AI app** is a three-step wizard: pick the app, choose what it may do (everything I can do asking first for changes, only look things up, or area by area), then follow the app's own setup steps while Whity waits for it to connect.


What AI can do

The former MCP tools page lists every action AI can take in plain words, grouped by area, with how agents may use it (can do it; proposes and a person approves; suggests only; never) and what happens if it goes wrong (how long Undo lasts). Tool names, toolsets, discovery modes and token counts appear only with **Show technical details** (A.4, A.3).

The 2.8 Arabic card is an agent's page (`TplAgentRecordAr`).


IN USE

Agents




IN USE

Start from a ready agent




IN USE

An agent’s page




IN USE

An agent’s page in Arabic




IN USE

Connect an AI app (dark)



IN USE

What AI can do



SECTION 25

Workspace, billing and settings

Version 2.9: the Settings area, a person's account, billing, the audit log and licensed devices, and the operators' Platform pages (decisions W.1–W.4). Cards: "Templates · Settings", "Templates · Account and billing", "Templates · Platform". With it, every screen in the built app has a design.

Settings

One Settings entry in the sidebar opens a page with a grouped **sub-nav** beside it (W.1): Workspace (General, Branding), Sign-in and security (Security, Single sign-on, Sign-up), Email (Email domains), Data (Tags, Translations), Advanced (Error tracking), and Devices (Licensed devices). Each page keeps its own address and permission check; pages a person can't open aren't listed.

Page	What it holds
General	Workspace name, support email, time zone and language (saying when a value follows the platform default); company details with the tax number tax invoices need
Security	Two-step rules in sentences, with deadlines; who hasn't set it up, with Remind
Single sign-on	A card per provider: how it appears, which domains, On or Off, the address to give it with Copy
Email domains	A card per domain: the DNS record with Copy, the role new people get, Check now
Tags	Tag groups with their tags and where they're used, on one page
Translations	Coverage per language, then wording with what's missing first and Add Arabic
Licensed devices	Serial numbers, names, status; Issue a code shown once

Your account

From the person's name at the foot of the sidebar, in tabs (W.3): **Profile**, **Sign-in and security** (password, two-step, recovery codes, each a visible button), **Sessions and devices**, and **Preferences**: language, theme, **text size** (Standard 15px or Larger 17px) and **Show technical details**.

Billing

The plan and what's billed with it, the next payment with **Pay now**, and Whity's invoices to the workspace. Amounts are JOD with 3 decimals; plan names and prices stay `[plan name]` and `[price]` in designs.

Audit log

What happened, in sentences grouped by day (W.4): people in bold, agents as actor chips "for" their person, a muted line with how, and Open for anything still waiting. Filters for who, agent, area and date; Export. Codes, ids and IP addresses appear only with Show technical details.


Platform (operators)

A **Platform** sidebar group, shown only to the system tenant (W.2): Tenants (workspaces, with server-side search), Plans and pricing (plans as cards; prices typed as money, never minor units), Promotions (in JOD by default), System (the former statistics page, refreshing every minute), Errors (in plain words first; the stack trace on request), Notification delivery (whether mail and messages get through), and Platform settings (install-wide switches in sentences, with Email, File storage, Languages and Error tracking tabs).

The 2.9 Arabic card is billing (`TplBillingAr`).


IN USE

Settings: the sub-nav and General




IN USE

Your account: preferences and text size




IN USE

Billing




IN USE

Billing in Arabic




IN USE

The audit log in sentences



IN USE

Platform settings for operators (dark)





whity.dev

Whity brand guidelines 2.9. Drawn from the decision register; where the two differ, the register wins.