



Electricity Data Model Package Summary

AEMO Electricity Data Model v5.6.0 Oracle

10/10/2025

Contents

1	List of packages	7
2	Description of the model AEMO Electricity Data Model v5.6.0 Oracle	13
3	Package: CONFIGURATION.....	14
3.1	List of tables.....	14
3.2	Diagram: Entities: Configuration	14
4	Package: ANCILLARY_SERVICES	15
4.1	List of tables.....	15
4.2	Diagram: Entities: Ancillary Services.....	16
5	Package: ASOFFER	17
5.1	List of tables.....	17
5.2	Diagram: Entities: Ancillary Service Contracts.....	18
6	Package: BIDS.....	19
6.1	List of tables.....	19
6.2	Diagram: Entities: Bids.....	21
7	Package: BILLING_CONFIG	22
7.1	List of tables.....	22
7.2	Diagram: Entities: Billing Config	23
8	Package: BILLING_RUN	24
8.1	List of tables.....	24
8.2	Diagram: Entities: Billing Run.....	31
9	Package: DEMAND_FORECASTS	32
9.1	List of tables.....	32
9.2	Diagram: Entities: Demand Forecasts	37
10	Package: DISPATCH.....	38
10.1	List of tables.....	38
10.2	Diagram: Entities: Dispatch.....	43
11	Package: FORCE_MAJEURE.....	44
11.1	List of tables.....	44

11.2	Diagram: Entities: Force Majeure	45
12	Package: GD_INSTRUCT	46
12.1	List of tables.....	46
12.2	Diagram: Entities: GD Instruct	47
13	Package: GENERIC_CONSTRAINT	48
13.1	List of tables.....	48
13.2	Diagram: Entities: Generic Constraints	51
14	Package: IRAUCTION.....	52
14.1	List of tables.....	52
14.2	Diagram: Entities: IRAuction.....	56
15	Package: MARKET_CONFIG	57
15.1	List of tables.....	57
15.2	Diagram: Entities: Market Standing Data	60
16	Package: MARKET_NOTICE.....	61
16.1	List of tables.....	61
16.2	Diagram: Entities: Market Notices.....	61
17	Package: METER_DATA.....	62
17.1	List of tables.....	62
17.2	Diagram: Entities: Meter Data	63
18	Package: MTPASA	64
18.1	List of tables.....	64
18.2	Diagram: Entities: MT PASA	66
19	Package: P5MIN.....	67
19.1	List of tables.....	67
19.2	Diagram: Entities: P5MIN	71
20	Package: PARTICIPANT_REGISTRATION	72
20.1	List of tables.....	72
20.2	Diagram: Entities: Participant Registration.....	75
21	Package: PRE_DISPATCH.....	76
21.1	List of tables.....	77
21.2	Diagram: Entities: Predispatch.....	81

22	Package: RESERVE_DATA	82
22.1	List of tables.....	82
22.2	Diagram: Entities: Reserve Data.....	83
23	Package: SETTLEMENT_CONFIG	84
23.1	List of tables.....	84
23.2	Diagram: Entities: Settlement Config.....	86
24	Package: SETTLEMENT_DATA	87
24.1	List of tables.....	87
24.2	Diagram: Entities: Settlement Data.....	93
25	Package: STPASA_SOLUTION	94
25.1	List of tables.....	94
25.2	Diagram: Entities: ST PASA Solution	95
26	Package: TRADING_DATA.....	96
26.1	List of tables.....	96
26.2	Diagram: Entities: Trading Data.....	97
27	Package: HISTORICAL TABLES	98
27.1	List of tables.....	98
27.2	Diagram: Entities: Historical Tables	115
28	Package: PDPASA.....	116
28.1	List of tables.....	116
28.2	Diagram: Entities: PD PASA.....	117
29	Package: PRUDENTIALS.....	118
29.1	List of tables.....	118
29.2	Diagram: Entities:Prudentials.....	118
30	Package: MCC_DISPATCH.....	119
30.1	List of tables.....	119
30.2	Diagram: Entities: MCC_Dispatch.....	119
31	Package: NETWORK	120
31.1	List of tables.....	120
31.2	Diagram: Entities: NETWORK.....	122
32	Package: VOLTAGE_INSTRUCTIONS	123
32.1	List of tables.....	123

	32.2	Diagram: Entities: Voltage Instructions	123
33		Package: PD7DAY.....	124
	33.1	List of tables.....	124
	33.2	Diagram: Entities: PD7DAY	124
34		Package: FPP.....	125
	34.1	List of tables.....	125
	34.2	Diagram: Entities: FPP	128
35		Package: SYSTEM_SECURITY_MANAGEMENT	129
	35.1	List of tables.....	129
	35.2	Diagram: Entities: SSM	130

Disclaimer

This document is made available to you on the following basis:

- (a) Purpose - This document is provided by the Australian Energy Market Operator Limited (AEMO) to you for information purposes only. You are not permitted to commercialise it or any information contained in it.
- (b) No Reliance or warranty - This document may be subsequently amended. AEMO does not warrant or represent that the data or information in this document is accurate, reliable, complete or current or that it is suitable for particular purposes. You should verify and check the accuracy, completeness, reliability and suitability of this document for any use to which you intend to put it and seek independent expert advice before using it, or any information contained in it.
- (c) Limitation of liability - To the extent permitted by law, AEMO and its advisers, consultants and other contributors to this document (or their respective associated companies, businesses, partners, directors, officers or employees) shall not be liable for any errors, omissions, defects or misrepresentations in the information contained in this document, or for any loss or damage suffered by persons who use or rely on such information (including by reason of negligence, negligent misstatement or otherwise). If any law prohibits the exclusion of such liability, AEMO's liability is limited, at AEMO's option, to the re-supply of the information, provided that this limitation is permitted by law and is fair and reasonable.

© 2010 - All rights reserved.

1 List of packages

Name	Comment
CONFIGURATION	MMS Data Model Configuration Management and Control
ANCILLARY_SERVICES	Ancillary Service Contract Data
ASOFFER	Offer data for Ancillary Service Contracts
BIDS	Energy and Market Based FCAS Offers
BILLING_CONFIG	Configuration data for the Billing Process
BILLING_RUN	<p>Results from a published Billing Run. The settlement data and billing run data are updated daily between 6am and 8am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs.</p> <p>Each billing run is uniquely identified by contract year, week no and bill run no.</p>
DEMAND_FORECASTS	Regional Demand Forecasts and Intermittent Generation forecasts.
DISPATCH	Results from a published Dispatch Run
FORCE_MAJEURE	Market Suspensions and administer pricing event data
GD_INSTRUCT	General Dispatch Instruction data

GENERIC_CONSTRAINT	Generic Constraint Standing Data and Invocations
IRAUCTION	Inter-regional Residue Auction data
MARKET_CONFIG	Standing data for the market
MARKET_NOTICE	Market Notice data
METER_DATA	Wholesale market aggregated Meter data
MTPASA	Results from a published Medium Term PASA Run and region-aggregate offered PASA Availability of scheduled generators
P5MIN	Results from a published Five-Minute Predispatch Run
PARTICIPANT_REGISTRATION	Participant registration data
PRE_DISPATCH	<p>Results from a published Predispatch Run</p> <p>Storage options</p> <p>There are 2 ways to define the Pre-dispatch table primary keys (PKs) to define which data is loaded to the database and which data is retained:</p> <p>Option 1 (default)</p> <p>Overwrite older records when they are succeeded by later versions for the same entity and period. This is the Data Model default and results in the consumption of</p>

far less storage. Data Model updates issued by AEMO target this configuration so participants implementing option 2a or 2b must maintain their changes when AEMO releases a new Data Model version.

PredispatchLoad: DateTime, DUID

PredispatchInterconnectorRes: DateTime, InterconnectorID,

PredispatchPrice: DateTime, RegionID

PredispatchPriceSensitivities: DateTime, RegionID

PredispatchInterSensitivities: InterconnectorID, DateTime

PredispatchRegionsum: DateTime, RegionID

Option 2a

Retain only the Pricing records for tables relating to Price data and Physical records for tables relating to Physical data (e.g. targets). Approximately 50 times more storage volumes than option 1.

PredispatchLoad: PredispatchSeqNo, DateTime, DUID

PredispatchInterconnectorRes: PredispatchSeqNo, DateTime, InterconnectorID,

PredispatchPrice: PredispatchSeqNo, DateTime, RegionID

PredispatchPriceSensitivities: PredispatchSeqNo, DateTime, RegionID

PredispatchInterSensitivities: PredispatchSeqNo, DateTime, InterconnectorID

PredispatchRegionsum: PredispatchSeqNo, DateTime, RegionID

Option 2b

Retain both Physical and Pricing data for Intervention runs. If Intervention cases are stored in entirety, you must select the data carefully. The logic is the same as

for Dispatch, i.e. Intervention Pricing is always where Intervention = 0 and Physical data is where Intervention = PredispatchCaseSolution.Intervention for the same PredispatchSeqNo.

Doubles the storage of option 2a but ONLY for Intervened cases.

PredispatchLoad: PredispatchSeqNo, Intervention, DateTime, DUID

PredispatchInterconnectorRes: PredispatchSeqNo, Intervention, DateTime, InterconnectorID,

PredispatchPrice: PredispatchSeqNo, Intervention, DateTime, RegionID

PredispatchPriceSensitivities: PredispatchSeqNo, Intervention, DateTime, RegionID

PredispatchInterSensitivities: PredispatchSeqNo, Intervention, DateTime, InterconnectorID

PredispatchRegionsum: PredispatchSeqNo, Intervention, DateTime, RegionID

Notes:

The data in the PredispatchIS file is always ordered so the pdrLoader writes the relevant data first and discards the subsequent irrelevant data, or writes the subsequent data, depending on how the PKs are defined.

You may order the PKs in a different order, depending on your local requirements. Any decision to change the PK column composition or order must consider the functional and performance impacts to existing applications or queries.

The pdrLoader caches PK definitions for performance reasons so any change to the PKs requires a restart of the application.

The TRANSACTION_TYPE default in the PDR_REPORT_RECORDS management tables for PREDISPATCH* tables is UPDATE-INSERT. You can

	modify this to INSERT for Option 2b, as the attempt to first perform an update becomes redundant. This can improve load performance.
RESERVE_DATA	Energy and FCAS reserve requirements
SETTLEMENT_CONFIG	Configuration and input data for the Settlements Process
SETTLEMENT_DATA	Results from a published Settlements Run. The settlement data and billing run data are updated daily between 6am and 8am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs.
STPASA_SOLUTION	Results from a published Short Term PASA Run
TRADING_DATA	30 minute Trading interval results
HISTORICAL TABLES	These tables are no longer used
PDPASA	<p>The PDPASA package provides a 30-minute solving process to the Market systems</p> <p>The current methodology for calculating reserves in the PreDispatch timeframe is determined in a post processing step using a heuristic calculation based the results and Interconnector limits from the PreDispatch run.</p> <p>The calculation is a reserve assessment based on the</p>

	<p>PASA solver similar to existing ST and MT PASA business processes</p> <p>The process reflects all intra-regional and inter-regional network constraints as an input to the process</p>
PRUDENTIALS	Prudential Management
MCC_DISPATCH	Results from the Marginal Constraint Cost (MCC) re-run of the dispatch process. The MCC forms part of the part of the AER"s "Electricity transmission network service providers Service target performance incentive Scheme"
NETWORK	Configuration data for the physical network
VOLTAGE_INSTRUCTIONS	Instructions for MVar Dispatch
PD7DAY	Results from a published Predispatch 7 Day Run
FPP	Results from a published Frequency Performance Payments (FPP) Run. The FPP calculation runs performs every trading interval (typically 5 minutes, but different for P5MIN / PREDISPATCH) and input data feeding into the calculations. The output data from the calculations is published on that same interval. There are some tables that operate on different frequencies (e.g. P5MIN / PREDISPATCH) as well as some data becoming public the following market day. For further details please see the FPP procedure and supporting documentation.
SYSTEM_SECURITY_MANAGEMENT	Package for ISF (Improving Security Frameworks) for Electricity Power System Security procurement (not related to IT security)

2 Description of the model AEMO Electricity Data Model v5.6.0 Oracle

Background

The MMS Data Model is the definition of the interface to participants of data published by AEMO from the NEM system. A database conforming to the MMS Data Model can contain a local copy of all current participant-specific data recorded in the main NEM production database. The target databases have been called such names as the Participant Database, the Participant InfoServer and the Replica Database.

The MMS Data Model includes database tables, indexes and primary keys. The model is currently exposed as a physical model, so is different in presentation for each RDBMS. However, the same logical model underlies all the physical models published by AEMO.

The MMS Data Model is the target model for products transferring data from AEMO to each participant. Current product supplied by AEMO for data transfer is Participant Data Replication (PDR), with some support for the superseded Parser.

Compatibility of the transfer products with the MMS Data Model is the responsibility of those products and their configuration. AEMO's intention is to supply the data transfer products pre-configured to deliver data consistent with the MMS Data Model, noting differences where they occur (e.g. for historical reasons).

Entity Diagrams

The entity diagrams show the key columns. Relationships have now been included in many cases.

Note:

The National Electricity Market registration classification of Yarwun Power Station Unit 1 (dispatchable unit ID: YARWUN_1) is market non-scheduled generating unit. However, it is a condition of the registration of this unit that the Registered Participant complies with some of the obligations of a Scheduled Generator. This unit is dispatched as a scheduled generating unit with respect to its dispatch offers, targets and generation outputs. Accordingly, information about YARWUN_1 is reported as scheduled generating unit information.

3 Package: CONFIGURATION

Name	CONFIGURATION
Comment	MMS Data Model Configuration Management and Control

3.1 List of tables

Name	Comment	Visibility
MMS_DATA_MODEL_AUDIT	MMS_DATA_MODEL_AUDIT shows the audit trail of scripts applied to this installation of MMS Data Model. Participants should ensure that if a database is cloned the content of this table is copied to the target database.	Private

3.2 Diagram: Entities: Configuration

MMS_DATA_MODEL_AUDIT
INSTALLATION_DATE
MMSDM_VERSION
INSTALL_TYPE

4 Package: ANCILLARY_SERVICES

Name ANCILLARY_SERVICES


Comment Ancillary Service Contract Data

4.1 List of tables

Name	Comment	Visibility
CONTRACTAGC	CONTRACTAGC shows Automatic Generation Control (AGC) contract details for each dispatchable unit. There is a separate contract for each unit.	Private
CONTRACTLOADSHED	CONTRACTLOADSHED shows Governor contract details used in the settlement and dispatch of this service. Note: services are dispatched as 6 and 60 raise Frequency Control Ancillary Services (FCAS). Mandatory requirements and breakpoint details are not used for load shed. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private
CONTRACTREACTIVEPOWER	CONTRACTREACTIVEPOWER shows Reactive Power contract details used in the settlement and dispatch of this service. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private

CONTRACTRESTARTSERVICES	CONTRACTRESTARTSERVICES shows Restart Services contract details used in the settlement and dispatch of this service.	Private
CONTRACTRESTARTUNITS	CONTRACTRESTARTUNITS shows Restart units provided under a system restart contract. A service can have multiple units.	Private

4.2 Diagram: Entities: Ancillary Services



5 Package: ASOFFER


Name ASOFFER

Comment Offer data for Ancillary Service Contracts

5.1 List of tables

Name	Comment	Visibility
OFFERAGCDATA	OFFERAGCDATA shows availability reoffers of Automatic Generation Control.	Private
OFFERASTRK	OFFERASTRK tracks successfully acknowledged ancillary service reoffers.	Private
OFFERLSHEDDATA	OFFERLSHEDDATA shows reoffers of load shed including available load shed quantity. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private
OFFERRESTARTDATA	OFFERRESTARTDATA sets out reoffers of system restart availability.	Private
OFFERRPOWERDATA	OFFERRPOWERDATA shows reoffers of reactive power capability and settlement measurements. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private

5.2 Diagram: Entities: Ancillary Service Contracts



6 Package: BIDS

Name BIDS


Comment Energy and Market Based FCAS Offers

6.1 List of tables

Name	Comment	Visibility
BIDDAYOFFER	BIDDAYOFFER shows the Energy and Ancillary Service bid data for each Market Day. BIDDAYOFFER is the parent table to BIDOFFERPERIOD. BIDDAYOFFER is a child table to BIDOFFERFILETRK	Private & Public Next-Day
BIDDAYOFFER_D	BIDDAYOFFER_D shows the public summary of the energy and FCAS offers applicable in the Dispatch for the intervals identified. BIDDAYOFFER_D is the parent table to BIDPEROFFER_D.	Public
BIDOFFERFILETRK	BIDOFFERFILETRK shows an audit trail of all files submitted containing ENERGY/FCAS/MNSP bid, including corrupt bids and rebids.	Private
BIDOFFERPERIOD	BIDOFFERPERIOD shows 5-minute period-based Energy and Ancillary Service bid data. BIDOFFERPERIOD is a child table of BIDDAYOFFER	Private & Public Next-Day
BIDPEROFFER_D	BIDPEROFFER_D shows the public summary of the energy and FCAS offers applicable in the Dispatch for the intervals identified. BIDPEROFFER_D is the child to BIDDAYOFFER_D.	Public

MNSP_BIDOFFERPERIOD	MNSP_BIDOFFERPERIOD shows availability for 5-minute periods for a specific Bid and LinkID for the given Trading Date and period. MNSP_BIDOFFERPERIOD is a child to MNSP_DAYOFFER and links to BIDOFFERFILETRK for 5MS Bids.	Private & Public Next-Day
MNSP_DAYOFFER	MNSP_DAYOFFER updates as bids are processed. All bids are available as part of next day market data. MNSP_DAYOFFER is the parent table to MNSP_BIDOFFERPERIOD, and joins to BIDOFFERFILETRK for 5MS Bids.	Private & Public Next-Day
MTPASA_OFFERDATA	Participant submitted Offers for MTPASA process	Private
MTPASA_OFFERFILETRK	Participant submitted Offers for MTPASA process	Private

6.2 Diagram: Entities: Bids



7 Package: BILLING_CONFIG


Name BILLING_CONFIG

Comment Configuration data for the Billing Process

7.1 List of tables

Name	Comment	Visibility
BILLINGCALENDAR	BILLINGCALENDAR sets out the billing calendar for the year, with week number 1 starting on 1 January. BILLINGCALENDAR advises preliminary and final statement posting date and corresponding settlement for each billing week.	Public
GST_BAS_CLASS	GST_BAS_CLASS contains a static list of BAS (Business Activity Statement) classifications supported by the MMS.	Public
GST_RATE	GST_RATE maintains the GST rates on a BAS (Business Activity Statement) class basis.	Public
GST_TRANSACTION_CLASS	GST_TRANSACTION_CLASS maps NEM settlement transaction types with BAS (Business Activity Statement) classifications.	Public
GST_TRANSACTION_TYPE	GST_TRANSACTION_TYPE shows a static list of transaction types supported by the MMS.	Public
SECDEPOSIT_INTEREST_RATE	The security deposit interest rate on a daily basis. This is the public table published when the business enter and authorise a new daily interest rate	Public
SECDEPOSIT_PROVISION	The security deposit provision entry details	Private

7.2 Diagram: Entities: Billing Config



8 Package: BILLING_RUN

Name BILLING_RUN

Comment Results from a published Billing Run. The settlement data and billing run data are updated daily between 6am and 8am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs.

Each billing run is uniquely identified by contract year, week no and bill run no.

8.1 List of tables

Name	Comment	Visibility
BILLING_APC_COMPENSATION	Billing result table for APC compensation payments.	Private
BILLING_APC_RECOVERY	Billing result table for recovery of APC compensation payments	Private
BILLING_CO2E_PUBLICATION	Carbon Dioxide Intensity Index publication table	Public
BILLING_CO2E_PUBLICATION_TRK	Carbon Dioxide Intensity Index publication tracking table	Public
BILLING_DAILY_ENERGY_SUMMARY	Billing result table containing daily summary data for customer and generator energy amounts	Private
BILLING_DIR_FINAL_AMOUNT	The Billing Final Directions Payment Amount for Directed/Affected/Eligible participants	Private
BILLING_DIR_FINAL_RECOVERY	The Billing Final Directions Recovery Amount for the participants	Private
BILLING_DIR_PROV_AMOUNT	The Billing Provisional Directions Payment Amount for Directed/Affected/Eligible participants	Private

BILLING_DIR_PROV_RECOVER Y	The Billing Provisional Directions Recovery Amount for the participants	Private
BILLING_DIR_RECOVERY_DET AIL	The Billing Directions Recovery Details for the participants	Private
BILLING_DIRECTION_RECON_ OTHER	Billing reconciliation result table for both provisional and final directions	Public
BILLING_EFTSHORTFALL_AM OUNT	The billing shortfall run amounts	Private
BILLING_EFTSHORTFALL_DET AIL	The Billing Shortfall Run Amount details	Private
BILLING_ENERGY_GENSET_DE TAIL	The Billing Energy Genset report contains the Genset Energy detail summary for the Billing Week data	Private
BILLING_ENERGY_TRAN_SAPS	The SAP Billing Transaction Details for the Participants	Private
BILLING_ENERGY_TRANSACTI ONS	The Billing Energy Transactions is the summary of the Settlement Energy Transactions that has the ACE and ASOE MWh and Dollar values that is used for the Statement	Private
BILLING_FCAS_REG_AMT	This report show the summary of the Billing run FCAS Regulation Amounts incl default amounts.	Private
BILLING_FCAS_REG_RESIDAM T	This report show the summary of the Billing run FCAS Regulation Residual Amounts incl default amounts	Private
BILLING_FPP	This report show the summary of the Billing run FPP Amounts for the week	Private
BILLING_GST_DETAIL	BILLING_GST_DETAIL shows the BAS class, GST_Exclusive and GST amount (if any) attributable to a participant for each	Private

	transaction type.	
BILLING_GST_SUMMARY	BILLING_GST_SUMMARY shows the GST_Exclusive and GST amount (if any) attributable to a participant for each BAS class.	Private
BILLING_NMAS_MANUAL_PAYMENT	This report contains the NMAS Manual Weekly Payments that are uploaded by the Settlement Business Team. Amounts in this table are not calculated by the Settlement System.	Private
BILLING_NMAS_MANUAL_RECOVERY	This report shows the summary of the Billing NMAS Recovery Amounts. This table will have recovery data for manual payments for System Security Services.	Private
BILLING_NMAS_TST_PAYMENTS	BILLING_NMAS_TEST_PAYMENTS publish the NSCAS/SRAS Testing Payments data for a posted billing week. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private
BILLING_NMAS_TST_RECOVERY	BILLING_NMAS_TEST_RECOVERY sets out the recovery of NMAS testing payments This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private
BILLING_NMAS_TST_RECVRY_RBF	BILLING_NMAS_TEST_RECVRY_RBF sets out the NSCAS/SRAS Testing Payment recovery data for the posted billing week.	Public


BILLING_NMAS_TST_RECOVERY_TRK	BILLING_NMAS_TEST_RECOVERY_TRK tracks the energy data used to allocate the test payment recovery over the recovery period. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Public
BILLING_SECDEP_INTEREST_PAYMENT	The interest amount for security deposit calculated by billing, based on whether it is a fixed/floating rate	Private
BILLING_SECDEP_INTEREST_RATE	The DAILY interest rates used by billing when calculating the interest amount	Public
BILLING_SECDEPOSIT_APPLICATION	The security deposit application details	Private
BILLING_SUBST_DEMAND	Demand Values Substituted in Billing Calculation	Private
BILLING_SUBST_RUN_VERSION	Details of settlement runs used as input in the substitute demand calculation	Private
BILLING_WDR	Billing WDR Transaction Weekly Summary	Private
BILLING_WDR_DETAIL	Billing WDR transaction detail summary	Private
BILLINGAPCCOMPENSATION	BILLINGAPCCOMPENSATION shows Administered Price Cap (APC) compensation amounts for the billing period. Data is for each participant by region.	Private
BILLINGAPCRECOVERY	BILLINGAPCRECOVERY shows the Administered Price Cap (APC) Recovery for the billing period. Data is for each participant by region.	Private
BILLINGASPAYMENTS	BILLINGASPAYMENTS shows Ancillary	Private

	Service payments for each billing period by each of the Ancillary Service types for each participant's connection points.	
BILLINGASRECOVERY	BILLINGASRECOVERY shows participant charges for Ancillary Services for the billing period. This view shows the billing amounts for Ancillary Service Recovery.	Private
BILLINGDAYTRK	BILLINGDAYTRK is key for matching settlement versions with billing runs. BILLINGDAYTRK displays the billrunnos per billing week, and the settlement version numbers per settlement day comprising the billrunno.	Public
BILLINGFEES	BILLINGFEES presents pool fees applied to the statement, per billing run.	Private
BILLINGFINANCIALADJUSTMENTS	BILLINGFINANCIALADJUSTMENTS contains any manual adjustments included in the billing run.	Private
BILLINGINTERRESIDUES	BILLINGINTERRESIDUES shows interregion residues payable to NSP.	Private
BILLINGINTRARESIDUES	BILLINGINTRARESIDUES shows intra-region settlement residue details for each Transmission Network Service Provider participant by region.	Private
BILLINGIRAUCSURPLUS	BILLINGIRAUCSURPLUS supports the Settlements Residue Auction, by showing the weekly billing Interconnector Residue (IR) payments as calculated for each bill run for Network Service Providers (NSPs) from the amount not auctioned.	Private
BILLINGIRAUCSURPLUSSUM	BILLINGIRAUCSURPLUSSUM contains Auction fees and Settlements Residue Auction distribution that may arise from unpurchased auction units that accrue to	Private

	Transmission Network Service Providers.	
BILLINGIRFM	BILLINGIRFM shows billing amounts associated with Industrial Relations Forced Majeure events for each participant.	Private
BILLINGIRNSPSURPLUS	BILLINGIRNSPSURPLUS supports the Settlements Residue Auction (SRA), by showing the weekly billing Interconnector Residue (IR) payments as calculated for each bill run for Transmission Network Service Providers (TNSP) from the amount paid by participants (i.e. derogated amounts).	Private
BILLINGIRNSPSURPLUSSUM	BILLINGIRNSPSURPLUSSUM contains derogated payments made to TNSPs arising from the Settlements Residue Auction process.	Private
BILLINGIRPARTSURPLUS	BILLINGIRPARTSURPLUS supports the Settlements Residue Auction, by showing the weekly billing SRA distribution to Auction participants by Contract Identifier.	Private
BILLINGIRPARTSURPLUSSUM	BILLINGIRPARTSURPLUSSUM supports the Settlements Residue Auction, by showing the weekly billing SRA distribution and associated fees to Auction participants.	Private
BILLINGPRIORADJUSTMENTS	BILLINGPRIORADJUSTMENTS sets out prior period adjustments and associated interest inserted in subsequent Final Statements arising from Revision Statement postings.	Private
BILLINGREALLOC	BILLINGREALLOC shows reallocation contract values in each billing run, where participants have used reallocations.	Private
BILLINGREALLOC_DETAIL	Billing Reallocation Data aggregated by REALLOCATIONID for each billing run over the billing week.	Private

BILLINGREGIONEXPORTS	BILLINGREGIONEXPORTS sets out the region summary table of overall energy exported to and from each region for each billing run.	Public
BILLINGREGIONFIGURES	BILLINGREGIONFIGURES sets out additional summary region details including ancillary service amounts for each billing run.	Public
BILLINGREGIONIMPORTS	BILLINGREGIONIMPORTS sets out the region summary table of overall energy imported to and from each region for each billing run.	Public
BILLINGRUNTRK	BILLINGRUNTRK identifies the Statement type (i.e. Status of PRELIM, FINAL, REVISE) and date of the BillRunNo posted, per WeekNo. This provides a further extension of tracking data from the BILLINGDAYTRK table.	Public
BILLRESERVETRADERPAYMENT	Details of the RERT Usage and Availability Payments made to the participant.	Private
BILLRESERVETRADERRECOVERY	Provides details of the RERT Recovery Amount for the Market Customers.	Private
BILLWHITEHOLE	BILLWHITEHOLE shows white hole payments based on participant vs region demand.	Private

8.2 Diagram: Entities: Billing Run



9 Package: DEMAND_FORECASTS

Name DEMAND_FORECASTS

Comment Regional Demand Forecasts and Intermittent Generation forecasts.

9.1 List of tables

Name	Comment	Visibility
DEMANDOPERATIONALACTUAL	Shows Actual Operational Demand for a particular date time interval.	Public
DEMANDOPERATIONALFORECAST	Shows Forecast Operational Demand for a particular date time interval.	Public
INTERMITTENT_CLUSTER_AVAIL	A submission of expected plant availability for an intermittent generating unit cluster, by Trading Day and Trading Interval.	Private & Public Next-Day
INTERMITTENT_CLUSTER_AVAIL_DAY	Summary record for an availability submission for an intermittent generating unit cluster for a Trading Day.	Private & Public Next-Day
INTERMITTENT_DS_PRED	Unconstrained Intermittent Generation Forecasts (UIGF) for Dispatch	Private & Public Next-Day
INTERMITTENT_DS_RUN	Unconstrained Intermittent Generation Forecasts (UIGF) for Dispatch.	Private & Public Next-Day
INTERMITTENT_GEN_FCST	Identifying record for a given forecast of an intermittent generation. This table is the version table for the INTERMITTENT_GEN_FCST_DATA table which stores the individual forecast values. AEMO plans to remove this table in a Data Model version release after 5.6.	Private


INTERMITTENT_GEN_FCST_DATA	Stores the forecast generation (MW) for each interval within a given forecast of an intermittent generator. AEMO plans to remove this table in a Data Model version release after 5.6.	Private
INTERMITTENT_GEN_FCST_P5_PRED	Contains forecast predictions for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN timeframe. This is the child table of the parent table INTERMITTENT_GEN_FCST_P5_RUN, which contains the corresponding forecast runs.	Private & Public Next-Day
INTERMITTENT_GEN_FCST_P5_RUN	Contains forecast runs for intermittent wind and solar units, with a 5-minute resolution over the hour-ahead P5MIN timeframe. This is the parent table to the child table INTERMITTENT_GEN_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.	Private & Public Next-Day
INTERMITTENT_GEN_FCST_PRED	Contains forecast predictions for intermittent wind and solar units, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the child table of the parent table INTERMITTENT_GEN_FCST_RUN, which contains the corresponding forecast runs.	Private & Public Next-Day
INTERMITTENT_GEN_FCST_RUN	Contains forecast runs for intermittent wind and solar units, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the parent table to the child table INTERMITTENT_GEN_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.	Private & Public Next-Day
INTERMITTENT_GEN_LIMIT	A submission of Upper MW Limit for an intermittent generating unit, by Trading Day and Trading Interval	Private & Public Next-Day

INTERMITTENT_GEN_LIMIT_D AY	Summary record for an Upper MW Limit submission for an intermittent generating unit for a Trading Day	Private & Public Next-Day
INTERMITTENT_GEN_SCADA	INTERMITTENT_GEN_SCADA provides the SCADA Availability for every intermittent generating unit, including Elements Available (wind turbines/solar inverters) and Local Limit	Private & Public Next-Day
INTERMITTENT_P5_PRED	Unconstrained Intermittent Generation Forecasts (UIGF) for 5-Minute Pre-dispatch. AEMO plans to remove this table in a Data Model version release after 5.6.	Private
INTERMITTENT_P5_RUN	Unconstrained Intermittent Generation Forecasts (UIGF) for 5-Minute Pre-dispatch. AEMO plans to remove this table in a Data Model version release after 5.6.	Private
MTPASA_INTERMITTENT_AV AIL	A submission of expected plant availability for intermittent generators for use in MTPASA intermittent generation forecasts	Private
MTPASA_INTERMITTENT_LIM IT	A submission of expected maximum availability for intermittent generators for use in MTPASA intermittent generation forecasts	Private
PERDEMAND	PERDEMAND sets out the regional demands and MR schedule data for each half-hour period. PERDEMAND is a child table to RESDEMANDTRK.	Public
RESDEMANDTRK	RESDEMANDTRK defines the existence and versioning information of a forecast for a specific region and trading date. RESDEMANDTRK and PERDEMAND have a parent/child relationship, and are for defined forecast regional demands since market start. RESDEMANDTRK defines the existence	Public

	<p>and versioning information of a forecast for a specific region and trading date.</p> <p>PERDEMAND defines the numerical forecast values for each trading interval of a the trading day for that region. A complete trading day forecast for one region consists of one RESDEMANDTRK record and 48 PERDEMAND records.</p>	
ROOFTOP_PV_ACTUAL	Estimate of regional Rooftop Solar actual generation for each half-hour interval in a day. AEMO plans to remove this table in a Data Model version release after 5.6.	Public
ROOFTOP_PV_ACTUAL_PRED	Contains predictions for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the child table of the parent table ROOFTOP_PV_ACTUAL_RUN, which contains the corresponding actual prediction runs.	Public
ROOFTOP_PV_ACTUAL_RUN	Contains prediction runs for rooftop PV area estimated actuals, with a 5-minute and 30-minute resolution for different estimate types. This is the parent table to the child table ROOFTOP_PV_ACTUAL_PRED, which contains the corresponding actual predictions.	Public
ROOFTOP_PV_FCST_P5_PRED	Contains forecast predictions for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN timeframe. This is the child table of the parent table ROOFTOP_PV_FCST_P5_RUN, which contains the corresponding forecast runs.	Public
ROOFTOP_PV_FCST_P5_RUN	Contains forecast runs for rooftop PV areas, with a 5-minute resolution over the hour-ahead DS/P5MIN timeframe. This is the parent table to the child table	Public

	ROOFTOP_PV_FCST_P5_PRED, which contains the corresponding forecast predictions over the full horizon.	
ROOFTOP_PV_FCST_PRED	Contains forecast predictions for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the child table of the parent table ROOFTOP_PV_FCST_RUN, which contains the corresponding forecast runs.	Public
ROOFTOP_PV_FCST_RUN	Contains forecast runs for rooftop PV areas, with a 30-minute resolution over the week-ahead PD/STPASA timeframe. This is the parent table to the child table ROOFTOP_PV_FCST_PRED, which contains the corresponding forecast predictions over the full horizon.	Public
ROOFTOP_PV_FORECAST	Regional forecasts of Rooftop Solar generation across the half-hour intervals over 8 days. AEMO plans to remove this table in a Data Model version release after 5.6.	Public

9.2 Diagram: Entities: Demand Forecasts



10 Package: DISPATCH

Name DISPATCH

Comment Results from a published Dispatch Run

10.1 List of tables

Name	Comment	Visibility
CONSTRAINTRELAXATION_OCD	CONSTRAINTRELAXATION_OCD contains details of interconnector constraints and unit ancillary service constraints relaxed in the over-constrained dispatch (OCD) re-run for this interval (if there was one). Note: INTERVENTION is not included in CONSTRAINTRELAXATION_OCD, since the relaxation of the same constraint is the same amount in both intervened and non-intervened cases.	Public
DISPATCH_CONSTRAINT_FCAS_OCD	FCAS constraint solution from OCD re-run.	Public
DISPATCH_FCAS_REQ_CONSTRAINT	The constraint level FCAS cost / price details for constraint FCAS processor runs. This enhanced output table format is established for the constraint FCAS processor release required for the Frequency Performance Payments (FPP) release. This enhanced output is hierarchical in nature, with the parent *_FCAS_REQ_RUN table holding the details about the triggering case run and time, and the child *_FCAS_REQ_CONSTRAINT table holding the constraint level details of FCAS costs / prices.	Public
DISPATCH_FCAS_REQ_RUN	The constraint FCAS processor run details.	Public


	<p>This enhanced output table format is established for the constraint FCAS processor release required for the Frequency Performance Payments (FPP) release. This enhanced output is hierarchical in nature, with the parent *_FCAS_REQ_RUN table holding the details about the triggering case run and time, and the child *_FCAS_REQ_CONSTRAINT table holding the constraint level details of FCAS costs / prices.</p>	
DISPATCH_INTERCONNECTION	<p>Inter-regional flow information common to or aggregated for regulated (i.e. not MNSP) Interconnectors spanning the From-Region and To-Region - NB only the physical run is calculated'</p>	Public
DISPATCH_LOCAL_PRICE	<p>Sets out local pricing offsets associated with each DUID connection point for each dispatch period. Note that from 2014 Mid year release only records with non-zero Local_Price_Adjustment values are issued</p>	Private & Public Next-Day
DISPATCH_MNSPBIDTRK	<p>DISPATCH_MNSPBIDTRK shows the MNSP bid tracking, including the bid version used in each dispatch run for each MNSP Interconnector Link. The table identifies which bids from MNSP_DAYOFFER and MNSP_BIDOFFERPERIOD were applied.</p>	Private & Public Next-Day
DISPATCH_MR_SCHEDULE_TRK	<p>DISPATCH_MR_SCHEDULE_TRK records the Mandatory Restrictions Acceptance Schedule applied to this dispatch interval for this region.</p> <p>DISPATCH_MR_SCHEDULE_TRK is populated by the Dispatch process and records the MR Offer Stack applied in each dispatch interval. DISPATCH_MR_SCHEDULE_TRK is used by Settlements to calculate payments according to the correct MR offer stack.</p>	Public

DISPATCH_PRICE_REVISION	An audit trail of price changes on the DISPATCHPRICE table (i.e. for 5 minute dispatch prices for energy and FCAS).	Public
DISPATCH_ROOFTOP_PV_FCST_TRK	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_P5_RUN) was used for the Area in which Dispatch run.	Public
DISPATCH_UNIT_CONFORMANCE	DISPATCH_UNIT_CONFORMANCE details the conformance of a scheduled units operation with respect to a cleared target on dispatch interval basis. Data is confidential	Private
DISPATCH_UNIT_SCADA	Dispatchable unit MW from SCADA at the start of the dispatch interval. The table includes all scheduled and semi-scheduled (and non-scheduled units where SCADA is available)	Public
DISPATCHBLOCKEDCONSTRAINT	DISPATCH Blocked Constraints lists any constraints that were blocked in a dispatch run. If no constraints are blocked, there will be no rows for that dispatch run.	Public
DISPATCHCASESOLUTION	DISPATCHCASESOLUTION shows information relating to the complete dispatch run. The fields in DISPATCHCASESOLUTION provide an overview of the dispatch run results allowing immediate identification of conditions such as energy or FCAS deficiencies.	Public
DISPATCHCONSTRAINT	DISPATCHCONSTRAINT sets out details of all binding and interregion constraints in each dispatch run. Note: invoked constraints can be established from GENCONSETINVOKE. Binding constraints show as marginal value >\$0. Interconnector constraints are listed so RHS (SCADA calculated limits) can	Private & Public Next-Day

	be reported.	
DISPATCHINTERCONNECTORRES	DISPATCHINTERCONNECTORRES sets out MW flow and losses on each interconnector for each dispatch period, including fields for the Frequency Controlled Ancillary Services export and import limits and extra reporting of the generic constraints set the energy import and export limits.	Public
DISPATCHLOAD	DISPATCHLOAD set out the current SCADA MW and target MW for each dispatchable unit, including relevant Frequency Control Ancillary Services (FCAS) enabling targets for each five minutes and additional fields to handle the new Ancillary Services functionality. Fast Start Plant status is indicated by dispatch mode.	Private & Public Next-Day
DISPATCHOFFERTRK	DISPATCHOFFERTRK is the energy and ancillary service bid tracking table for the Dispatch process. The table identifies which bids from BIDDAYOFFER and BIDOFFERPERIOD were applied for a given unit and bid type for each dispatch interval.	Private & Public Next-Day
DISPATCHPRICE	DISPATCHPRICE records 5 minute dispatch prices for energy and FCAS, including whether an intervention has occurred, or price override (e.g. for Administered Price Cap). DISPATCHPRICE updates when price adjustments occur, in which case the new price is written to the RRP field, and the old price to the ROP field as an audit trail.	Public
DISPATCHREGIONSUM	DISPATCHREGIONSUM sets out the 5-minute solution for each dispatch run for each region, including the Frequency Control Ancillary Services (FCAS) services provided. Additional fields are for the Raise Regulation and Lower Regulation Ancillary Services plus	Public

	improvements to demand calculations.	
INTERMITTENT_FORECAST_T RK	Uniquely tracks which Intermittent Generation forecast was used for the DUID in which Dispatch run	Private & Public Next-Day
NEGATIVE_RESIDUE	Shows the inputs provided to the Negative Residue Constraints in the Dispatch horizon	Public

10.2 Diagram: Entities: Dispatch



11 Package: FORCE_MAJEURE

Name FORCE_MAJEURE


Comment Market Suspensions and administer pricing event data

11.1 List of tables

Name	Comment	Visibility
APEVENT	APEVENT is the driving data defining the existence and timeframes of an administered pricing event.	Public
APEVENTREGION	APEVENTREGION is the Region detail for an administered pricing event defined through APEVENT.	Public
IRFMAMOUNT	IRFMAMOUNT sets out settlement amounts associated with Industrial Relations Forced Majeure events.	Public
IRFMEVENTS	IRFMEVENTS sets out specific Industrial Relations Forced Majeure events.	Public
MARKET_SUSPEND_REGIME_SUM	Tracks the evolution of pricing regimes applied to the suspended region and from which Dispatch Interval	Public
MARKET_SUSPEND_REGION_SUM	Summary of Market Suspension timings	Public
MARKET_SUSPEND_SCHEDULE	Trading prices that will apply in the event of a market suspension event updated weekly.	Public
MARKET_SUSPEND_SCHEDULE_TRK	Parent table for pricing regimes used in suspensions	Public
OVERRIDERRP	OVERRIDERRP shows details of override	Public

REGIONAPC	price periods. REGIONAPC defines Administered Price profiles (Energy and FCAS) for a region.	Public
REGIONAPCINTERVALS	REGIONAPCINTERVALS contains Administered Price profiles (Energy and FCAS) applicable to each interval for a region.	Public

11.2 Diagram: Entities: Force Majeure



12 Package: GD_INSTRUCT


Name GD_INSTRUCT

Comment General Dispatch Instruction data

12.1 List of tables

Name	Comment	Visibility
GDINSTRUCT	GDINSTRUCT shows all manually issued dispatch instructions for a dispatchable unit. Ancillary Service instructions are to enable and to disable (i.e. 2 separate instructions) a service. Non-conforming units are also instructed via this facility. However, this facility is not the same as the market notice.	Public
INSTRUCTIONSUBTYPE	Each Dispatch instruction (GD instruct) has a type and subtype. INSTRUCTIONSUBTYPE, together with INSTRUCTIONTYPE, sets out valid instruction types.	Public
INSTRUCTIONTYPE	Dispatch instruction (GD instruct) has types and subtypes. INSTRUCTIONTYPE, together with INSTRUCTIONSUBTYPE, sets out valid instruction types.	Public

12.2 Diagram: Entities: GD Instruct



13 Package: **GENERIC_CONSTRAINT**

Name **GENERIC_CONSTRAINT**

Comment Generic Constraint Standing Data and Invocations


13.1 List of tables

Name	Comment	Visibility
EMSMASTER	EMSMASTER provides a description of the SCADA measurements that are associated with the SPD_ID points utilised in generic equation RHS terms	Public
GENCONDATA	GENCONDATA sets out the generic constraints contained within a generic constraint set invoked in PASA, predispach and dispatch. Fields enable selective application of invoked constraints in the Dispatch, Predispach, ST PASA or MT PASA processes.	Public
GENCONSET	GENCONSET sets out generic constraint sets that are invoked and revoked, and may contain many generic constraints (GENCONDATA).	Public
GENCONSETINVOKE	GENCONSETINVOKE provides details of invoked and revoked generic constraints. GENCONSETINVOKE is the key table for determining what constraints are active in dispatch, predispach and PASA. GENCONSETINVOKE also indicates whether constraints are for interconnector limits, ancillary services, etc.	Public
GENCONSETTRK	GENCONSETTRK assists in determining the	Public

	correct version of a generic constraint set that has been invoked in GENCONSETINVOKE.	
GENERICCONSTRAINTRHS	<p>GENERICCONSTRAINTRHS sets out details of generic constraint Right Hand Side (RHS) formulations for dispatch (DS), predispach (PD) and Short Term PASA (ST). GENERICCONSTRAINTRHS also includes general expressions (EQ) used in the dispatch, predispach and PASA time frames.</p> <p>GENERICCONSTRAINTRHS replaces data previously available via the "Constraint Library" Excel spreadsheet.</p>	Public
GENERICEQUATIONDESC	GENERICEQUATIONDESC defines a generic equation identifier with a description. The formulation of the generic equation is detailed in GENERICEQUATIONRHS.	Public
GENERICEQUATIONRHS	GENERICEQUATIONRHS stores the formulation of commonly used Generic Constraint Right Hand Side Equations referenced from Generic Constraint Right Hand Side definitions stored in GENERICCONSTRAINTRHS. The Generic Equation definitions are versioned and the latest effective version is applied to the dispatch process.	Public
SPDCONNECTIONPOINTCONSTRAINT	SPDCONNECTIONPOINTCONSTRAINT sets out details of connections point constraints issued in dispatch, predispach and STPASA.	Public
SPDINTERCONNECTORCONSTRAINT	SPDINTERCONNECTORCONSTRAINT contains details on the interconnector constraint factors used in dispatch, predispach and STPASA. The details set a LHS value.	Public
SPDREGIONCONSTRAINT	SPDREGIONCONSTRAINT contains details on	Public

	region demand constraint factors used in dispatch. SPDREGIONCONSTRAINT sets a LHS value.	
--	--	--

13.2 Diagram: Entities: Generic Constraints



14 Package: IRAUCTION

<i>Name</i>	IRAUCTION
<i>Comment</i>	Inter-regional Residue Auction data

14.1 List of tables

Name	Comment	Visibility
AUCTION	AUCTION holds auction details. AUCTION is new in March 2003 to support SRA Inter-Temporal Linking.	Public
AUCTION_CALENDAR	AUCTION_CALENDAR holds the definitions of each auction quarter in a contract year. AUCTION_CALENDAR supports the Settlement Residue Auction.	Public
AUCTION_IC_ALLOCATIONS	AUCTION_IC_ALLOCATIONS supports the Settlement Residue Auction by providing the basis for setting up contracts for individual tranches. AUCTION_IC_ALLOCATIONS shows the default definitions for the total number of units and proportion applicable to each directional interconnector for a specified auction quarter.	Public
AUCTION_REVENUE_ESTIMATE	AUCTION_REVENUE_ESTIMATE supports the Settlement Residue Auction, by holding the evaluator's estimates of revenue for each month of a given quarter. Since reserve prices are no longer applicable from the end of 2001, zero is used as a default to avoid rewriting the system.	Public
AUCTION_REVENUE_TRACK	AUCTION_REVENUE_TRACK supports the Settlement Residue Auction, by holding the tracking information for each evaluator's	Public

	estimates for a given quarter. The status field is dynamic and is used for selection of estimates to be published.	
AUCTION_RP_ESTIMATE	<p>AUCTION_RP_ESTIMATE supports the Settlement Residue Auction, by holding the evaluator's estimates of revenue prices for a given quarter.</p> <p>Since reserve prices are no longer applicable from the end of 2001, zero is used as a default to avoid rewriting the system.</p>	Public
AUCTION_TRANCHE	AUCTION_TRANCHE supports the Settlement Residue Auction, by holding the default definitions for the percentage number of units allocated and dates applicable to each tranche for a specified auction quarter. This information provides the basis for setting up contracts for individual tranches.	Public
RESIDUE_BID_TRK	RESIDUE_BID_TRK supports the Settlement Residue Auction, by detailing which bid was used for which SRA Contract run.	Private
RESIDUE_CON_DATA	RESIDUE_CON_DATA supports the Settlement Residue Auction, by holding for each participant the confidential data from the auction. RESIDUE_CON_DATA joins to RESIDUE_PUBLIC_DATA and RESIDUE_TRK.	Private
RESIDUE_CON_ESTIMATES_TRK	RESIDUE_CON_ESTIMATES_TRK supports the Settlement Residue Auction, by holding the tracking details of the estimates used to generate the reserve price for each contract.	Public
RESIDUE_CON_FUNDS	RESIDUE_CON_FUNDS supports the Settlement Residue Auction, by holding the fund details for each contract.	Public
RESIDUE_CONTRACTS	RESIDUE_CONTRACTS supports the	Public

	Settlement Residue Auction, by holding the contract details for each period for which a residue contract will be offered.	
RESIDUE_FUNDS_BID	RESIDUE_FUNDS_BID supports the Settlement Residue Auction, by showing the fund details for each SRA bid by each Participant.	Private
RESIDUE_PRICE_BID	RESIDUE_PRICE_BID supports the Settlement Residue Auction, holding the unit and bid price details for each participant.	Private
RESIDUE_PRICE_FUNDS_BID	RESIDUE_PRICE_FUNDS_BID shows the bids producing the auction outcome, without exposing participant-specific details. RESIDUE_PRICE_FUNDS_BID is new in March 2003 to support SRA Inter-Temporal Linking.	Public
RESIDUE_PUBLIC_DATA	RESIDUE_PUBLIC_DATA shows the public auction results. RESIDUE_PUBLIC_DATA supports the Settlement Residue Auction, by holding the public details of the auction for a given contract. RESIDUE_PUBLIC_DATA joins to RESIDUE_CON_DATA and RESIDUE.	Public
RESIDUE_TRK	RESIDUE_TRK supports the Settlement Residue Auction, by showing the tracking records for different residue auction runs. RESIDUE_TRK joins to RESIDUE_PUBLIC_DATA and RESIDUE_CON_DATA.	Public
RESIDUECONTRACTPAYMENTS	RESIDUECONTRACTPAYMENTS shows Settlement Residue Auction payment Participant notifications.	Private
RESIDUEFILETRK	RESIDUEFILETRK records all Settlement Residue Auction offers submitted by participants.	Private

SRA_CASH_SECURITY	Records the Cash Security details provided by an SRA Auction Participant as collateral to cover their Trading Position in the SRA market	Private
SRA_FINANCIAL_AUC_MARGINALDETAIL	This table stores details of the margins returned to the participants.	Private
SRA_FINANCIAL_AUC_MARGIN	Records the amount of Cash Security required to be held by an Auction Participant after settlement	Private
SRA_FINANCIAL_AUC_RECEIPTS	Records details of the Cancelled Units and their value for the Auction Participant	Private
SRA_FINANCIAL_AUCPAY_DETAIL	Records details of the SRA financial auction payment	Private
SRA_FINANCIAL_AUCPAY_SUM	Records a summary of the Auction payment amount	Private
SRA_FINANCIAL_RUNTRK	Records details of the settlement process for the cancellation and purchase of SRA Auction Units	Public
SRA_OFFER_PRODUCT	Holds the Product details for each Offer File submitted by each SRA Auction Participant.	Private
SRA_OFFER_PROFILE	Holds the data of an SRA Auction Participant Offer Submission.	Private
SRA_PRUDENTIAL_CASH_SECURITY	Records the Cash Security details provided by an SRA Auction Participant as collateral to cover their Trading Position in the SRA market	Private
SRA_PRUDENTIAL_COMP_POSITION	The prudential position of each company at the date and time of a specific prudential run	Private
SRA_PRUDENTIAL_EXPOSURE	Records details of the Prudential Exposure of an SRA Auction Participant	Private

SRA_PRUDENTIAL_RUN	Records the prudential run details for each prudential date	Public
VALUATIONID	VALUATIONID shows the identifiers and descriptions of the valuers submitting estimates of upcoming settlement residues. VALUATIONID supports the Settlement Residue Auction.	Public

14.2 Diagram: Entities: IRAuction



15 Package: MARKET_CONFIG

<i>Name</i>	MARKET_CONFIG
<i>Comment</i>	Standing data for the market


15.1 List of tables

Name	Comment	Visibility
AREA	Table containing static metadata for the Areas, which are sub-regions used in load forecasting and rooftop PV forecasting. The latest metadata can be obtained for each AreaID using the most recent EffectiveDate and then VersionNo. If an AreaID is not mapped to an active RegionID in the corresponding REGION_AREA table, then that AreaID can be considered inactive.	Public
BIDTYPES	BIDTYPES, together with the associated tracking data in BIDTYPESTRK, define a set of ancillary services with bidding parameters from a given date. BIDTYPES is static data describing each type of bid quantity, the number of applicable bands, how many days ahead a price lock down becomes effective and the validation rule that applies.	Public
BIDTYPESTRK	BIDTYPESTRK, together with the associated data in BIDTYPES, define a set of ancillary services with bidding parameters from a given date.	Public
FCAS_REGU_USAGE_FACTORS	Stores the proportion of enabled regulation FCAS dispatch that is typically consumed for frequency regulation. Used to calculate the	Public

	projected state of charge for energy storage systems.	
FCAS_REGU_USAGE_FACTOR S_TRK	Stores the proportion of enabled regulation FCAS dispatch that is typically consumed for frequency regulation. Used to calculate the projected state of charge for energy storage systems.	Public
INTERCONNECTOR	INTERCONNECTOR sets out valid identifiers for each interconnector.	Public
INTERCONNECTORALLOC	INTERCONNECTORALLOC shows allocations of interconnector residues to Network Service Providers.	Private
INTERCONNECTORCONSTRAINT	INTERCONNECTORCONSTRAINT sets out Interconnector limit data used as defaults in dispatch, predispach and STPASA and used by SPD in calculating flows. INTERCONNECTORCONSTRAINT includes an additional field to restrict an interconnector from support transfer of FCAS.	Public
INTRAREGIONALLOC	INTRAREGIONALLOC shows allocations of intra-regional residues to participants.	Private
LOSSFACTORMODEL	LOSSFACTORMODEL sets out the demand coefficients for each interconnector, used by LP Solver modelling of interconnector flows.	Public
LOSSMODEL	LOSSMODEL sets out segment breakpoints in loss model for each interconnector, used by LP Solver modelling of interconnector flows.	Public
MARKET_PRICE_THRESHOLDS	MARKET_PRICE_THRESHOLDS sets out the market cap , floor and administered price thresholds applying to the electricity market	Public
REGION	REGION sets out valid region IDs.	Public

REGION_AREA	Table containing static metadata for mapping the Areas to Regions. The latest mapping can be obtained for each RegionID using the most recent EffectiveDate and then VersionNo.	Public
REGIONSTANDINGDATA	REGIONSTANDINGDATA sets out standing region data including the region reference node.	Public
TRANSMISSIONLOSSFACTOR	TRANSMISSIONLOSSFACTOR shows the Transmission Loss factors applied at each connection point.	Public

15.2 Diagram: Entities: Market Standing Data




16 Package: MARKET_NOTICE

Name	MARKET_NOTICE
Comment	Market Notice data

16.1 List of tables

Name	Comment	Visibility
MARKETNOTICEDATA	MARKETNOTICEDATA shows market notices data provided to all participants (market) and specific participants (participant).	Private & Public
MARKETNOTICETYPE	MARKETNOTICETYPE sets out the different types of market notices (e.g. market systems).	Public
PARTICIPANTNOTICETRK	PARTICIPANTNOTICETRK provides the cross-reference between participant market notices and participants.	Private

16.2 Diagram: Entities: Market Notices



17 Package: METER_DATA

<i>Name</i>	METER_DATA
<i>Comment</i>	Wholesale market aggregated Meter data

17.1 List of tables

Name	Comment	Visibility
METERDATA_AGGREGATE_READS	Publishes aggregated metering data associated with a wholesale connection point for a given CASE_ID	Private
METERDATA_INDIVIDUAL_READS	Publishes metering data associated with individual metering points for a given CASE_ID	Private
METERDATA_INTERCONNECTOR	Publishes metering data associated with wholesale interconnectors for a given CASE_ID	Public
METERDATA_SAPS	The SAPS Meter data for MSRP and Retailer used in the Settlement Calculation	Private
METERDATA_WDR_READS	Metering Data WDR Readings	Private

17.2 Diagram: Entities: Meter Data

Note: Include MDA = MeteringDataAgent in any join

METERDATA_INDIVIDUAL_READS

CASE_ID
SETTLEMENTDATE
METER_ID
METER_ID_SUFFIX
PERIODID

METERDATA_INTERCONNECTOR

CASE_ID
SETTLEMENTDATE
INTERCONNECTORID
PERIODID

METERDATA_AGGREGATE_READS

CASE_ID
SETTLEMENTDATE
CONNECTIONPOINTID
METER_TYPE
FRMP
LR
PERIODID

METERDATA_WDR_READS

MARKET_ID
CASE_ID
SETTLEMENTDATE
METER_ID
PERIODID

METERDATA_SAPS

CASE_ID
SETTLEMENTDATE
CONNECTIONPOINT_ID
METER_TYPE
FRMP
LR
PERIODID

18 Package: MTPASA

Name MTPASA

Comment Results from a published Medium Term PASA Run and region-aggregate offered PASA Availability of scheduled generators

18.1 List of tables

Name	Comment	Visibility
MTPASA_CASERESULT	MTPASA solution header table	Public
MTPASA_CONSTRAINTRESULT	Constraint results for Binding or Violating Constraints	Public
MTPASA_CONSTRAINTSUMMARY	Constraint Summary results over aggregation periods	Public
MTPASA_DUIDAVAILABILITY	Offered PASA Availability of the scheduled generator DUID for each day over the Medium Term PASA period. The data in this table is input data to the MT PASA process it is not part of the MTPASA solution. The availability does not reflect any energy limitations in the MT PASA offers	Public
MTPASA_INTERCONNECTORRESULT	Interconnector results for interval of max demand per day	Public
MTPASA_LOLRESULT	Results for Loss of Load Probability (LOLP) run per day	Public
MTPASA_REGIONAVAIL_TRK	The tracking table to assist in versioning of the region-aggregate offered PASA Availability data published to the MTPASA_REGIONAVAILABILITY table.	Public
MTPASA_REGIONAVAILABILITY	Stores the Region-aggregate offered PASA Availability of scheduled generators for each day over the Medium Term PASA period.	Public

	The data in this table is an aggregate of input data to the MT PASA process it is not part of the MTPASA solution. The aggregate availability does not reflect any energy limitations in the MT PASA offers.	
MTPASA_REGIONITERATION	Region results for Unserved Energy (USE)	Public
MTPASA_REGIONRESULT	Region results for interval of max demand per day.	Public
MTPASA_REGIONSUMMARY	Region Results summary over aggregation periods.	Public

18.2 Diagram: Entities: MT PASA



19 Package: P5MIN

Name P5MIN

Comment Results from a published Five-Minute Predispatch Run

19.1 List of tables

Name	Comment	Visibility
P5MIN_BLOCKEDCONSTRAINT	P5MIN Blocked Constraints lists any constraints that were blocked in a P5MIN run. If no constraints are blocked, there will be no rows for that 5 minute predispach run.	Public
P5MIN_CASESOLUTION	<p>The five-minute predispach (P5Min) is a MMS system providing projected dispatch for 12 Dispatch cycles (one hour). The 5-minute Predispach cycle runs every 5-minutes to produce a dispatch and pricing schedule to a 5-minute resolution covering the next hour, a total of twelve periods.</p> <p>P5MIN_CASESOLUTION shows one record containing results pertaining to the entire solution.</p>	Public
P5MIN_CONSTRAINTSOLUTION	<p>The Five-Minute Pre-Dispatch (P5Min) is a MMS system providing projected dispatch for 12 Dispatch cycles (one hour). The Five-Minute Pre-dispatch cycle runs every 5-minutes to produce a dispatch and pricing schedule to a 5-minute resolution covering the next hour, a total of twelve periods.</p> <p>P5MIN_CONSTRAINTSOLUTION shows binding and violated constraint results from the capacity evaluation, including the RHS</p>	Private & Public

	value.	
P5MIN_FCAS_REQ_CONSTRAINT	<p>The constraint level FCAS cost / price details for constraint FCAS processor runs. This enhanced output table format is established for the constraint FCAS processor release required for the Frequency Performance Payments (FPP) release. This enhanced output is hierarchical in nature, with the parent *_FCAS_REQ_RUN table holding the details about the triggering case run and time, and the child *_FCAS_REQ_CONSTRAINT table holding the constraint level details of FCAS costs / prices.</p>	Public
P5MIN_FCAS_REQ_RUN	<p>The constraint FCAS processor run details. This enhanced output table format is established for the constraint FCAS processor release required for the Frequency Performance Payments (FPP) release. This enhanced output is hierarchical in nature, with the parent *_FCAS_REQ_RUN table holding the details about the triggering case run and time, and the child *_FCAS_REQ_CONSTRAINT table holding the constraint level details of FCAS costs / prices.</p>	Public
P5MIN_INTERCONNECTORSOLN	<p>The five-minute predispach (P5Min) is a MMS system providing projected dispatch for 12 Dispatch cycles (one hour). The 5-minute Predispach cycle runs every 5-minutes to produce a dispatch and pricing schedule to a 5-minute resolution covering the next hour, a total of twelve periods.</p> <p>P5MIN_INTERCONNECTORSOLN sets out the results of the capacity evaluation for Interconnectors, including the calculated limits for the interval.</p>	Public
P5MIN_INTERMITTENT_FCST_	Uniquely tracks which Intermittent Generation forecast run (from	Private & Public

TRK	INTERMITTENT_GEN_FCST_P5_RUN) was used for the DUID in which 5-Minute Pre-dispatch run.	Next-Day
P5MIN_INTERSENSITIVITIES	Price Sensitivies for 5MinPD solution. New solution every 5 minutes. Current Scenarios defined in P5MIN_SCENARIODEMANDTRK/P5MIN_SCENARIODEMAND	Public
P5MIN_LOCAL_PRICE	Sets out local pricing offsets associated with each DUID connection point for each dispatch period	Public
P5MIN_PRICESENSITIVITIES	Price Sensitivies for 5MinPD solution. New solution every 5 minutes. Current Scenarios defined in P5MIN_SCENARIODEMANDTRK/P5MIN_SCENARIODEMAND	Public
P5MIN_REGIONSOLUTION	<p>The five-minute predispach (P5Min) is a MMS system providing projected dispatch for 12 Dispatch cycles (one hour). The 5-minute Predispach cycle runs every 5-minutes to produce a dispatch and pricing schedule to a 5-minute resolution covering the next hour, a total of twelve periods.</p> <p>P5MIN_REGIONSOLUTION shows the results of the regional capacity, maximum surplus reserve and maximum spare capacity evaluations for each period of the study.</p>	Public
P5MIN_ROOFTOP_PV_FCST_TRK	Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_P5_RUN) was used for the Area in which 5-Minute Pre-dispatch run.	Public
P5MIN_SCENARIODEMAND	The P5Min scenario MW offsets	Public
P5MIN_SCENARIODEMANDTRK	Tracks the 5Min scenario offset updates across time	Public

P5MIN_UNITSOLUTION	<p>The five-minute predispach (P5Min) is a MMS system providing projected dispatch for 12 Dispatch cycles (one hour). The 5-minute Predispach cycle runs every 5-minutes to produce a dispatch and pricing schedule to a 5-minute resolution covering the next hour, a total of twelve periods.</p> <p>P5MIN_UNITSOLUTION shows the Unit results from the capacity evaluations for each period of the study.</p>	Private
--------------------	--	---------

19.2 Diagram: Entities: P5MIN



20 Package: PARTICIPANT_REGISTRATION

Name PARTICIPANT_REGISTRATION

Comment Participant registration data


20.1 List of tables

Name	Comment	Visibility
ADG_DETAIL	Table for tracking evolving Aggregate Dispatch Group attributes	Public
AGGREGATE_DISPATCH_GROUP	Entity allowing for compliance monitoring over grouped DUIDs	Public
BIDDUIDDETAILS	BIDDUIDDETAILS and the associated tracking object BIDDUIDDETAILSTRK define the registration data for each ancillary service a dispatchable unit is registered to provide. The registration data is required to validate a dispatchable unit bid submitted for that ancillary service.	Public
BIDDUIDDETAILSTRK	BIDDUIDDETAILSTRK shows the tracking for the associated object BIDDUIDDETAILS. Together, BIDDUIDDETAILSTRK and BIDDUIDDETAILS define the registration data for each ancillary service a dispatchable unit is registered to provide. The registration data is required to validate a dispatchable unit bid submitted for that ancillary service.	Public
DISPATCHABLEUNIT	DISPATCHABLEUNIT sets out the unit name and type of each dispatchable unit in the market.	Public
DUALLOC	DUALLOC cross references dispatch unit identifier to genset ID for each participant.	Public

DUDETAIL	DUDETAIL sets out a records specific details for each unit including start type and whether normally on or off load. Much of this data is information only and is not used in dispatch or settlements.	Public
DUDETAILSUMMARY	DUDETAILSUMMARY sets out a single summary unit table so reducing the need for participants to use the various dispatchable unit detail and owner tables to establish generating unit specific details.	Public
GENMETER	GENMETER shows details of generator meter sets.	Private
GENUNITS	GENUNITS shows Genset details for each physical unit with the relevant station.	Public
GENUNITS_UNIT	Physical units within a Gen Unit Set	Public
MNSP_INTERCONNECTOR	MNSP_INTERCONNECTOR sets out attributes of each interconnector.	Public
MNSP_PARTICIPANT	MNSP_PARTICIPANT registers MNSP ownership.	Public
PARTICIPANT	PARTICIPANT sets out Participant ID, name and class for all participants.	Public
PARTICIPANTACCOUNT	PARTICIPANTACCOUNT shows financial details on participants.	Private
PARTICIPANTCATEGORY	PARTICIPANTCATEGORY sets out valid participant categories.	Public
PARTICIPANTCATEGORYALLO C	PARTICIPANTCATEGORYALLOC sets out the assignment of participants to particular categories.	Public
PARTICIPANTCLASS	PARTICIPANTCLASS sets out valid participant classifications.	Public

PARTICIPANTCREDITDETAIL		Private
PMS_GROUP	Entity table for group	Public
PMS_GROUPNMI	Describe the NMIs that a group uses to provide its service	Private
PMS_GROUPSERVICE	Describe the services a group provides and its relation to a market	Public
STADUALLOC	STADUALLOC sets out details on the allocation of dispatchable units to particular sites or stations.	Public
STATION	STATION sets out valid station identifiers.	Public
STATIONOPERATINGSTATUS	STATIONOPERATINGSTATUS sets out the operating status of each station.	Public
STATIONOWNER	STATIONOWNER sets out the owner details of each station.	Public
STATIONOWNERTRK	STATIONOWNERTRK shows the tracking for the associated object STATIONOWNER. Together, STATIONOWNERTRK and STATIONOWNER sets out the owner details of each station.	Public

20.2 Diagram: Entities: Participant Registration



21 Package: PRE_DISPATCH

Name PRE_DISPATCH

Comment Results from a published Predispatch Run

Storage options

There are 2 ways to define the Pre-dispatch table primary keys (PKs) to define which data is loaded to the database and which data is retained:

Option 1 (default)

Overwrite older records when they are succeeded by later versions for the same entity and period. This is the Data Model default and results in the consumption of far less storage. Data Model updates issued by AEMO target this configuration so participants implementing option 2a or 2b must maintain their changes when AEMO releases a new Data Model version.

PredispatchLoad: DateTime, DUID

PredispatchInterconnectorRes: DateTime, InterconnectorID,

PredispatchPrice: DateTime, RegionID

PredispatchPriceSensitivities: DateTime, RegionID

PredispatchInterSensitivities: InterconnectorID, DateTime

PredispatchRegionsum: DateTime, RegionID

Option 2a

Retain only the Pricing records for tables relating to Price data and Physical records for tables relating to Physical data (e.g. targets). Approximately 50 times more storage volumes than option 1.

PredispatchLoad: PredispatchSeqNo, DateTime, DUID

PredispatchInterconnectorRes: PredispatchSeqNo, DateTime, InterconnectorID,

PredispatchPrice: PredispatchSeqNo, DateTime, RegionID

PredispatchPriceSensitivities: PredispatchSeqNo, DateTime, RegionID

PredispatchInterSensitivities: PredispatchSeqNo, DateTime, InterconnectorID

PredispatchRegionsum: PredispatchSeqNo, DateTime, RegionID

Option 2b

Retain both Physical and Pricing data for Intervention runs. If Intervention

cases are stored in entirety, you must select the data carefully. The logic is the same as for Dispatch, i.e. Intervention Pricing is always where Intervention = 0 and Physical data is where Intervention = PredispatchCaseSolution.Intervention for the same PredispatchSeqNo.

Doubles the storage of option 2a but ONLY for Intervened cases.

PredispatchLoad: PredispatchSeqNo, Intervention, DateTime, DUID

PredispatchInterconnectorRes: PredispatchSeqNo, Intervention, DateTime, InterconnectorID,

PredispatchPrice: PredispatchSeqNo, Intervention, DateTime, RegionID

PredispatchPriceSensitivities: PredispatchSeqNo, Intervention, DateTime, RegionID

PredispatchInterSensitivities: PredispatchSeqNo, Intervention, DateTime, InterconnectorID

PredispatchRegionsum: PredispatchSeqNo, Intervention, DateTime, RegionID

Notes:

The data in the PredispatchIS file is always ordered so the pdrLoader writes the relevant data first and discards the subsequent irrelevant data, or writes the subsequent data, depending on how the PKs are defined.

You may order the PKs in a different order, depending on your local requirements. Any decision to change the PK column composition or order must consider the functional and performance impacts to existing applications or queries.

The pdrLoader caches PK definitions for performance reasons so any change to the PKs requires a restart of the application.

The TRANSACTION_TYPE default in the PDR_REPORT_RECORDS management tables for PREDISPATCH* tables is UPDATE-INSERT. You can modify this to INSERT for Option 2b, as the attempt to first perform an update becomes redundant. This can improve load performance.

21.1 List of tables


Name	Comment	Visibility
PD_FCAS_REQ_CONSTRAINT	The constraint level FCAS cost / price details for constraint FCAS processor runs. This	Public

	<p>enhanced output table format is established for the constraint FCAS processor release required for the Frequency Performance Payments (FPP) release. This enhanced output is hierarchical in nature, with the parent *_FCAS_REQ_RUN table holding the details about the triggering case run and time, and the child</p> <p>*_FCAS_REQ_CONSTRAINT table holding the constraint level details of FCAS costs / prices.</p>	
PD_FCAS_REQ_RUN	<p>The constraint FCAS processor run details. This enhanced output table format is established for the constraint FCAS processor release required for the Frequency Performance Payments (FPP) release. This enhanced output is hierarchical in nature, with the parent *_FCAS_REQ_RUN table holding the details about the triggering case run and time, and the child</p> <p>*_FCAS_REQ_CONSTRAINT table holding the constraint level details of FCAS costs / prices.</p>	Public
PD_INTERMITTENT_FCST_TRK	<p>Uniquely tracks which Intermittent Generation forecast run (from INTERMITTENT_GEN_FCST_RUN) was used for the DUID in which Pre-dispatch run.</p>	Private & Public Next-Day
PD_ROOFTOP_PV_FCST_TRK	<p>Uniquely tracks which Rooftop PV forecast run (from ROOFTOP_PV_FCST_RUN) was used for the Area in which Pre-dispatch run.</p>	Public
PREDISPATCH_LOCAL_PRICE	<p>Sets out local pricing offsets associated with each DUID connection point for each dispatch period</p>	Private & Public Next-Day
PREDISPATCH_MNSPBIDTRK	<p>PREDISPATCH_MNSPBIDTRK shows the MNSP bid tracking, including the bid version used in each predispach run for each MNSP Interconnector Link.</p> <p>PREDISPATCH_MNSPBIDTRK shows the audit</p>	Public

	trail of the bid used for each predispach run.	
PREDISPATCHBLOCKEDCONSTRAINT	PREDISPATCH Blocked Constraints lists any constraints that were blocked in a Predispach run. If no constraints are blocked, there will be no rows for that predispach run.	Public
PREDISPATCHCASESOLUTION	PREDISPATCHCASESOLUTION provides information relating to the complete predispach run. The fields provide an overview of the dispatch run results allowing immediate identification of conditions such as energy or FCAS deficiencies.	Public
PREDISPATCHCONSTRAINT	<p>PREDISPATCHCONSTRAINT sets out constraints that are binding in each predispach run and interconnector constraints (whether binding or not). Only binding and interconnector constraints are reported. Binding contracts have marginal value greater than \$0. Interconnector constraints are listed so RHS values can be reported for ST PASA.</p> <p>Constraint solutions only report fixed loading /MR constraints on the next day.</p>	Private & Public Next-Day
PREDISPATCHINTERCONNECTORRES	<p>PREDISPATCHINTERCONNECTORRES records Interconnector flows and losses for the periods calculated in each predispach run. Only binding and interconnector constraints are reported.</p> <p>Some fields are for the Frequency Controlled Ancillary Services export and import limits and extra reporting of the generic constraint setting the energy import and export limits.</p>	Public
PREDISPATCHINTERSENSITIVITIES	PREDISPATCHINTERSENSITIVITIES sets out the sensitivity flows for each interconnector	Public

	by period.	
PREDISPATCHLOAD	PREDISPATCHLOAD shows pre-dispatch targets for each dispatchable unit, including additional fields to handle the Ancillary Services functionality. No record is written where a unit is not dispatched. PREDISPATCHLOAD shows all the results for each period.	Private & Public Next-Day
PREDISPATCHOFFERTRK	PREDISPATCHOFFERTRK is for the ancillary service bid tracking of predispach processing. PREDISPATCHOFFERTRK identifies which bids from BIDDAYOFFER and BIDOFFERPERIOD were applied for a given unit and ancillary service for each predispach run.	Private & Public Next-Day
PREDISPATCHPRICE	PREDISPATCHPRICE records predispach prices for each region by period for each predispach run, including fields to handle the Ancillary Services functionality.	Public
PREDISPATCHPRICESENSITIVITIES	PREDISPATCHPRICESENSITIVITIES sets out the sensitivity prices for each region by period.	Public
PREDISPATCHREGIONSUM	PREDISPATCHREGIONSUM sets out the overall regional Pre-Dispatch results for base case details (excluding price).	Public
PREDISPATCHSCENARIODEMAND AND	PREDISPATCHSCENARIODEMAND defines the demand offsets that are applied for each of the predispach sensitivity scenarios.	Public
PREDISPATCHSCENARIODEMANDTRK	Tracks the predispach scenario offset updates across time	Public

21.2 Diagram: Entities: Predispatch



22 Package: RESERVE_DATA


Name RESERVE_DATA

Comment Energy and FCAS reserve requirements

22.1 List of tables

Name	Comment	Visibility
MTPASA_RESERVELIMIT	MT PASA input table defining a MT PASA Reserve Requirement within a single set. An MT PASA Reserve Requirement can span more than one region.	Public
MTPASA_RESERVELIMIT_REGION	MT PASA input table to define the regions that are part of a single MT PASA Reserve Requirement	Public
MTPASA_RESERVELIMIT_SET	MT PASA input table defining a set of MT PASA Reserve Requirements. Note only one set can be active on a given date.	Public

22.2 Diagram: Entities: Reserve Data



23 Package: SETTLEMENT_CONFIG

Name SETTLEMENT_CONFIG


Comment Configuration and input data for the Settlements Process

23.1 List of tables

Name	Comment	Visibility
ANCILLARY_RECOVERY_SPLIT	ANCILLARY_RECOVERY_SPLIT holds the actual customer portion for each service and payment type. A single EFFECTIVEDATE/VERSIONNO combination applies to all services (i.e. the latest EFFECTIVEDATE/VERSIONNO is not retrieved for a single service, but applies to a data set).	Public
MARKET_FEE_CAT_EXCL	Market fee exclusions for participant categories.	Public
MARKET_FEE_CAT_EXCL_TRK	Tracking table for market fee exclusions for participant categories.	Public
MARKET_FEE_EXCLUSION	MARKET_FEE_EXCLUSION shows the list of market fees from which a participant is excluded from funding after a particular settlement date.	Private
MARKET_FEE_EXCLUSIONTRK	MARKET_FEE_EXCLUSIONTRK shows authorisation details of participant market fee exclusion data sets.	Private
MARKETFEE	MARKETFEE sets out fee type and period for each market fee.	Public
MARKETFEEDATA	MARKETFEEDATA sets out actual fee rates, as adjusted from time to time.	Public

MARKETFEETRK	MARKETFEETRK sets out versions of each market fee used and its effective date.	Public
PARTICIPANT_BANDFEE_ALLOC	PARTICIPANT_BANDFEE_ALLOC shows the market fee for each Participant/Participant Category over time.	Private
REALLOCATION	The REALLOCATION table shows the financial transactions agreed between two participants that are settled through the AEMO pool settlements process.	Private
REALLOCATIONINTERVAL	30-minute or (5-minute for 5MS) data comprising a single reallocation transaction.	Private
SETCFG_PARTICIPANT_MPF	SETCFG_PARTICIPANT_MPF shows the Market Participation Factors (MPF) for each participant for each connection point. The MPF values are used to determine recovery amounts for regulation FCAS.	Public
SETCFG_PARTICIPANT_MPFTRK	SETCFG_PARTICIPANT_MPFTRK is the tracking table for Market Participation Factors (MPF) data stored in the SETCFG_PARTICIPANT_MPF table for each participant.	Public
SETCFG_SAPS_SETT_PRICE	The Settlement Price for SAPS Energy in each Region	Public
SETCFG_WDR_REIMBURSE_RATE	Settlements WDR transactions	Public
SETCFG_WDRRR_CALENDAR	Wholesale Demand Response Reimbursement Rate Calendar	Public

23.2 Diagram: Entities: Settlement Config



24 Package: SETTLEMENT_DATA

Name SETTLEMENT_DATA

Comment Results from a published Settlements Run. The settlement data and billing run data are updated daily between 6am and 8am for AEMO's prudential processes. In a normal week, AEMO publishes one PRELIM, one FINAL and two REVISION runs in addition to the daily runs.

24.1 List of tables

Name	Comment	Visibility
DAYTRACK	DAYTRACK identifies the actual settlement run processed for each settlement day. Settlement run is in the column EXPOSTRUNNO. Generally, the number of the settlement run used in the latest statement is the maximum number.	Public
SET_APC_COMPENSATION	APC Compensation payment amounts in the Settlements timeframe	Private
SET_APC_RECOVERY	APC Compensation recovery amounts in the Settlements timeframe	Private
SET_ANCILLARY_SUMMARY	SET_ANCILLARY_SUMMARY summarises payments for all Ancillary Services to participants on the basis of regions and trading intervals.	Public
SET_ENERGY_GENSET_DETAIL	The Settlement Energy Genset report contains the Energy Transactions data for each generation meter point. This report is produced only for Settlement Date post the IESS rule effective date.	Private
SET_ENERGY_REGION_SUMMARY	The Settlement Energy Region Summary report contains the Energy Transactions Summary for all the NEM regions. This	Public

	report is produced only for Settlement Date post the IESS rule effective date.	
SET_ENERGY_TRAN_SAPS	The table shows the Transaction Details for the SAPS Connection Points. The table contains both the MSRPs and Retailers data	Private
SET_ENERGY_TRANSACTIONS	The Settlement Energy Transactions report contains the Energy Transactions data for all the Participants based on their ACE and ASOE at each customer and generator Connection Point ID. This table is populated The Settlement Energy Transactions report contains the Energy Transactions data for all the Participants based on their ACE and ASOE at each customer and generator Connection Point ID. This table is populated only if Settlement Date is post the IESS rule effective date.	Private
SET_FCAS_CLAWBACK_REQ	This report contains the Interval Datetime affected by the Clawback Run and the adjusted FCAS requirement Costs.	Public
SET_FCAS_CLAWBACK_RUN_TRK	This Settlements FCAS Clawback Run Track report contains the Interval Datetime for which a Clawback has occurred and included in the Settlement run. The report will be produced only if there is any Clawback Run for the Interval date time in the Settlement Date	Public
SET_FCAS_CLAWBACK_UNITS_OLN	This report contains the Interval Datetime affected by the Clawback Run and the reduced MW for the FCAS Service for each affected DUID.	Private
SET_FCAS_PAYMENT	SET_FCAS_PAYMENT sets out the enabling payment details for frequency controlled Ancillary Services.	Private

SET_FCAS_RECOVERY	SET_FCAS_RECOVERY shows reimbursements for the Frequency Control Ancillary Services (FCAS) to be recovered from participants. Beware of potential confusion with the table SETFCASRECOVERY, which reports reimbursements for Frequency Control Ancillary Services Compensation (now unused).	Private
SET_FCAS_REG_AMOUNT	This report contains the the FCAS Regulation Amounts that include FPP Amounts, Used Amounts and Unused Amounts calculated using the Contribution Factors	Private
SET_FCAS_REG_DEF_AMT	This report contains the the FCAS Regulation Amounts that include FPP Amounts, Used Amounts and Unused Amounts calculated using the Default Contribution Factors. This is when FPP Factors are not available for a particular interval and system used DCF in the calculation.	Private
SET_FCAS_REG_DEF_RESIDAM T	This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region and the Default Residual CF.	Private
SET_FCAS_REG_RESIDAMT	This report contains the FCAS Regulation Residue Amounts that include FPP Residual Amounts, Used Residual Amounts and Unused Residual Amounts calculated using the Energy Ratio for each Requirement Region.	Private
SET_FCAS_REGULATION_TRK	SET_FCAS_REGULATION_TRK shows FCAS Regulation Service Constraint tracking for Regional FCAS Regulation recovery	Public
SET_FPP	This report contains the summary of FPP	Private


	Amounts for each ParticipantId in each region	
SET_NMAS_MANUAL_PAYMENTS	This report contains the NMAS Manual TI Payments that are uploaded by the Settlement Business Team. Amounts in this table are not calculated by the Settlement System.	Private
SET_NMAS_RECOVERY	SET_NMAS_RECOVERY sets out the NSCAS recovery data for payments other than testing This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private
SET_NMAS_RECOVERY_RBF	SET_NMAS_RECOVERY_RBF publishes the RBF for NSCAS non testing payments on a half hourly basis. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Public
SET_RECOVERY_ENERGY	Settlements substitution recovery energy used	Private
SET_SUBST_RUN_VERSION	Settlements substitution demand run version numbers	Public
SET_SUBSTITUTE_DEMAND	Settlements substitution demand for Zero Demand figures	Private
SET_WDR_RECON_DETAIL	Settlements WDR reconciliation details	Private
SET_WDR_TRANSACT	Settlements WDR transactions summary	Private

SETFCASREGIONRECOVERY	The FCAS Recovery amount from each NEM Region and the Energy MWh used for the FCAS Recovery calculation from Participants	Public
SETINTRAREGIONRESIDUES	The Settlement Intra Region Residues Result.	Public
SETIRAUCSURPLUS	This view supports the Settlements Residue Auction, by holding the NSP participant allocations of IRSurplus arising as a result of the unsold units for a quarter.	Private
SETIRNSPSURPLUS	This view supports the Settlements Residue Auction, by showing the TNSP participant allocations of Interconnector Residue (IR) Surplus (i.e. derogated amounts) arising as a result of the sold units for a quarter.	Private
SETIRPARTSURPLUS	This view supports the Settlements Residue Auction, holding the participant allocations of IRSurplus.	Private
SETIRSURPLUS	SETIRSURPLUS records the interregional residue calculation for each interconnector and each side of the interconnector.	Public
SETLOCALAREAENERGY	SETLOCALAREAENERGY shows the UFE, AGE and associated values for each local area and trading interval in a settlement run.	Public
SETLOCALAREATNI	SETLOCALAREATNI shows the list of TNIs constituent to a local area in a settlement run.	Public
SETLSHEDPAYMENT	SETLSHEDPAYMENT shows specific payment details for load shed services by period. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private

SETLSHEDRECOVERY	SETLSHEDRECOVERY shows reimbursements for Load shed Ancillary Services to be recovered from participants. (Data no longer created for Settlement Days from 01/07/2012)	Private
SETMARKETFEEES	SETMARKETFEEES shows payments for market fees for each settlement date.	Private
SETREALLOCATIONS	SETREALLOCATIONS shows the trading interval value of reallocations processed, for those participants whose reallocation submissions have been accepted by AEMO.	Private
SETRESERVERECOVERY	SETRESERVERECOVERY shows reserve recovery details.	Private
SETRESTARTPAYMENT	SETRESTARTPAYMENT shows specific payment details for System Restart services by period.	Private
SETRESTARTRECOVERY	SETRESTARTRECOVERY shows reimbursements for system restart Ancillary Services to be recovered from participants. (Data no longer created for Settlement Days from 01/07/2012)	Private
SETRPOWERPAYMENT	SETRPOWERPAYMENT shows specific payment details for Reactive power services by period. This Table may also be used for NSCAS and Type 1 transitional services procured by AEMO under the ISF framework during 2025 and prior to the implementation of all system changes. During this time descriptions in these tables may not be correct.	Private
SETRPOWERRECOVERY	SETRPOWERRECOVERY shows reimbursements for Reactive Power Ancillary Services to be recovered from participants. (Data no longer created for Settlement Days	Private

from 01/07/2012)

24.2 Diagram: Entities: Settlement Data



25 Package: STPASA_SOLUTION


Name STPASA_SOLUTION

Comment Results from a published Short Term PASA Run

25.1 List of tables

Name	Comment	Visibility
STPASA_CASESOLUTION	STPASA_CASESOLUTION holds one record containing results pertaining to each entire solution	Public
STPASA_CONSTRAINTSOLUTION	STPASA_CONSTRAINTSOLUTION shows binding and violated constraint results from the capacity evaluation, including the RHS value.	Public
STPASA_DUIDAVAILABILITY	This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP_INTERCONNECTOR table.	Public
STPASA_INTERCONNECTORSOLN	STPASA_INTERCONNECTORSOLN shows the results of the capacity evaluation for Interconnectors, including the calculated limits for the interval.	Public
STPASA_REGIONSOLUTION	STPASA_REGIONSOLUTION shows the results of the regional capacity, maximum surplus reserve and maximum spare capacity evaluations for each period of the study. Note that the RELIABILITY_LRC and OUTAGE_LRC Run Types are no longer reported from 31 July 2025.	Public

25.2 Diagram: Entities: ST PASA Solution



26 Package: TRADING_DATA

<i>Name</i>	TRADING_DATA
<i>Comment</i>	30 minute Trading interval results

26.1 List of tables

Name	Comment	Visibility
AVERAGEPRICE30	Reflects the 30-minute average price (the pre-5MS trading price).	Public
TRADINGINTERCONNECT	TRADINGINTERCONNECT shows the Interconnector flows for the 5 minutes Trading Interval. Prior to 5 Minute Settlements, this was the average of the six 5 minute dispatch intervals within the 30 minute period.	Public
TRADINGPRICE	TRADINGPRICE sets out 5 minutes spot market price, including fields to handle the Ancillary Services functionality. If prices are adjusted, the final price is recorded in the regional reference price (RRP) field with price before adjustment recorded in the regional original price (ROP) field. Prior to 5 Minute Settlements, this was half-hourly spot market values, which was calculated as the average of the six 5 minute dispatch intervals within the 30 minute period.	Public

26.2 Diagram: Entities: Trading Data

TRADINGINTERCONNECT

SETTLEMENTDATE
RUNNO
INTERCONNECTORID
PERIODID

TRADINGPRICE

SETTLEMENTDATE
RUNNO
REGIONID
PERIODID

AVERAGEPRICE30

PERIODDATE
REGIONID

27 Package: HISTORICAL TABLES

<i>Name</i>	HISTORICAL TABLES
<i>Comment</i>	These tables are no longer used

27.1 List of tables

Name	Comment	Visibility
APCCOMP	APCCOMP is to set out Administered Price Cap (APC) compensation periods for a participant.	Private
APCCOMPAMOUNT	APCCOMPAMOUNT shows the Administered Price Cap (APC) compensation amount.	Private
APCCOMPAMOUNTTRK	APCCOMPAMOUNTTRK sets out the relevant Administered Price Cap (APC) period for compensation purposes. Use the APCCOMPAMOUNTTRK table in conjunction with APCAMOUNT.	Private
BIDPEROFFER	BIDPEROFFER shows period-based Energy and Ancillary Service bid data. BIDPEROFFER is a child table of BIDDAYOFFER.	Private & Public Next-Day
BILLADJUSTMENTS		Private
BILLING_CSP_DEROGATION_AMOUNT	CSP derogation amounts with respect to participant allocated payment	Public
BILLING_DIRECTION_RECONCILIATION	Billing reconciliation result table for both provisional and final directions using the FPP methodology (prior to 1st July 2011)	Public
BILLING_MR_PAYMENT	BILLING_MR_PAYMENT shows aggregate payments on a dispatchable unit/MR Event basis for accepted MR capacity	Private
BILLING_MR_RECOVERY	BILLING_MR_RECOVERY shows aggregate	Private

	recovery charges on a dispatchable unit / MR Event basis for spot market income from dispatch of MR capacity.	
BILLING_MR_SHORTFALL	BILLING_MR_SHORTFALL shows aggregate MR shortfall payments (or recovery charges) to each participant in the region for the MR event.	Private
BILLING_MR_SUMMARY	BILLING_MR_SUMMARY shows aggregate payment/recovery and shortfall figures for an MR Event.	Public
BILLING_RES_TRADER_PAYMENT	Billing result table for reserve trader contract payments	Private
BILLING_RES_TRADER_RECOVERY	Billing result table for reserve trader contract recovery	Private
BILLINGCPDATA	BILLINGCPDATA shows energy quantity and \$ value purchased per participant connection point. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, BILLING_ENERGY_TRANSACTIONS AND BILLING_ENERGY_GENSET_DETAIL replace BILLINGCPDATA.	Private
BILLINGCPSUM	BILLINGCPSUM shows adjustments for a billing run by participant.	Private
BILLINGCUSTEXCESSGEN	BILLINGCUSTEXCESSGEN shows excess generation payments for each participant cutover.	Private
BILLINGEXCESSGEN	BILLINGEXCESSGEN shows the excess generation cost by period for each participant.	Private
BILLINGGENDATA	BILLINGGENDATA shows the total energy sold and purchased per participant transmission connection point for a billing	Private

	period. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, BILLING_ENERGY_TRANSACTIONS AND BILLING_ENERGY_GENSET_DETAIL replace BILLINGGENDATA.	
BILLINGINTERVENTION	BILLINGINTERVENTION shows billing intervention recovery details.	Private
BILLINGINTERVENTIONREGION	BILLINGINTERVENTIONREGION shows recovery charges for region intervention.	Private
BILLINGRESERVERECOVERY	BILLINGRESERVERECOVERY shows Market Reserve recovery details for each participant in a bill run.	Private
BILLINGRESERVEREGIONRECOVERY	BILLINGRESERVEREGIONRECOVERY shows Billing Region Reserve region recovery details for each participant (by region).	Private
BILLINGRESERVETRADER	BILLINGRESERVETRADER shows Billing Market Reserve TRADER payment details to Generators.	Private
BILLINGRESERVETRADERREGION	BILLINGRESERVETRADERREGION shows Billing Region Reserve Trader payment details.	Private
BILLINGSMELTERREDUCTION	BILLINGSMELTERREDUCTION shows the smelter reduction payment (only applies to participants with Victorian customer connection points).	Private
BILLINTERVENTIONRECOVERY	BILLINTERVENTIONRECOVERY shows billing market intervention recovery details for each participant.	Private
BILLINTERVENTIONREGIONRECOVERY	BILLINTERVENTIONREGIONRECOVERY shows billing region intervention recovery details for each participant by region.	Private

BILLSMELTERRATE	BILLSMELTERRATE is standing data, setting out the rates used in smelter reduction calculations.	Public
CONNECTIONPOINT	CONNECTIONPOINT shows all valid connection points and their type. Transmission loss factors are available for all connection points in TRANSMISSIONLOSSFACTOR.	Public
CONNECTIONPOINTDETAILS	CONNECTIONPOINTDETAILS is obsolete, since it was never populated by Participants accessing AEMO's Oracle Interface. CONNECTIONPOINTDETAILS was designed to show relevant details for each connection point including the responsible party, loss factor and relevant MDAs.	Public
CONNECTIONPOINTOPERATINGSTA	CONNECTIONPOINTOPERATINGSTA shows whether a connection point is active or not.	Public
CONTRACTGOVERNOR	CONTRACTGOVERNOR became unused when Ancillary Services Review was implemented in 2001. For more details, see Change Notice 126. CONTRACTGOVERNOR shows Governor contract details used in the settlement and dispatch of this service. Note services are dispatched as 6 and 60 raise and lower Frequency Control Ancillary Services (FCAS). Lower and raise 6 and 60 second fields are used in dispatch of services. Deadband and Droop details are used in settlements.	Private
CONTRACTRESERVEFLAG	CONTRACTRESERVEFLAG has never been or will be used. It was to show a period by period flag for regional or market recovery of reserve trading contract amounts.	Private
CONTRACTRESERVETHRESH	CONTRACTRESERVETHRESHOLD shows	Private

OLD	reserve contract threshold details for enabling, usage and availability thresholds and rates for reserve trader contracts.	
CONTRACTRESERVETRADER	CONTRACTRESERVETRADER shows reserve trader contract details. Version numbers do not apply as contracts exist for specified purposes.	Private
CONTRACTUNITLOADING	CONTRACTUNITLOADING became unused when Ancillary Services Review was implemented in 2001. For more details, see Change Notice 126. CONTRACTUNITLOADING shows Unit Loading contract details used in the settlement and dispatch of this service.	Private
CONTRACTUNITUNLOADING	CONTRACTUNITUNLOADING shows Ancillary Service contract data for rapid generator unit unloading.	Private
DAYOFFER	DAYOFFER sets out the participants' daily components of participant bid containing details applying for the whole day (such as prices, daily energy constraint and fast start profiles). To retrieve full bid details, read in conjunction with PEROFFER.	Private & Public Next-Day
DAYOFFER_D	DAYOFFER_D sets out the participants' daily components of participant bid containing just the latest details (such as prices, daily energy constraint and fast start profiles). To retrieve latest bid details, read in conjunction with PEROFFER_D.	Public
DEFAULTDAYOFFER	DEFAULTDAYOFFER shows day-based details of participants' default bids unit for the same day.	Private

DEFAULTOFFERTRK	DEFAULTOFFERTRK shows the file names of default offers submitted for each unit.	Private
DEFAULTPEROFFER	DEFAULTPEROFFER shows half hourly period-based data in the default bid for each Dispatchable Unit, such as period availability, rate of change and band quantities.	Private
DELTAMW	DELTAMW sets out the Frequency Control Ancillary Services (FCAS) requirement to be provided locally within each region and each half-hour period in a market day. Two fields specify Frequency Controlled Ancillary Services requirements to be provided locally for the new regulation ancillary services.	Public
DISPATCH_FCAS_REQ	DISPATCH_FCAS_REQ shows Dispatch Constraint tracking for Regional FCAS recovery.	Public
DISPATCHBIDTRK	DISPATCHBIDTRK shows the bid tracking, including the bid version used in each dispatch run for each unit. DISPATCHBIDTRK is the audit trail of the bid actually used in each dispatch.	Private & Public Next-Day
DISPATCHCASE_OCD	DISPATCHCASE_OCD shows the key data to indicate when an over-constrained dispatch (OCD) re-run actually occurred. One record per over-constrained dispatch interval.	Public
DISPATCHCASESOLUTION_BNC	DISPATCHCASESOLUTION_BNC was discontinued on 30 September 2009. Prior: DISPATCHCASESOLUTION_BNC is the key data to indicate when a binding intra-regional network constraints (BNC) re-run actually occurred.	Public
DISPATCHLOAD_BNC	DISPATCHLOAD_BNC was discontinued on 30 September 2009. Prior: DISPATCHLOAD_BNC gives binding intra-	Private & Public Next-Day

	regional network constraints (BNC) re-run dispatch results for all scheduled generating units. DISPATCHLOAD_BNC has a similar structure to DISPATCHLOAD but does not repeat input type data (e.g. InitialMW, AGCStatus) since these values are available from DISPATCHLOAD.	
DISPATCHTRK	DISPATCHTRK is no longer used. DISPATCHTRK was the cross-reference between each dispatch run and SPD case run. DISPATCHTRK may be available on the InfoServer but not replicated to participant databases as it contains data duplicated in other tables.	Public
FORCEMAJEURE	FORCEMAJEURE used to set out the start and end dates / periods of any force majeure event. FORCEMAJEURE is not used.	Public
FORCEMAJEUREREGION	FORCEMAJEUREREGION used to set out regions impacted by a force majeure event. This table is not used.	Public
GENUNITMTRINPERIOD	GENUNITMTRINPERIOD shows meter reading by period for each generator meter. GENUNITMTRINPERIOD covers generated power flowing into the system. It is used to calculate settlement values.	Private
INTCONTRACT	INTCONTRACT shows intervention contract details. These are specific to each intervention.	Private
INTCONTRACTAMOUNT	INTCONTRACTAMOUNT shows intervention contract amounts.	Private
INTCONTRACTAMOUNTTRK	INTCONTRACTAMOUNTTRK shows the latest valid version of each intervention contract.	Private
INTERCONNMWFLOW	INTERCONNMWFLOW shows Metered	Public

	<p>Interconnector flow data.</p> <p>INTERCONNMWFLOW shows the meter data provided by Meter Data Providers to MSATS.</p> <p>Despite the name, this view shows metered energy (MWh) and not power flow (MW).</p>	
MARKETSUSPENSION	<p>MARKETSUSPENSION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>MARKETSUSPENSION sets out a start and end periods of any market suspension and the reason.</p>	Public
MARKETSUSREGION	<p>MARKETSUSREGION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>MARKETSUSREGION sets out a regions affected by a market suspension.</p>	Public
MAS_CP_CHANGE	MAS_CP_CHANGE records pending changes to the current MAS configuration.	Private
MAS_CP_MASTER	MAS_CP_MASTER shows the current MAS configuration.	Private
METERDATA	METERDATA sets out a meter data for each customer connection point. METERDATA covers market load. Use the field METERRUNNO to match the meter data version for each settlement run.	Private
METERDATA_GEN_DUID	Recorded actual generation of non-scheduled units where SCADA data is available.	Public
METERDATA_TRK	Tracking table for the publication of wholesale settlement data associated with BILLING run	Public
METERDATATRK	METERDATATRK records meter data files submitted for each connection point on a daily basis. The same data is provided in METERDATA period by period (i.e. 48	Private

	records), whereas METERDATATRK shows one record per day for each file submitted for a connection point.	
MNSP_FILETRK	MNSP_FILETRK shows all MNSPOFFERS transmitted to the MMS system.	Private
MNSP_OFFERTRK	MNSP_OFFERTRK records all valid MNSPOFFERS loaded into the MMS system. The authorised date reflects the date and time of the load. MNSP_OFFERTRK is key for tracking MNSP bid submission.	Private & Public Next-Day
MNSP_PEROFFER	MNSP_PEROFFER shows period by period availability and other period data pertaining to a specific bid and LinkID for the given Settlement Date. MNSP_PEROFFER is a child to MNSP_DAYOFFER and links to MNSP_OFFERTRK.	Private & Public Next-Day
MR_DAYOFFER_STACK	MR_DAYOFFER_STACK defines the Stack order for each version of the Acceptance Schedule, including all units submitting MR offers for that event. MR_DAYOFFER_STACK is the child to MR_EVENT_SCHEDULE, and parent to MR_PEROFFER_STACK.	Private & Public Next-Day
MR_EVENT	MR_EVENT defines an MR Event for a given region on a specific trading date.	Public
MR_EVENT_SCHEDULE	MR_EVENT_SCHEDULE defines the Stack version of the Acceptance Schedule and is the parent table to MR_DayOffer_Stack and MR_PerOffer_Stack.	Public
MR_PEROFFER_STACK	MR_PEROFFER_STACK defines the accepted capacity on a period basis for the Acceptance Schedule, is a child table to MR_DayOffer_Stack and only includes records or units with accepted_capacity > 0	Private & Public Next-Day

	for the specific period.	
MTPASA_CASE_SET	<p>MTPASA_CASE_SET is obsolete from 2005 End of Year Release. The RUNTYPE added to the primary key of the detail tables for MTPASA allows for the different types of runs for each case.</p> <p>MTPASA_CASE_SET allows a MT PASA scenario to be linked across runs.</p>	Public
MTPASA_CASESOLUTION	<p>MTPASA_CASESOLUTION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>MTPASA_CASESOLUTION holds one record for each entire solution.</p> <p>Change Notice 379 announced the replacement of the MT PASA data model so all MTPASAxix tables become obsolete, replaced by MTPASA_xxx tables.</p>	Public
MTPASA_CONSTRAINTSOLUTION	<p>MTPASA_CONSTRAINTSOLUTION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>The MTPASA_CONSTRAINTSOLUTION table holds the binding and violated constraint results from the capacity evaluation, including the RHS value.</p> <p>Change Notice 379 announced the replacement of the MT PASA data model so all MTPASAxix tables become obsolete, replaced by MTPASA_xxx tables.</p>	Public
MTPASA_INTERCONNECTOR SOLUTION	<p>MTPASA_INTERCONNECTORSOLUTION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>The MTPASA_INTERCONNECTORSOLUTION table shows the results of the capacity evaluation for Interconnectors, including the calculated limits for the Idcblock within the</p>	Public

	<p>day.</p> <p>Change Notice 379 announced the replacement of the MT PASA data model so all MTPASAxXX tables become obsolete, replaced by MTPASA_XXX tables (see Change Notices 400, 400a and 400b).</p>	
MTPASA_REGIONSOLUTION	<p>MTPASA_CASESOLUTION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>The MTPASA_REGIONSOLUTION table shows the results of the regional capacity, maximum surplus reserve and maximum spare capacity evaluations for each day and LDC block of the study.</p>	Public
MTPASA_RESERVELIMITSOLUTION	<p>MTPASA_RESERVELIMITSOLUTION is obsolete from 2017 End of Year DM4.27 Release.</p> <p>MT PASA Solution table reporting whether a MT PASA Reserve requirement is binding for each day and LDC block of the run.</p>	Public
MTPASACONSTRAINTSOLUTION_D	MTPASACONSTRAINTSOLUTION_D sets out MT PASA constraint solution results, where constraints are binding.	Public
MTPASAINTERCONNECTORSOLUTION_D	MTPASAINTERCONNECTORSOLUTION_D shows interconnector results for MT PASA, shown region by region.	Public
MTPASAREGIONSOLUTION_D	MTPASAREGIONSOLUTION_D shows region results for MT PASA, showing predicted demand and any capacity limits.	Public
OARTRACK	OARTRACK shows an audit trail of bids for a particular settlement day. Corrupt bids do not update OARTRACK, but are just in OFFERFILETRK.	Private & Public Next-Day
OFFERFILETRK	OFFERFILETRK shows an audit trail of all bid files submitted containing energy bids,	Private

	including corrupt bids/rebids.	
OFFERGOVDATA	OFFERGOVDATA sets out reoffers of governor (6 and 60 second FCAS) availability.	Private
OFFERULOADINGDATA	OFFERULOADINGDATA shows reoffers of rapid unit loading capability.	Private
OFFERUNLOADINGDATA	OFFERUNLOADINGDATA shows reoffers of rapid unit unloading capability.	Private
P5MIN_FCAS_REQUIREMENT	5-minute Predispatch constraint tracking for Regional FCAS recovery	Public
PASACASESOLUTION	PASACASESOLUTION sets out ST PASA case listing providing details of each STPASA case run.	Public
PASACONSTRAINTSOLUTION	PASACONSTRAINTSOLUTION records the latest binding STPASA constraint details for each period. For each solution, the latest recalculation for each period overwrites the previous entry.	Public
PASAINTERCONNECTORSOLUTION	PASAINTERCONNECTORSOLUTION records ST PASA interconnector solutions for the latest period.	Public
PASAREGIONSOLUTION	PASAREGIONSOLUTION shows the Regional solution for ST PASA showing reserves for each half-hour period. This table (PASAREGIONSOLUTION_D) shows the latest calculated result for each period.	Public
PEROFFER	PEROFFER contains the half-hourly period details of daily bids and rebids, to be used in conjunction with DAYOFFER. These views provide period varying details such as rate of change up (ROCUP), rate of change down (ROCDOWN) and band quantities (BANDAVAIL from 1 to 10). PEROFFER is a child table of DAYOFFER.	Private & Public Next-Day

PEROFFER_D	<p>PEROFFER_D contains the half-hourly period details of daily bids and rebids, to be used in conjunction with DAYOFFER_D. These views provide period varying details such as rate of change up (ROCUP), rate of change down (ROCDOWN) and band quantities (BANDAVAIL from 1 to 10).</p> <p>PEROFFER_D is a child table of DAYOFFER_D.</p>	Public
PREDISPATCH_FCAS_REQ	PREDISPATCH_FCAS_REQ shows Predispatch Constraint tracking for Regional FCAS Requirements.	Public
PREDISPATCHBIDTRK	PREDISPATCHBIDTRK contains an audit trail of bids used in each predispatch run. Where predispatch is over 2 days, two bids are listed.	Private & Public Next-Day
REALLOCATIONDETAILS	REALLOCATIONDETAILS sets out specific reallocation agreements.	Private
REALLOCATIONINTERVALS	REALLOCATIONINTERVALS identifies the the reallocation agreement and provides the corresponding reallocation profiles submitted by the participant and accepted by AEMO	Private
REALLOCATIONS	REALLOCATIONS shows reallocation agreement identifiers with corresponding start and end dates of submitted reallocations as accepted by AEMO.	Private
REGIONFCASRELAXATION_OCD	<p>REGIONFCASRELAXATION_OCD contains details of regional FCAS requirements relaxed in the over-constrained dispatch (OCD) re-run (if there was one).</p> <p>Note: INTERVENTION is not included in REGIONFCASRELAXATION_OCD since the relaxation of the FCAS requirement is the same amount in both intervened and non-</p>	Public

	intervened cases.	
RESERVE	RESERVE sets out specific reserve requirements for dispatch, predispach and STPASA, for each half-hour interval by region. Updates show as new versions for a date.	Public
SET_CSP_DEROGATION_AMOUNT	A settlement table for the publication of Snowy CSP derogation amounts.	Public
SET_CSP_SUPPORTDATA_CONSTRAINT	A settlements table for the publication of support data for the Snowy CSP derogation amounts. This table publishes the constraint-level information for each five minute interval in the settlement run	Public
SET_CSP_SUPPORTDATA_ENERGYDIFF	A settlements table for the publication of support data for the Snowy CSP derogation amounts. This table publishes energy differential information for each half-hour interval in the settlement run	Public
SET_CSP_SUPPORTDATA_SUBPRICE	A settlements table for the publication of support data for the Snowy CSP derogation amounts. This table publishes substitution price information for each five minute interval in the settlement run	Public
SET_MR_PAYMENT	SET_MR_PAYMENT shows trading interval payments on a dispatchable unit basis for accepted MR capacity.	Private
SET_MR_RECOVERY	SET_MR_RECOVERY shows the trading interval recovery charges on a dispatchable unit basis for spot market income from dispatch of MR capacity.	Private
SET_RUN_PARAMETER	SET_RUN_PARAMETER shows the input parameters and value associated with each settlement run (e.g. Residual System Load Causer Pays Factor).	Public

SETAGCPAYMENT	SETAGCPAYMENT sets out specific payment details for Automatic Generation Control (AGC) services by period.	Private
SETAGCRECOVERY	SETAGCRECOVERY shows reimbursements for Automatic Generation Control (AGC) Ancillary Services to be recovered from participants.	Private
SETAPCCOMPENSATION	SETAPCCOMPENSATION shows Administered Price Cap (APC) compensation payments for each period.	Private
SETAPCRECOVERY	SETAPCRECOVERY shows reimbursements for Administered Price Cap (APC) to be recovered from participants.	Private
SETCPDATA	SETCPDATA shows meter settlement data for each connection point. This is the key view for retailers to verify energy charges. A regional summary view is also provided. As the view has values for each connection point by period, for each meter data file, it is a very large view. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, SET_ENERGY_TRANSACTION and SET_ENERGY_GENSET_DETAIL replace SETCPDATA.	Private
SETCPDATAREGION	SETCPDATAREGION sets out summary meter settlement data for each region. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, SET_ENERGY_REGION_SUMMARY replace SETCPDATAREGION.	Public
SETFCASCOMP	SETFCASCOMP shows the compensation details for Frequency Controlled Ancillary Services (FCAS). These compensation values are calculated by a separate "what if" run of	Private

	the LP Solver and entered as an unconstrained MW value into settlements.	
SETFCASRECOVERY	SETFCASERECOVERY shows reimbursements for the Frequency Control Ancillary Services compensation.	Private
SETGENDATA	SETGENDATA shows meter settlement data for each generation meter point. A regional summary is also provided. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, SET_ENERGY_TRANSACTIONS and SET_ENERGY_GENSET_DETAIL replace SETGENDATA.	Private
SETGENDATAREGION	SETGENDATAREGION sets out summary settlement data for generation within the specified region. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, SET_ENERGY_REGION_SUMMARY replace SETGENDATAREGION.	Public
SETGOVPAYMENT	SETGOVPAYMENT shows specific payment details for Governor services by period.	Private
SETGOVRECOVERY	SETGOVRECOVERY shows reimbursements for the Governor Ancillary Services to be recovered from participants.	Private
SETINTERVENTION	SETINTERVENTION shows intervention settlement payment details by unit.	Private
SETINTERVENTIONRECOVERY	SETINTERVENTIONRECOVERY shows intervention recovery details by participant.	Private
SETIRFMRECOVERY	SETIRFMRECOVERY sets out reimbursements for Industrial Relations Force Majeure to be recovered from participants.	Private
SETLULOADPAYMENT	SETLULOADPAYMENT shows specific	Private

	payment details for rapid unit load services by period.	
SETLULOADRECOVERY	SETLULOADRECOVERY shows reimbursements for rapid-unit-load Ancillary Services to be recovered from participants.	Private
SETLUNLOADPAYMENT	SETLUNLOADPAYMENT shows specific payment details for rapid unit unload service.	Private
SETLUNLOADRECOVERY	SETLUNLOADRECOVERY shows reimbursements for rapid unit unloading Ancillary Services to be recovered from participants.	Private
SETRESERVETRADER	SETRESERVETRADER shows reserve trader details.	Private
SETSMALLGENDATA	Publishes metering data and associated settlement values for with registered Small Generator Aggregator participants connection points. The table is populated for participants using Data Model 5.2. For participants using Data Model 5.3 or higher, SET_ENERGY_TRANSACTIONS and SET_ENERGY_GENSET_DETAIL replace SETSMALLGENDATA.	Private
SETVICBOUNDARYENERGY	SETVICBOUNDARYENERGY is as requested by Participants for the settlement of Victorian Vesting contracts.	Private
SETVICENERGYFIGURES	SETVICENERGYFIGURES is used in settlement of Victorian Vesting contracts.	Public
SETVICENERGYFLOW	SETVICENERGYFLOW is used in settlement of Victorian Vesting contracts.	Public
STPASA_SYSTEMSOLUTION	STPASA_SYSTEMSOLUTION is obsolete from 2005 End of Year Release. For solution information, see Region solution tables.	Public

STPASA_UNITSOLUTION	<p>STPASA_SYSTEMSOLUTION showed the results of the system capacity evaluations for each interval of the study.</p> <p>STPASA_UNITSOLUTION shows the unit results from the capacity evaluations for each period of the study.</p>	Private
TRADINGLOAD	TRADINGLOAD shows half-hourly average dispatch levels, including fields to handle the Ancillary Services functionality.	Private & Public Next-Day
TRADINGREGIONSUM	<p>TRADINGREGIONSUM sets out the half-hourly average regional demand and frequency control services.</p> <p>TRADINGREGIONSUM includes fields for the Raise Regulation and Lower Regulation Ancillary Services plus improvements to demand calculations.</p>	Public

27.2 Diagram: Entities: Historical Tables

These are not shown as the tables are no longer used

28 Package: PDPASA

Name PDPASA

Comment

The PDPASA package provides a 30-minute solving process to the Market systems

The current methodology for calculating reserves in the PreDispatch timeframe is determined in a post processing step using a heuristic calculation based the results and Interconnector limits from the PreDispatch run.

The calculation is a reserve assessment based on the PASA solver similar to existing ST and MT PASA business processes


The process reflects all intra-regional and inter-regional network constraints as an input to the process

28.1 List of tables

Name	Comment	Visibility
PDPASA_CASESOLUTION	The top-level table identifying a PDPASA case, reporting options applied in the case and summary results	Public
PDPASA_CONSTRAINTSOLUTION	PDPASA_CONSTRAINTSOLUTION shows binding and violated constraint results from the capacity evaluation, including the RHS value.	Public
PDPASA_DUIDAVAILABILITY	This report delivers available capacity, PASA availability and given recall period for all scheduled resources. Note that for an MNSP, DUID = LINKID in the MNSP_INTERCONNECTOR table.	Public
PDPASA_INTERCONNECTORSOLN	PDPASA_INTERCONNECTORSOLN shows the results of the capacity evaluation for Interconnectors, including the calculated	Public

PDPASA_REGIONSOLUTION	limits for the interval. The PDPASA region solution data.Note that the OUTAGE_LRC Run Type is no longer reported from 31 July 2025.	Public
-----------------------	--	--------

28.2 Diagram: Entities: PD PASA




29 Package: PRUDENTIALS

Name	PRUDENTIALS
Comment	Prudential Management

29.1 List of tables

Name	Comment	Visibility
PRUDENTIALCOMPANYPOSITION	The prudential position of each company as at the datetime of a specific prudential run	Private
PRUDENTIALRUNTRK	Records the prudential run accepted by Settlements staff for each prudential date	Public

29.2 Diagram: Entities:Prudentials



30 Package: MCC_DISPATCH

Name MCC_DISPATCH

Comment Results from the Marginal Constraint Cost (MCC) re-run of the dispatch process. The MCC forms part of the part of the AER's "Electricity transmission network service providers Service target performance incentive Scheme"

30.1 List of tables

Name	Comment	Visibility
MCC_CASESOLUTION	Top level table for each MCC dispatch rerun process. Note there will be one record for each dispatch interval	Private & Public Next-Day
MCC_CONSTRAINTSOLUTION	Constraint solution data from the MCC dispatch rerun process. Note only constraints with a non-zero marginal value are published.	Private & Public Next-Day

30.2 Diagram: Entities: MCC_Dispatch

MCC_CASESOLUTION
RUN_DATETIME

MCC_CONSTRAINTSOLUTION
RUN_DATETIME
CONSTRAINTID

31 Package: NETWORK

<i>Name</i>	NETWORK
<i>Comment</i>	Configuration data for the physical network


31.1 List of tables

Name	Comment	Visibility
NETWORK_EQUIPMENTDETAIL	<p>NETWORK_EQUIPMENTDETAIL Provides details on equipment that may have outages or ratings. A single piece of equipment may have multiple records if its details change.</p> <p>A line will typically have at least two valid records at a time, once for each end of the line.</p>	Public
NETWORK_OUTAGECONSTRAINTSET	<p>NETWORK_OUTAGECONSTRAINTSET lists the Constraint Set or Sets that are expected to be invoked for the outage once it is confirmed to proceed.</p>	Public
NETWORK_OUTAGEDetail	<p>Lists asset owners planned outages for transmission equipment. This also includes details for transmission equipment that will not have an outage, but associated secondary equipment has an outage and a related constraint set may be invoked. This scenario is indicated by the ISSECONDARY field in the table</p>	Public
NETWORK_OUTAGESTATUSCODE	<p>NETWORK_OUTAGESTATUSCODE describes the different outage status codes</p>	Public
NETWORK_RATING	<p>NETWORK_RATING defines a list of the equipment ratings that may be used as inputs to market constraints.</p> <p>If the rating is flagged as dynamic then in</p>	Public

	<p>real-time the rating will be dynamically determined and the static value will be used as a fallback value should the dynamic value fail.</p> <p>Note:</p> <p>In some rare cases equipment has ratings provided from more than one TNSP. This is identified by a different SPD Id. The value used in the NEM is normally the more restrictive of the two values.</p>	
NETWORK_REALTIMERATING	<p>The NETWORK_REALTIMERATING table shows the equipment rating values in MVA used as inputs to constraints in the dispatch solution. This includes values for both static and dynamic ratings. The NETWORK_RATING table can be used to determine the physical equipment the rating is for based on the SPD_ID value.</p>	Public
NETWORK_STATICRATING	<p>NETWORK_STATICRATING lists the static rating values that will apply for a Rating Application ID.</p> <p>This data does not provide information for when the rating actually applies in the NEM. This is dependent on the Rating Application definition.</p> <p>For information on the Rating Applications please refer to the information published on the AEMO website under the topic "Transmission Equipment Ratings". The Rating Applications are referred to as Alternate Value Application Ratings.</p> <p>Ratings that normally use dynamic values will also have static rating values defined. These are used as a fallback if the dynamic rating fails.</p>	Public
NETWORK_SUBSTATIONDET	<p>NETWORK_SUBSTATIONDETAIL sets out the</p>	Public

AIL	attributes of sub-stations across time	
-----	--	--

31.2 Diagram: Entities: NETWORK




32 Package: VOLTAGE_INSTRUCTIONS

Name	VOLTAGE_INSTRUCTIONS
Comment	Instructions for MVar Dispatch

32.1 List of tables

Name	Comment	Visibility
VOLTAGE_INSTRUCTION	Child record for Voltage Instructions (MVar Dispatch)	Public
VOLTAGE_INSTRUCTION_TRK	Parent record for Voltage Instructions (MVar Dispatch). 'SIGNAL' records will have no children; 'INSTRUCTION' records will have children	Public

32.2 Diagram: Entities: Voltage Instructions




33 Package: PD7DAY

Name	PD7DAY
Comment	Results from a published Predispatch 7 Day Run

33.1 List of tables

Name	Comment	Visibility
PD7DAY_CASESOLUTION	PD7DAY case solution table	Public
PD7DAY_CONSTRAINTSOLUTION	PD7DAY constraint solution	Public
PD7DAY_INTERCONNECTOR SOLUTION	PD7DAY interconnector solution	Public
PD7DAY_MARKET_SUMMARY	PD7DAY market summary showing calculated gas fuel forecasts	Public
PD7DAY_PRICESOLUTION	PD7DAY price solution	Public

33.2 Diagram: Entities: PD7DAY



34 Package: FPP

Name FPP

Comment Results from a published Frequency Performance Payments (FPP) Run. The FPP calculation runs performs every trading interval (typically 5 minutes, but different for P5MIN / PREDISPATCH) and input data feeding into the calculations. The output data from the calculations is published on that same interval. There are some tables that operate on different frequencies (e.g. P5MIN / PREDISPATCH) as well as some data becoming public the following market day. For further details please see the FPP procedure and supporting documentation.

34.1 List of tables

Name	Comment	Visibility
FPP_CONSTRAINT_FREQ_MEASURE	This report delivers the weighted 4 second frequency measure data for each constraint	Public
FPP_CONTRIBUTION_FACTOR	This report delivers the calculated contribution factor value for each 5 minute trading interval for each constraint and FPP unit	Private & Public Next-Day
FPP_EST_COST	This report delivers the estimated cost for each FPP unit for each constraint for each 5 minute trading interval	Private
FPP_EST_PERF_COST_RATE	This report delivers the estimated performance cost rate for each constraint for each 5 minute trading interval	Public
FPP_EST_RESIDUAL_COST_RATE	This report delivers the estimated residual cost rate for each constraint for each 5 minute trading interval	Public
FPP_FCAS_SUMMARY	This report delivers a summary of FCAS requirements as used by the FPP calculation (i.e. only RAISEREG / LOWERREG bid types)	Public
FPP_FORECAST_DEFAULT_CF	This report delivers the forecast default	Public

	contribution factors (DCF) effective for a billing period (aligned to the settlement week)	
FPP_FORECAST_RESIDUAL_DCF	This report delivers the forecast residual default contribution factors (DCF) effective for a billing period (aligned to the settlement week)	Public
FPP_HIST_PERFORMANCE	This report delivers the historical performance calculated based on a historical period and effective for a billing period (aligned to the settlement week)	Public
FPP_HIST_REGION_PERFORMANCE	This report delivers the historical region performance calculated based on a historical period and effective for a billing period (aligned to the settlement week). This calculated historical region performance calculation is an input into the constraint level residual default contribution factor (DCF) which is published in FPP_FORECAST_RESIDUAL_DCF	Public
FPP_P5_FWD_EST_COST	This report delivers the forward estimated unit cost based on P5min runs. These high-level estimates (i.e. assuming that all is unused FCAS) will be provided for each constraint for each 5 minute pre-dispatch interval.	Private
FPP_P5_FWD_EST_RESIDUALRATE	This report delivers the forward estimated residual cost rate based on P5min runs. These high-level estimates (i.e. assuming that all is unused FCAS) will be provided for each constraint for each 5 minute pre-dispatch interval.	Public
FPP_PD_FWD_EST_COST	This report delivers the forward estimated unit cost based on PREDISPATCH runs. These high-level estimates (i.e. assuming that all is unused FCAS) will be provided for	Private

	each constraint for each 30 minute pre-dispatch interval.	
FPP_PD_FWD_EST_RESIDUAL RATE	This report delivers the forward estimated residual cost rate based on PREDISPATCH runs. These high-level estimates (i.e. assuming that all is unused FCAS) will be provided for each constraint for each 30 minute pre- dispatch interval.	Public
FPP_PERFORMANCE	This report delivers the calculated performance value for each 5 minute trading interval for each FPP unit	Private & Public Next-Day
FPP_RCR	This report delivers the calculated RCR for each constraint for each 5 minute trading interval	Public
FPP_REGION_FREQ_MEASURE	This report delivers the curated 4 second frequency deviation and frequency measure data for each region	Public
FPP_RESIDUAL_CF	This report delivers the calculated residual contribution factor value for each 5 minute trading interval for each constraint	Public
FPP_RESIDUAL_PERFORMAN CE	This report delivers the calculated residual performance value for each 5 minute trading interval	Public
FPP_RUN	This report delivers details of the 5-minute FPP calculation engine success failure outcome saved in FPP database	Public
FPP_UNIT_MW	This report delivers the curated 4 second measurement MW data for each FPP unit	Private & Public Next-Day
FPP_USAGE	This report delivers the calculated usage for each constraint for each 5 minute trading interval	Public

34.2 Diagram: Entities: FPP

FPP_FCAS_SUMMARY

RUN_DATETIME
RUNNO
INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_CONTRIBUTION_FACTOR

INTERVAL_DATETIME
CONSTRAINTID
FPP_UNITID
VERSIONNO

FPP_FORECAST_DEFAULT_CF

FPP_UNITID
CONSTRAINTID
EFFECTIVE_START_DATETIME
EFFECTIVE_END_DATETIME
VERSIONNO

FPP_RUN

INTERVAL_DATETIME
VERSIONNO

FPP_RESIDUAL_CF

INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_HIST_PERFORMANCE

FPP_UNITID
EFFECTIVE_START_DATETIME
EFFECTIVE_END_DATETIME
VERSIONNO

FPP_EST_COST

INTERVAL_DATETIME
CONSTRAINTID
FPP_UNITID
VERSIONNO

FPP_RCR

INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_P5_FWD_EST_COST

RUN_DATETIME
RUNNO
INTERVAL_DATETIME
CONSTRAINTID
FPP_UNITID
VERSIONNO

FPP_PD_FWD_EST_COST

PREDISPATCHSEQNO
RUN_DATETIME
RUNNO
INTERVAL_DATETIME
CONSTRAINTID
FPP_UNITID
VERSIONNO

FPP_CONSTRAINT_FREQ_MEASURE

INTERVAL_DATETIME
MEASUREMENT_DATETIME
CONSTRAINTID
VERSIONNO

FPP_PD_FWD_EST_RESIDUALRATE

PREDISPATCHSEQNO
RUN_DATETIME
RUNNO
INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_UNIT_MW

INTERVAL_DATETIME
MEASUREMENT_DATETIME
FPP_UNITID
VERSIONNO

FPP_EST_PERF_COST_RATE

INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_FORECAST_RESIDUAL_DCF

CONSTRAINTID
EFFECTIVE_START_DATETIME
EFFECTIVE_END_DATETIME
VERSIONNO

FPP_P5_FWD_EST_RESIDUALRATE

RUN_DATETIME
RUNNO
INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_REGION_FREQ_MEASURE

INTERVAL_DATETIME
MEASUREMENT_DATETIME
REGIONID
VERSIONNO

FPP_PERFORMANCE

INTERVAL_DATETIME
FPP_UNITID
VERSIONNO

FPP_USAGE

INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_EST_RESIDUAL_COST_RATE

INTERVAL_DATETIME
CONSTRAINTID
VERSIONNO

FPP_RESIDUAL_PERFORMANCE

INTERVAL_DATETIME
REGIONID
VERSIONNO

FPP_HIST_REGION_PERFORMANCE		
REGIONID	VARCHAR2(20)	<pk>
EFFECTIVE_START_DATETIME	DATE	<pk>
EFFECTIVE_END_DATETIME	DATE	<pk>
VERSIONNO	NUMBER(10)	<pk>
HIST_PERIOD_START_DATETIME	DATE	
HIST_PERIOD_END_DATETIME	DATE	
REG_HIST_RAISE_PERFORMANCE	NUMBER(18,5)	
REG_HIST_LOWER_PERFORMANCE	NUMBER(18,5)	
FPP_HIST_RAISE_PERFORMANCE	NUMBER(18,5)	
FPP_HIST_LOWER_PERFORMANCE	NUMBER(18,5)	

35 Package: SYSTEM_SECURITY_MANAGEMENT

Name SYSTEM_SECURITY_MANAGEMENT

Comment Package for ISF (Improving Security Frameworks) for Electricity Power System Security procurement (not related to IT security)

35.1 List of tables

Name	Comment	Visibility
SSM_CONTRACT_UNIT_AVAIL	The variable parameters associated to the Unit within an SSM Contract, allowing changes to the base contract values due to unit availabilities (e.g Maintenance, Outages).	Private
SSM_ENABLEMENT_COSTS	SSM Contract Enablement Costs for NEM	Public
SSM_ENABLEMENT_PERIOD	SSM Contract Enablement Periods	Public
SSM_INSTRUCTION	An enablement of an SSM Contract that instructs a Dispatchable Unit is to provide a System Security Service.	Private
SSM_SCHEDULE	Scheduled SSM contract enablements.	Private
SSM_SCHEDULED_AVAILABILITY	Scheduled SSM availability	Private

35.2 Diagram: Entities: SSM

SSM_ENABLEMENT_PERIOD		
INSTRUCTION_ID	VARCHAR2(20)	<pk>
DUID	VARCHAR2(20)	<pk>
ENABLEMENT_START_INTERVAL	DATE	<pk>
ENABLEMENT_END_INTERVAL	DATE	
ENABLEMENT_REASON	VARCHAR2(40)	
LASTCHANGED	DATE	

SSM_SCHEDULED_AVAILABILITY		
CONTRACT_ID	VARCHAR2(20)	<pk>
DUID	VARCHAR2(20)	<pk>
AVAILABLE_START_INTERVAL	DATE	<pk>
AVAILABLE_END_INTERVAL	DATE	
TNSP_PARTICIPANTID	VARCHAR2(10)	
LASTCHANGED	DATE	

SSM_INSTRUCTION		
INSTRUCTION_ID	VARCHAR2(20)	<pk>
VERSION_DATETIME	DATE	<pk>
INITIAL_INSTRUCTION_ID	VARCHAR2(20)	
DUID_PARTICIPANTID	VARCHAR2(10)	
CONTRACT_ID	VARCHAR2(20)	
TNSP_PARTICIPANTID	VARCHAR2(10)	
DUID	VARCHAR2(20)	
UNIT_COUNT	NUMBER(4,0)	
EQUIPMENT_TYPE	VARCHAR2(40)	
SERVICE_TYPE	VARCHAR2(40)	
MIN_DISPATCH_MW	NUMBER(18,8)	
START_INTERVAL_DATETIME	DATE	
END_INTERVAL_DATETIME	DATE	
LASTCHANGED	DATE	

SSM_SCHEDULE		
INSTRUCTION_ID	VARCHAR2(20)	<pk>
CONTRACT_ID	VARCHAR2(20)	
DUID_PARTICIPANTID	VARCHAR2(10)	
TNSP_PARTICIPANTID	VARCHAR2(10)	
DUID	VARCHAR2(20)	
UNIT_COUNT	NUMBER(4,0)	
EQUIPMENT_TYPE	VARCHAR2(40)	
SERVICE_TYPE	VARCHAR2(40)	
MIN_DISPATCH_MW	NUMBER(18,8)	
START_INTERVAL_DATETIME	DATE	
END_INTERVAL_DATETIME	DATE	
LASTCHANGED	DATE	

SSM_CONTRACT_UNIT_AVAIL		
CONTRACT_ID	VARCHAR2(20)	<pk>
DUID	VARCHAR2(20)	<pk>
INTERVAL_DATETIME	DATE	<pk>
VERSION_DATETIME	DATE	<pk>
AVAILABLE	NUMBER(1,0)	
UNIT_COUNT	NUMBER(4,0)	
ACTIVATION_LEAD_TIME	NUMBER(6,0)	
MIN_DISPATCH_MW	NUMBER(18,8)	
MIN_ENABLEMENT_DURATION	NUMBER(6,0)	
LASTCHANGED	DATE	

SSM_ENABLEMENT_COSTS		
END_TRADINGDATE	DATE	<pk>
ENABLEMENT_REASON	VARCHAR2(40)	<pk>
ESTIMATED_COSTS	NUMBER(18,8)	
LASTCHANGED	DATE	