Feedback

Trigonometric Functions

1

TRIGONOMETRIC FUNCTIONS - PART I



Trigonometric Functions-

Six trigonometric functions as follows

o sin x

- O COS X
- ② cosec $x = \frac{1}{\sin x}$, $x \neq n\pi$ ③ sec $x = \frac{1}{\cos x}$, $x \neq (2n + 1)\frac{\pi}{2}$
- 3 tan $x = \frac{\sin x}{\cos x}$, $x \neq (2n+1)\frac{\pi}{2}$ 6 cot $x = \frac{\cos x}{\sin x}$, $x \neq n\pi$

Here, n is an integer

Sign Of Trigonometric Functions

Six trigonometric functions as follows



II Quadrant: sin and cosec are pos	AT
X' [◆] III Quadrant: tan and cot are posit	o IV Quadrant: tive cos and sec are positive Y'

Domain And Range Of Trigonometric Functions

Function	Domain(n is an integer)	Range
sin	All real numbers	[-1, 1]
cos	All real numbers	[<mark>-1, 1</mark>]
tan	All real numbers except $\frac{\pi}{2}$ + n π	All real numbers
cot	All real numbers except $n\pi$	All real numbers
sec	All real numbers except $\frac{\pi}{2}$ + n π	(-∞,-1]∪[1,∞)
cosec	All real numbers except $n\pi$	(-∞,-1]∪[1,∞)

Trigonometric Functions Of Sum And Difference Of Two Angles_

$$otan(x - y) = \frac{1}{1}$$

$$\cos(x + y) = \cos x \cos y - \sin x \sin y$$

$$\cot(x + y) = \frac{\cot x \cot y - 1}{\cot y + \cot x}$$

$$\cot(x - y) = \frac{\cot x \cot y + 1}{\cot y - \cot x}$$

 $3 \tan(x + y) = \frac{\tan x + \tan y}{1 - \tan x \tan y}$

2

Trigonometric Functions of Allied Angles

$$\mathbf{O}\sin\left(\frac{\pi}{2} - \mathbf{x}\right) = \cos\mathbf{x} \quad \mathbf{O}\cos\left(\frac{\pi}{2} - \mathbf{x}\right) = \sin\mathbf{x} \quad \mathbf{O}\sin(\pi + \mathbf{x}) = -\sin\mathbf{x} \quad \mathbf{O}\cos(\pi + \mathbf{x}) = -\cos\mathbf{x}$$

$$2\sin\left(\frac{\pi}{2} + x\right) = \cos x \quad 3\cos\left(\frac{\pi}{2} + x\right) = -\sin x \quad 3\sin(2\pi - x) = -\sin x \quad 3\cos(2\pi - x) = \cos x$$

$$\operatorname{\mathfrak{S}}\sin(\pi-x)=\sin x \quad \operatorname{\mathfrak{S}}\cos(\pi-x)=-\cos x \quad \operatorname{\mathfrak{S}}\sin(2\pi+x)=\sin x \quad \operatorname{\mathfrak{D}}\cos(2\pi+x)=\cos x$$

Trigonometric Functions of Multiple Angles

$$\cot 2x = \frac{\cot^2 x - 1}{2\cot x}$$

$$2 \cos 2x = \cos^2 x - \sin^2 x = 2\cos^2 x - 1 = 1 - 2\sin^2 x$$

$$\sin 3x = 3\sin x - 4\sin^3 x$$

$$= \frac{1 - \tan^2 x}{1 + \tan^2 x}$$

$$\cos 3x = 4\cos^3 x - 3\cos x$$

$$2 \tan 3x = \frac{3\tan x - \tan^3 x}{1 - 3\tan^2 x}$$

Factorization Formulae

$$\cos x - \cos y = -2\sin\left(\frac{x+y}{2}\right)\sin\left(\frac{x-y}{2}\right) \quad \cos \sin x - \sin y = 2\cos\left(\frac{x+y}{2}\right)\sin\left(\frac{x-y}{2}\right)$$

Defactorization Formulae

$$2\cos x \cos y = \cos(x+y) + \cos(x-y)$$

$$2$$
 -2sinx siny = $cos(x + y) - cos(x - y)$

3
$$2\sin x \cos y = \sin(x + y) + \sin(x - y)$$

$$2\cos x \sin y = \sin(x + y) - \sin(x - y)$$

Types Of Solutions

Principal Solution

It is the solution in which value of variable is in [0, 2π]

General Solution

All possible set of values of variable which satisfy the trigonometric equation minori satisty the trigonometric equation

Feedback

General Solution Of Some Trigonometric Functions -

3 tanx = tany
$$\Rightarrow x = n\pi + y$$
 3 tan²x = tan²y $\Rightarrow x = n\pi \pm y$

Here, n is set of integers

MODULES FEATURES

Online Classes Video classes Live classes All Questions

Mock Tests All India test series Create your own tests

Adaptive Practice Stories 24/7 Help

Live Doubts

COMPANY

About Us Brand Resources Press Customer Stories Jobs Educators Fellowship

Learning Planet
 Guides
 Ask
 Blog
 Bytes
 News
 Student Reviews
 Parent Reviews

Teacher Reviews

Terms Of Service Privacy Policy Contact Us FAQs

















© 2020 Haygot Technologies, Ltd.