# **Computer Science 571 Exam #1** Prof. Papa Tuesday, October 3, 2017, 6:00pm – 7:20pm

Name:	Student Id Number:
<ol> <li>This is a closed book exam.</li> <li>Please answer all questions.</li> <li>Place all answers on the exam and r</li> </ol>	return the entire exam.
PHP QUESTIONS [10 PTS]	
Each question is worth 2 points.	
Q1: Which of the following is true in naming a variable?	PHP for rules that must be followed when
A1:  [X] Must begin with a dollar sign  [] The first character after the dollar underscore  [] Identifiers can contain spaces.  [X] May contain uppercase and lower [X] Identifiers are case sensitive  [] ALL OF THE ABOVE  [] NONE OF THE ABOVE	r sign must be an uppercase letter or rease letters, numbers and underscores
Q2: What is the purpose of a variable	e declared "static"?
A2: it does not disappear (from the st value is retained	tack) when a function is completed, and its
Q3: Consider the PHP code snippet:	
php<br \$vat_rate = 0.175; echo \$vat_rate * 100 . "%"; ?>	
What is the output produced?	
A3: 17.5%	
Q4: Consider this PHP code snippet:	

```
<?php
function foo($arg_1, $arg_2)
{
    $arg_2 = $arg_1 * $arg_2;
    return $arg_2;
}
$result_1 = foo(12, 3);
echo $result_1;
echo foo(12, 3);
?>
What is the output produced?
A4:
36
36
```

**Q5:** For this question, you will use a list of five of the largest cities in the world. (Please note, these are not the ten largest, just a selection of five from the largest cities.) Create an array with the following values: Tokyo, Mexico City, New York City, Mumbai, and Seoul.


Print these values to the browser separated by commas, using a loop to iterate over the array. This question is worth 2 points. There is NO PARTIAL CREDIT.

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en"</pre>
lang="en">
<head>
<meta http-equiv="content-type"</pre>
content="text/html;charset=iso-8859-1" />
<title>Simple Array Loop - Cities</title>
</head>
<body>
<h2>Large Cities<br /></h2>
<?php
//Create array.
$cities=array(
  "Tokyo",
  "Mexico City",
  "New York City",
  "Mumbai",
  "Seoul"
  );
```

```
//Print values of array to browser, separated by commas.
foreach($cities as $c){
   echo "$c, ";
}
?>
</body>
</html>
```

Note for graders: 1 point for the <u>array</u> declaration and 1 point for the for loop. NO partial credit.

# **HTTP QUESTIONS [20 PTS]**



The picture above is a snapshot of an iPhone, accessing Google Mobile. Below is part of an exchange of messages between the browser and <a href="www.google.com">www.google.com</a>. Answer the questions that follow. Each question is worth 2 points. <a href="MOTICE">NOTICE</a>: there is NO PARTIAL CREDIT on any of the questions.

```
http://google.com/
GET / HTTP/1.1
Host: google.com
User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X;
en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
Safari/528.16
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Cookie: rememberme=true;
SID=DQAAALYAAAAOxSu9qLe 6MAJNuIGaUI yJdQ0QWUWcpQsfOTEistdIDmSJZsy5JFCh7
N1dGmMHJkFOIHXudOThLmujz901DIc1UzI7hrD755ZvuA3Cf5U0mv4UT7eu oxXNFxPwAsX
vjEiOTnpjY7TgfuZLjSBVgW8EP zhUC99XkK5OQDFST0MrPVga2S-
4rHhL1N06UuOBkTN4AlluzZNWzX-cNvK2fWh2K-
CjnU1QaLGII9VzbqAlR plGLuyEVplg1vRdMw;
PREF=ID=7c6e6b3cd9a5942f:U=9f44cf0a8279d4ac:FF=0:TM=1303788727:LM=13297
25620:GM=1:S=iWiIi kEdiM2B96x: HSID=AUGWe6aXETXwIKOsF: APISID=A3CWXKT-
sm9ltGqG/ADSVUh9mFFvh2vAhG; NID=57=e5Q8Xz-
stt quQcEEBoXnYqHQnQy3mm0fSq53PazgSopWb-
LamVecmHDrSOtyLqzMbqCCtqYkuOp6udRm8q12XbbqqDfBUtIQz5D86wOYLG321Lk262PuD
u AmE2ypMr; PP TOS ACK=2
HTTP/1.1 301 Moved Permanently
Location: http://www.google.com/
Content-Type: text/html; charset=UTF-8
Date: Mon, 20 Feb 2012 08:35:40 GMT
Expires: Wed, 21 Mar 2012 08:35:40 GMT
Cache-Control: public, max-age=2592000
Server: qws
Content-Length: 219
X-XSS-Protection: 1; mode=block
x-frame-options: SAMEORIGIN
Transaction 2:
http://www.google.com/
GET / HTTP/1.1
Host: www.google.com
User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X;
en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
Safari/528.16
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Cookie: rememberme=true;
SID=DQAAALYAAAAOxSu9gLe 6MAJNuIGaUI yJdQ0QWUWcpQsfOTEistdIDmSJZsy5JFCh7
N1dGmMHJkFQIHXudOThLmujz901DIc1UzI7hrD755ZvuA3Cf5U0mv4UT7eu_oxXNFxPwAsX
vjEiOTnpjY7TgfuZLjSBVgW8EP zhUC99XkK5OQDFST0MrPVqa2S-
4rHhL1N06UuOBkTN4AlluzZNWzX-cNvK2fWh2K-
CjnU1QaLGII9VzbqAlR plGLuyEVplg1vRdMw;
PREF=ID=7c6e6b3cd9a5942f:U=9f44cf0a8279d4ac:FF=0:TM=1303788727:LM=13297
25620:GM=1:S=jWjIj_kEdiM2B96x; HSID=AUqWe6aXETXwIKOsF; APISID=A3CWXKT-
sm9ltGqG/ADSVUh9mFFvh2vAhG; NID=57=e5Q8Xz-
stt quQcEEBoXnYgHQnQy3mm0fSq53PazqSopWb-
```

```
LamVecmHDrSOtyLgzMbgCCtgYkuOp6udRm8q12XbbggDfBUtIQz5D86wOYLG321Lk262PuD
u AmE2ypMr; PP TOS ACK=2
HTTP/1.1 200 OK
Content-Type: text/html; charset=UTF-8
Content-Encoding: gzip
Transfer-Encoding: chunked
Date: Mon, 20 Feb 2012 08:35:40 GMT
Server: qws
Cache-Control: private
X-XSS-Protection: 1; mode=block
x-frame-options: SAMEORIGIN
Transaction 3:
http://www.google.com/images/srpr/logo3w.png
GET /images/srpr/logo3w.png HTTP/1.1
Host: www.google.com
User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X;
en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
Safari/528.16
Accept: image/png,image/*;q=0.8,*/*;q=0.5
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://www.google.com/
Cookie: rememberme=true;
SID=DQAAALYAAAAOxSu9qLe 6MAJNuIGaUI yJdQ0QWUWcpQsfOTEistdIDmSJZsy5JFCh7
N1dGmMHJkFQIHXudOThLmujz901DIc1UzI7hrD755ZvuA3Cf5U0mv4UT7eu oxXNFxPwAsX
vjEiOTnpjY7TgfuZLjSBVgW8EP zhUC99XkK5OQDFST0MrPVqa2S-
4rHhL1N06UuOBkTN4AlluzZNWzX-cNvK2fWh2K-
CjnUlQaLGII9VzbqAlR plGLuyEVplq1vRdMw;
PREF=ID=7c6e6b3cd9a5942f:U=9f44cf0a8279d4ac:FF=0:TM=1303788727:LM=13297
25620:GM=1:S=jWjIj kEdiM2B96x; HSID=AUqWe6aXETXwIKOsF; APISID=A3CWXKT-
sm9ltGqG/ADSVUh9mFFvh2vAhG; NID=57=e5Q8Xz-
stt quQcEEBoXnYgHQnQy3mm0fSg53PazgSopWb-
LamVecmHDrSOtyLgzMbgCCtgYkuOp6udRm8q12XbbggDfBUtIQz5D86wOYLG321Lk262PuD
u AmE2ypMr; PP TOS ACK=2
HTTP/1.1 200 OK
Content-Type: image/png
Last-Modified: Fri, 05 Aug 2011 02:40:26 GMT
Date: Mon, 20 Feb 2012 08:35:40 GMT
Expires: Mon, 20 Feb 2012 08:35:40 GMT
Cache-Control: private, max-age=31536000
X-Content-Type-Options: nosniff
Server: sffe
Content-Length: 7007
X-XSS-Protection: 1; mode=block
```

#### Transaction 4:

http://www.google.com/extern\_js/f/CgJlbhICdXMrMEU4ACwrMFo4ACwrMA44ACwrMBc4ACwrMDw4ACwrMFe4ACwrMAo4AJoCA21vYiwrMJgBOAAsKzAWOAAsKzAZOAAsKzBBOAAsKzBNOAAsKzBOOAAsKzBTOAAsKzBUOAAsKzBPOAAsKzBPOAAsKzB2OAAsKzB7OAAsKzCAATgALCswhAE4ACwrMIwBOAAsKzCQATgALCswkgE4ACwrMJYBOAAsKzCjATgALCswqAE4ACwrMKwBOAAsKzCzATgALCswvgE4ACwrMMwBOAAsKzDVATgALCsw2AE4ACwrMIYBOAAsKzCRATgALCswpAE4ACwrMBq4ACwrMCY4ACyAAlaOAmU/csMWpFDHhv8.js

### GET /extern js/f/CqJlbhICdXMrMEU4ACwrMFo4ACwrMA44ACwrMBc4ACwrMDw4ACwrMFE4AC wrMAo4AJoCA21vYiwrMJqBOAAsKzAWOAAsKzAZOAAsKzBBOAAsKzBNOAAsKzBOOAAsKzBTO AASKZBUOAASKZBPOAASKZBPOAASKZB2OAASKZB7OAASKZCAATgALCswhAE4ACwrMIwBOAAS KzCQATqALCswkqE4ACwrMJYBOAAsKzCjATqALCswqAE4ACwrMKwBOAAsKzCzATqALCswvqE 4ACwrMMwBOAAsKzDVATgALCsw2AE4ACwrMIYBOAAsKzCRATqALCswpAE4ACwrMBq4ACwrMC Y4ACyAAlaQAmU/csMWpFDHhv8.js HTTP/1.1 Host: www.google.com User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 Accept: \*/\* Accept-Language: en-us, en; q=0.5 Accept-Encoding: gzip, deflate Connection: keep-alive Referer: http://www.google.com/ Cookie: rememberme=true; SID=DQAAALYAAAAOxSu9qLe 6MAJNuIGaUI yJdQ0QWUWcpQsfOTEistdIDmSJZsy5JFCh7 N1dGmMHJkF0IHXudOThLmujz901DIc1UzI7hrD755ZvuA3Cf5U0mv4UT7eu oxXNFxPwAsX viEi0TnpiY7TqfuZLiSBVqW8EP zhUC99XkK500DFST0MrPVqa2S-4rHhL1N06UuOBkTN4AlluzZNWzX-cNvK2fWh2K-CjnU1QaLGII9VzbqAlR plGLuyEVplg1vRdMw; PREF=ID=7c6e6b3cd9a5942f:U=9f44cf0a8279d4ac:FF=0:TM=1303788727:LM=13297 25620:GM=1:S=jWjIj kEdiM2B96x; HSID=AUqWe6aXETXwIKOsF; APISID=A3CWXKTsm9ltGqG/ADSVUh9mFFvh2vAhG; NID=57=e5Q8Xzstt quOcEEBoXnYqHOnOy3mm0fSq53PazqSopWb-LamVecmHDrSOtyLqzMbqCCtqYkuOp6udRm8q12XbbqqDfBUtIQz5D86wOYLG321Lk262PuD u AmE2ypMr; PP TOS ACK=2 HTTP/1.1 200 OK Content-Type: text/javascript; charset=UTF-8 Expires: Fri, 15 Feb 2013 00:00:00 GMT Last-Modified: Fri, 18 Feb 2011 00:00:00 GMT Date: Fri, 17 Feb 2012 21:10:37 GMT Vary: Accept-Encoding Content-Disposition: attachment Content-Encoding: gzip Server: gws Content-Length: 84238 X-XSS-Protection: 1; mode=block x-frame-options: SAMEORIGIN Cache-Control: public, max-age=31536000 Age: 213903 Transaction 5: http://www.google.com/mbd?hl=en&output=search&mbtype=56 GET /mbd?hl=en&output=search&mbtype=56 HTTP/1.1 Host: www.google.com User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8 Accept-Language: en-us, en; q=0.5

Accept-Encoding: gzip, deflate

Referer: http://www.google.com/

Connection: keep-alive

```
Cookie: rememberme=true;
SID=DQAAALYAAAAOxSu9qLe 6MAJNuIGaUI yJdQ0QWUWcpQsfOTEistdIDmSJZsy5JFCh7
N1dGmMHJkFQIHXudOThLmujz901DIc1UzI7hrD755ZvuA3Cf5U0mv4UT7eu oxXNFxPwAsX
vjEiOTnpjY7TgfuZLjSBVgW8EP zhUC99XkK5OQDFST0MrPVqa2S-
4rHhL1N06UuOBkTN4AlluzZNWzX-cNvK2fWh2K-
CjnU1QaLGII9VzbqAlR plGLuyEVplg1vRdMw;
PREF=ID=7c6e6b3cd9a5942f:U=9f44cf0a8279d4ac:FF=0:TM=1303788727:LM=13297
25620:GM=1:S=jWjIj kEdiM2B96x; HSID=AUqWe6aXETXwIKOsF; APISID=A3CWXKT-
sm9ltGqG/ADSVUh9mFFvh2vAhG; NID=57=e5Q8Xz-
stt quQcEEBoXnYqHQnQy3mm0fSq53PazqSopWb-
LamVecmHDrSOtyLgzMbgCCtgYkuOp6udRm8q12XbbggDfBUtIQz5D86wOYLG321Lk262PuD
u AmE2ypMr; PP TOS ACK=2
HTTP/1.1 200 OK
Cache-Control: private, max-age=0
Content-Type: text/html; charset=UTF-8
Date: Mon, 20 Feb 2012 08:35:40 GMT
Expires: -1
Content-Encoding: gzip
Server: gws
Content-Length: 103
X-XSS-Protection: 1; mode=block
x-frame-options: SAMEORIGIN
Transaction 6:
http://clients1.google.com/generate 204
GET /generate 204 HTTP/1.1
Host: clients1.google.com
User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X;
en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
Safari/528.16
Accept: image/png,image/*;q=0.8,*/*;q=0.5
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://www.google.com/
Cookie: rememberme=true;
SID=DQAAALYAAAAOxSu9gLe 6MAJNuIGaUI yJdQ0QWUWcpQsfOTEistdIDmSJZsy5JFCh7
N1dGmMHJkFQIHXudOThLmujz901DIc1UzI7hrD755ZvuA3Cf5U0mv4UT7eu oxXNFxPwAsX
vjEiOTnpjY7TgfuZLjSBVgW8EP zhUC99XkK5OQDFST0MrPVqa2S-
4rHhL1N06UuOBkTN4AlluzZNWzX-cNvK2fWh2K-
CjnUlQaLGII9VzbqAlR plGLuyEVplq1vRdMw;
PREF=ID=7c6e6b3cd9a5942f:U=9f44cf0a8279d4ac:FF=0:TM=1303788727:LM=13297
25620:GM=1:S=jWjIj kEdiM2B96x; HSID=AUqWe6aXETXwIKOsF; APISID=A3CWXKT-
sm9ltGqG/ADSVUh9mFFvh2vAhG; NID=57=e5Q8Xz-
stt quQcEEBoXnYgHQnQy3mm0fSg53PazgSopWb-
LamVecmHDrSOtyLgzMbgCCtgYkuOp6udRm8q12XbbggDfBUtIQz5D86wOYLG321Lk262PuD
u AmE2ypMr; PP TOS ACK=2
HTTP/1.1 204 No Content
Content-Length: 0
Content-Type: text/html
Date: Mon, 20 Feb 2012 08:35:40 GMT
Server: GFE/2.0
http://www.gstatic.com/m/images/gray dot.png
```

```
GET /m/images/gray dot.png HTTP/1.1
Host: www.gstatic.com
User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3 0 like Mac OS X;
en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
Safari/528.16
Accept: image/png,image/*;q=0.8,*/*;q=0.5
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://www.google.com/
HTTP/1.1 200 OK
Content-Type: image/png
Last-Modified: Wed, 28 Sep 2011 03:00:23 GMT
Date: Fri, 17 Feb 2012 21:05:42 GMT
Expires: Sat, 16 Feb 2013 21:05:42 GMT
X-Content-Type-Options: nosniff
Server: sffe
Content-Length: 473
X-XSS-Protection: 1; mode=block
Cache-Control: public, no-transform, max-age=31536000
Age: 214198
Transaction 7:
http://ssl.gstatic.com/m/og/resources/resources v16 s2.js
GET /m/og/resources/resources_v16_s2.js HTTP/1.1
Host: ssl.qstatic.com
User-Agent: Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X;
en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341
Safari/528.16
Accept: */*
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://www.google.com/
HTTP/1.1 200 OK
Vary: Accept-Encoding
Content-Encoding: gzip
Content-Type: text/javascript
Last-Modified: Thu, 02 Feb 2012 18:53:53 GMT
Date: Fri, 17 Feb 2012 21:05:43 GMT
Expires: Sat, 16 Feb 2013 21:05:43 GMT
X-Content-Type-Options: nosniff
Server: sffe
Content-Length: 120277
X-XSS-Protection: 1; mode=block
Cache-Control: public, max-age=31536000
Age: 214198
[2 pts] What transactions involve a "redirect" and what is the
redirect target?
```

Answer: Transactions 1 (Location: header), target:
http://www.google.com

### [2 pts] What compression is the browser supporting?

```
Answer: qzip, deflate
[2 pts] What response headers are used to help caching images?
Answer: Last-Modified, Expires, Cache-Control and Age
[2 pts] Is any content delivered in compressed form and if yes, in
what transactions and what is the name of the compresses object?
Answer: The HTML in Transaction 2, the JavaScript csMWpFDHhv8.js in
Transaction 4, the HTML in Transaction 5, the JavaScript
resources v16 s2.js in Transaction 7
[2 pts] What Document (MIME) types are returned by the servers?
Answer 1: HTML, IMAGE, JavaScript
Answer 2: "text/html, image/png, and image/png".
[2 pts] How many web servers are involved in these transactions and
what are their names?
Answer: 3 servers: gws, sffe, GFE/2.0
[2 pts] Are all connections "persistent"?
Answer: Yes, "Connection: keep-alive" starting at Transaction 1
[2 pts] Some transactions are returning "301 Moved Permanently".
What does that mean?
Answer: The page has been moved, resulting in a "location" redirect.
[2 pts] What character sets are used in these transactions and for
what type of content?
Answer: UTF-8. HTML in Transaction 1, 2, 5 and JavaScript in
Transaction 4
[2 pts] What MIME type(s) does the browser support?
Answer: text/html, application/xhtml+xml, application/xml,
image/png, image/*, text/javascript
```

# **CSS QUESTIONS [10 PTS]**

Below are lines extracted from the CSS style sheet of cbsnews.com. For each line answer the question. Each question is worth 2 points.

### Q1. Give an HTML example usage of the declaration below:

.contentWrap #contentMain .centerColumn

```
{width:380px;
     float:left;
     margin:0;}
A1.
<div class="contentWrap">
     <strong id="contentMain">
           <h1 class="centerColumn"> This is centered</h1>
     </strong>
</div>
Q2. What does this declaration do?
.isGeneric .contentWrap{margin:20px 20px 0;}
A2. Declares two classes that, when BOTH applied, reset the margins.
Q3. Give one (1) HTML example of usage of the declaration below:
a img,:link img,:visited img{border:0;}
A3.
<a href="http://mycompany.com">
     <img src=http://anyimage.png>Image </img>
</a>
Q4. Give an HTML example usage of the declaration below, with 4 nested
elements:
.showNav ul {
     height:16px;
     padding:5px 0 0;
     float:left;
     width:620px;
     margin:0 20px 0 0;
}
.showNav ul li {
     display:block;
     float:left;
     padding: 1px 8px 0 8px;
}
```

.showNav ul li a:hover{color:#202022;}

#### A4.

Q5. Create a generic CSS class named nfl-logo that sets the background image to the url http://www.nfl.com/images/nfl-logo-large.png, the position in pixels to (-100, 0) and does not repeat it.

### A5.

```
.nfl-logo {
    background-image: url(http://www.nfl.com/images/nfl-
logo-large.png);
    background-position: -100px 0;
    background-repeat: no-repeat
}
```

# WEB SERVER/HTTP QUESTIONS [20 PTS]

Below is an actual httpd.conf file. Answer the questions that follow. Each question is worth 2 points.

```
ServerType standalone
ServerRoot "/etc/httpd"
PidFile /var/run/httpd.pid
ResourceConfig /dev/null
AccessConfig /dev/null
Timeout 300
KeepAlive On
MaxKeepAliveRequests 0
KeepAliveTimeout 15
MinSpareServers 16
MaxSpareServers 64
StartServers 16
MaxClients 512
MaxRequestsPerChild 100000
Port 80
<IfDefine SSL>
Listen 80
Listen 443
```

```
</IfDefine>
      User www
      Group www
      ServerAdmin admin@openna.com
      ServerName www.openna.com
      DocumentRoot "/home/httpd/ona"
      <Directory />
      Options None
      AllowOverride None
      Order deny, allow
      Deny from all
      </Directory>
      <Directory "/home/httpd/ona">
      Options None
      AllowOverride None
      Order allow, deny
      Allow from all
      </Directory>
      <Files .pl>
      Options None
      AllowOverride None
      Order deny, allow
      Deny from all
      </Files>
      <IfModule mod dir.c>
      DirectoryIndex index.htm index.html index.php index.php3
default.html
      </IfModule>
      #<IfModule mod include.c>
      #Include conf/mmap.conf
      #</IfModule>
      <IfModule mod mime.c>
      TypesConfig /etc/httpd/conf/mime.types
      </IfModule>
      DefaultType text/plain
      HostnameLookups Off
      ErrorLog /var/log/httpd/error log
      LogLevel warn
      LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-
Agent}i\"" combined
      SetEnvIf Request URI \.gif$ gif-image
      CustomLog /var/log/httpd/access log combined env=!gif-image
      ServerSignature Off
      LoadModule php5 module modules/libphp5.so
      \langle FilesMatch "\.ph(p[2-6]?|tml)$" \rangle
          SetHandler application/x-httpd-php
      </FilesMatch>
```

```
<IfModule mod alias.c>
      ScriptAlias / cgi-bin/ "/home/httpd/cgi-bin/"
      <Directory "/home/httpd/cgi-bin">
     AllowOverride None
     Options None
     Order allow, deny
     Allow from all
      </Directory>
      </IfModuleGT;
      <IfModule mod mime.c>
      AddEncoding x-compress Z
     AddEncoding x-gzip gz tgz
      AddType application/x-tar .tgz
      </IfModule>
     ErrorDocument 500 "The server made a boo boo.
     ErrorDocument 404 http://192.168.1.1/error.htm
     ErrorDocument 403 "Access Forbidden -- Go away.
      <IfModule mod setenvif.c>
     BrowserMatch "Mozilla/2" nokeepalive
     BrowserMatch "MSIE 4\.0b2;" nokeepalive downgrade-1.0 force-
response-1.0
     BrowserMatch "RealPlayer 4\.0" force-response-1.0
     BrowserMatch "Java/1\.0" force-response-1.0
      BrowserMatch "JDK/1\.0" force-response-1.0
      </IfModule>
      <IfDefine SSL>
      AddType application/x-x509-ca-cert .crt
     AddType application/x-pkcs7-crl
      </IfDefine>
      <IfModule mod_ssl.c>
      SSLPassPhraseDialog
                              builtin
      SSLSessionCache
                              dbm:/var/run/ssl scache
      SSLSessionCacheTimeout 300
                  /var/log/httpd/ssl engine log
      SSLLogLevel warn
      </IfModule>
      <IfDefine SSL>
      <VirtualHost _default_:443>
      DocumentRoot "/home/httpd/ona"
      ServerName www.openna.com
      ServerAdmin admin@openna.com
     ErrorLog /var/log/httpd/error log
      </VirtualHost>
      </IfDefine>
```

```
Q1. What is the root directory of the server?
/etc/httpd
Q2. What is the root directory for web pages?
/home/httpd/ona
Q3. What is the URL of the home page?
http://www.openna.com/
Q4. What is the name of the home page?
index.htm, index.html, index.php, index.php3, or default.html
Q5. What is the location of the error log file?
/var/log/httpd/error log
Q6. If a web page is not found by the server, what page is returned?
error.htm
Q7. What is the purpose of the first line of the file?
a blank comment
Q8. Does this server support secure communication and where in the configuration file?
Yes, supports SSL on port 443, using the last 20 lines of configuration
Q9. Does this server support compression and where in the configuration file?
Yes, supports compress and gzip, the two AddEncoding lines
```

# JAVASCRIPT / REGULAR EXPRESSIONS QUESTIONS [20 PTS]

**Q10.** Does this server support PHP and where in the configuration file?

Yes, In the lines using LoadModule and FilesMatch

Consider the following code that performs password validation. Some f the lines have missing code. Complete the missing code. Each answer is worth 2 points

```
<script type="text/javascript">
function checkForm(form)
```

```
{
    if(form.username.value == "") {
      alert("Error: Username cannot be blank!");
      form.username.focus();
      return false;
    re = /^{w+\$/};
    if(!re.test(form.username.value)) {
      alert ("Error: Username must contain only letters, numbers
and underscores!");
      form.username.focus();
      return false;
    if(form.pwd1.value != "" && form.pwd1.value ==
form.pwd2.value) {
      if (form.pwd1.value.length < 6) {</pre>
        alert ("Error: Password must contain at least six
characters!");
        form.pwd1.focus();
        return false;
      if (form.pwd1.value == form.username.value) {
        alert("Error: Password must be different from
Username!");
        form.pwd1.focus();
        return false;
      re = /[0-9]/;
      if(!re.test(form.pwd1.value)) {
        alert ("Error: password must contain at least one
number!");
        form.pwd1.focus();
        return false;
      re = /[a-z]/;
      if(!re.test(form.pwd1.value)) {
        alert ("Error: password must contain at least one
lowercase letter!");
        form.pwd1.focus();
        return false;
      }
      re = /[A-Z]/;
      if(!re.test(form.pwd1.value)) {
        alert("Error: password must contain at least one
uppercase letter!");
        form.pwd1.focus();
```

```
return false;
    } else {
     alert ("Error: Please check that you've entered and
confirmed your password!");
      form.pwd1.focus();
     return false;
    }
   alert("You entered a valid password: " + form.pwd1.value);
   return true;
  }
</script>
<form method="POST" action="..." onsubmit="return</pre>
checkForm(this);">
Username: <input type="text" name="username">
Password: <input type="password" name="pwd1">
Confirm Password: <input type="password" name="pwd2">
<input type="submit">
</form>
```

## **JSON QUESTIONS [10 PTS]**

Each question is worth 2 points.

### Q1: List 3 properties of JSON

- Subset of ECMA-232 Third Edition
- Language independent
- text-based
- light-weight
- Easy to parse
- Not a document format
- Not a markup language
- Not a serialization format

### **Q2.** What is a possible drawback of the eval() function?

The eval() technique is subject to security vulnerabilities

Q3. What is the first index in a JSON array?

JSON does not talk about indexing: can be 0 or 1

**Q4. JSON Parsers (True / False)** 


### A JSON encoder must only produce well-formed JSON text [X]True [ ]False

### Q5. What is **JSONP**?

"JSON with padding" is a JSON extension wherein the name of a callback function is specified as an input argument of the call itself.

## **DOM QUESTIONS [10 PTS]**

Above is a web page that was produced by the program below. But some of the code is missing. Fill in the missing code. Each correct line is worth 2 points.



```
<!DOCTYPE html>
<html lang="en">
<head>
<title>width/height example</title>
<script>
function init() {
    var arrImages = new Array(3);
    arrImages[0] = document.getElementById("image1");
    arrImages[1] = document.getElementById("image2");
    arrImages[2] = document.getElementById("image3");
    var objOutput = document.getElementById("output");
    var strHtml = "";
```

```
strHtml += "image" + (i+1) +
            ": height=" + arrImages[i].height +
            ", width=" + arrImages[i].width +
            ", style.height=" + arrImages[i].style.height +
            ", style.width=" + arrImages[i].style.width +
            "<\/li>";
     strHtml += "";
     objOutput.innerHTML = strHtml;
</script>
</head>
<body onload="init();">
Image 1: no height, width, or style
     <img id="image1"</pre>
src="http://www.mozilla.org/images/mozilla-banner.gif">
Image 2: height="50", width="500", but no style
     <img id="image2"</pre>
     src="http://www.mozilla.org/images/mozilla-banner.gif"
    height="50" width="500">
Image 3: no height, width, but style="height: 50px;
width: 500px;"
     <img id="image3"</pre>
       src="http://www.mozilla.org/images/mozilla-
banner.gif"
       style="height: 50px; width: 500px;">
<div id="output"> </div>
</body>
</html>
```