Computer Science 571 MidTerm Prof. Horowitz


Thursday, October 11, 2012, 9:30am – 10:45am

Name:

Student ID Number:

- 1. This is a closed book exam.
- 2. Please answer all questions.
- Place all answers on the exam and return the entire exam

General Questions [40 pts]



Snapshot of Google About Page

Below is the Google source code (slightly edited) with line numbers added, that produced the page above. Some lines are longer than the width of the page. Please answer all of the questions that follow the source code.

```
1. <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
2. <html> <head>
3. <META http-equiv="Content-Type" content="text/html; charset=UTF-8">
4. <title>About Google</title>
5. type="text/css"
href="http://www.google.com/css/gcs.css">
6. <style type="text/css">
7. h1 {
8. color:#636363;
9. float:left;
10. font-size:1.8em;
11.
    padding:0;
12. }
13. .promo {
14. border:1px solid #000;
15. margin:0.2em 0.7em 1em 0;
      padding:0.5em 0.3em;
text-align:center; }
16.
17.
18. .leftnav {
19.
      width:201px !important; }
20. .content {
      margin:0 0 0 201px !important;
21.
22. }</style>
23. </head>
24. <body>
25. <div class="g-doc about">
26. <div class="g-section header">
27. <h1>About <a href="/"><img src="images/about_logo.gif" alt="Google"</pre>
title="Google" width="175" height="65"></a>
28. </h1>
29. <form action="http://www.google.com/search" method="get">
     <label for="output"></label><input type="hidden" value="googleabout"</pre>
name="output">
31. <label for="sitesearch"></label><input type="hidden"</pre>
value="http://www.google.com" name="sitesearch">
    <label for="hl"></label><input type="hidden" value="en"</pre>
name="hl"><label for="q">
    </label><input type="text" value="" size="20" name="q">
     <input type="submit" value="Search our site" name="submit">
34. </form> </div>
35. <div class="g-section g-tpl-180">
36. <div class="g-unit g-first leftnav">
37. <div class="promo promo-red">
38. <strong><a
href="http://www.google.com/admanager?utm source=aboutgoogle&utm medium=e
t&utm campaign=aboutgoogle"
onclick="javascript:urchinTracker('/embedmktg/admanager');">Google Ad
Manager</a></strong>
     <br>New! Manage your online ad sales and inventory with Google Ad
Manager.</div>
```

```
<div class="promo promo-yellow">
41.
     <strong><a
href="http://www.google.com/chrome/index.html?hl=en&brand=CHMH&utm so
urce=en-et-abt&utm medium=abt&utm campaign=en"
       onclick="javascript:urchinTracker('/embedmktg/chrome');">Google
Chrome</a></strong> <br>
href="http://www.google.com/chrome/index.html?hl=en&brand=CHMH&utm so
urce=en-et-abt&utm medium=abt&utm campaign=en"
       onclick="javascript:urchinTracker('/embedmktg/chrome');"><img</pre>
src="http://www.google.com/images/icons/about chrome.gif"
       alt="Google Chrome"></a>
43.
     <br/>br>Browse the web with the power of Google. Searching just got faster,
easier, and safer.</div>
     <div class="promo promo-blue">
     <strong><a href="http://docs.google.com/?utm_source=en-abt-</pre>
page&utm medium=abt&utm campaign=en"
        onclick="javascript:urchinTracker('/embedmktg/docs');">Google
Docs</a></strong>
     <br/>create and share your documents online and access them from
anywhere.</div>
    <div style="display:none;" class="promo promo-green" id="rec1"></div>
</div>
48.
    <div class="g-unit content">
49.
    <div class="g-section g-tpl-50-50 contentr1">
50. <div class="g-unit g-first contentr1c1">
51.
    <h2>Our Products</h2>
    <a href="/support?hl=en"
onclick="javascript:urchinTracker('/site/help');">Help</a>
53.
     <br>Help with Google Search, Services and Products...
      <a href="help/features.html"
onclick="javascript:urchinTracker('/site/websearch');">Google Web Search
Features</a>
55.
     <br>Translation, I'm Feeling Lucky, Cached...
      <a href="options/"
onclick="javascript:urchinTracker('/site/services');">Google Services & amp;
Tools</a>
57.
    <br>Toolbar, Google Web APIs, Buttons...
      <a href="http://labs.google.com/"
onclick="javascript:urchinTracker('/site/labs');">Google Labs</a>
    <br>Ideas, Demos, Experiments... </div>
     <div class="q-unit contentr1c2">
60.
     <h2>For Site Owners</h2>
61.
      <a href="ads/"
onclick="javascript:urchinTracker('/site/ads');">Advertising</a>
63.
    <br>AdWords, AdSense...
64.
      <a href="services/"
onclick="javascript:urchinTracker('/site/solutions');">Business Solutions</a>
     <br>Google Search Appliance, Google Mini, WebSearch...
      <a href="webmasters/"
onclick="javascript:urchinTracker('/site/webmaster');">Webmaster Central</a>
     <br/>br>One-stop shop for comprehensive info about how Google crawls and
indexes websites...
```

```
 <a href="submit content.html"
onclick="javascript:urchinTracker('/site/submit');">Submit your content to
Google</a>
69.
     <br>Add your site, Google Base, Google Sitemaps...
</div>
70. <div class="g-section g-tpl-50-50 contentr2">
71.
     <div class="g-unit g-first contentr2c1">
72.
     <h2>Our Company</h2>
73.
      <a href="press/"
onclick="javascript:urchinTracker('/site/press');">Press Center</a>
74.
     <br>News, Images, Zeitgeist...
75.
      <a href="jobs/"
onclick="javascript:urchinTracker('/site/jobs');">Jobs at Google</a>
     <br>Openings, Perks, Culture...
77.
      <a href="corporate/"
onclick="javascript:urchinTracker('/site/corporate');">Corporate Info</a>
78.
     <br>Company overview, Philosophy, Diversity, Addresses...
      <a href="http://investor.google.com"
onclick="javascript:urchinTracker('/site/ir');">Investor Relations</a>
80.
     <br>Financial info, Corporate governance... </div>
81.
     <div class="g-unit contentr2c2">
82.
     <h2>More Google</h2>
      <a href="contact/"
83.
onclick="javascript:urchinTracker('/site/contact');">Contact Us</a>
     <br>FAQs, Feedback, Newsletter...
85.
      <a href="stickers.html"
onclick="javascript:urchinTracker('/site/logos');">Logos and Photos</a>
     <br>Logos, Doodles, Googlers at work and play...
      <a href="http://googleblog.blogspot.com"
onclick="javascript:urchinTracker('/site/blog');">Google Blog</a>
88.
     <br>Insights to Google products and culture...
89.
      <a href="http://www.googlestore.com"
onclick="javascript:urchinTracker('/site/store');">Google Store</a>
     <br>Pens, Shirts, Lava lamps...
91.
     </div></div></div>
92.
     <div class="g-section footer">
     © 2008 Google - <a href="privacy.html">Privacy Policy</a> - <a
93.
href="/accounts/TOS">Terms of Service</a>
94.
     </div> </div>
     <script type="text/javascript" language="javascript"</pre>
src="https://ssl.google-analytics.com/urchin.js"></script>
     <script type="text/javascript" language="javascript">
97.
      uacct="UA-18000-1";
     _utcp="/";
98.
      _uanchor=1;
99.
100.
       urchinTracker();
101.
      </script>
      <script type="text/javascript" language="javascript"</pre>
src="http://www.google.com/receng/js/receng.js"></script>
      <script type="text/javascript" language="javascript">
103.
104.
     function getRecommendations() {
105.
          var recEng = new goog.RecEng();
106.
          recEng.config = recEng.CONSUMER;
107.
         recEng.layout = formatPromo;
108.
         recEng.caller = "about";
```

```
109.
           recEng.divs = [ "rec1"];
110.
          recEng.recommend();
111.
112.
        function formatPromo(div,rec) {
113.
           document.getElementById(div).innerHTML='<a</pre>
href="'+rec.callToActionUrl+'"><strong>'+rec.longTitle+'</strong></a>
          <br />'+rec.shortDescription;
115.
           document.getElementById(div).style.display='block';
116.
         }
117.
         getRecommendations();
118.
       </script> </body> </html>
```

For the questions below,

- if a link is clicked, please provide the complete URL which produces the resulting page.
- if a function is called, please name the function and its arguments
- 1. [4 pts] Which version of HTML, v 3.2, v 4., v 4.01 or v 5.0 does the file conform to?

```
ANSWER: HTML 4.01
```

2. [4 pts] what is the location (URL) of the stylesheet that is used for this file?

ANSWER: http://www.google.com/css/gcs.css

3. [4 pts] If someone bookmarks this page, what will be the name that they see when the bookmarks are displayed?

ANSWER: About Google

4. [4 pts] Explain the purpose of lines 14 - 17, which are repeated here. Describe explicitly the purpose of two of border, margin, padding and text-align.

```
.promo {
14.    border:1px solid #000;
15.    margin:0.2em 0.7em 1em 0;
16.    padding:0.5em 0.3em;
17.    text-align:center; }
```

ANSWER: it defines properties of the class selector promo. The border is 1 pixel solid black, the margins are set top, right, bottom, left (clockwise) and same for padding. Text-align centers the text.

5. [4 pts] the page has a search box in the upper right hand corner. If someone enters the phrase "ads per thousand" and clicks on the button, what URL is displayed?

ANSWER:

```
http://www.google.com/search?output=googleabout&sitesearch=http%3A%2F%2Fwww.google.com&hl=en&q=ads+per+thousand&submit=Search+our+site
(No partial credit)
```

6. [4 pts] Under the "Our Products" category there is a link labeled "Help" what happens when a user clicks on this link? Mention everything that occurs.

ANSWER:

```
THE JAVASCRIPT ROUTINE urchinTracker is called with string argument '/site/help' and a new page is displayed whose URL is http://www.google.com/support/?hl=en
```

7. [4 pts] What is the resulting URL if the link labeled Privacy Policy is clicked?

ANSWER:

http://www.google.com/intl/en/privacy.html

8. [4 pts] This web page imports one or more JavaScript files. What is the URL of one of the imported JavaScript files?

ANSWER:

https://ssl.google-analytics.com/urchin.js
or
http://www.google.com/receng/js/receng.js

9. [4 pts] The JavaScript function urchinTracker is called on many lines, e.g. 38, 41, and 42, always with one argument, but on line 100 it is called with no arguments; how is that possible?

ANSWER

A JavaScript function acting as a constructor function can accept different numbers of arguments.

10. [4 pts] At line 112 you will find the definition of formatPromo(). Where in the page is formatPromo invoked?

ANSWER: line 107.

HTTP [24 pts]



The picture above is a snapshot of the Yahoo home page accessed by the Firefox browser. Below, are the HTTP headers exchanged between the browser and Yahoo. The transactions have been edited, leaving only a few of the transactions.

```
Transaction 1
______
https://www.yahoo.com/
GET / HTTP/1.1
Host: www.yahoo.com
User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:15.0) Gecko/20100101
Firefox/15.0.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
HTTP/1.1 301 Moved Permanently
Date: Wed, 26 Sep 2012 23:01:48 GMT
Location: http://www.yahoo.com/?s=https
Vary: Accept-Encoding
Connection: close
Transfer-Encoding: chunked
Content-Type: text/html; charset=utf-8
Cache-Control: private
Transaction 2
http://www.yahoo.com/?s=https
GET /?s=https HTTP/1.1
Host: www.yahoo.com
User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:15.0) Gecko/20100101
Firefox/15.0.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
HTTP/1.1 200 OK
Date: Wed, 26 Sep 2012 23:02:04 GMT
Set-Cookie: B=822iko58672bc&b=3&s=83; expires=Tue, 27-Sep-2014 20:00:00 GMT;
path=/; domain=.yahoo.com
Set-Cookie: IU=deleted; expires=Tue, 27-Sep-2011 23:02:03 GMT; path=/;
domain=.yahoo.com
Set-Cookie: PH=deleted; expires=Tue, 27-Sep-2011 23:02:03 GMT; path=/;
domain=.yahoo.com
Set-Cookie: MSC=t=1348700524X; expires=Thu, 26-Sep-2013 23:02:04 GMT; path=/;
domain=.yahoo.com
Set-Cookie:
fpc=d=ah9i35kWpnT1Upe1L3GVbSuVtUSyEAxfRUb5 qCjr28pq.xAPGVMYQuPP1sFpvj773w7JuK
mH0P.Ws1VK4B7xM2N2sbXiHBcMOcy769eHLyB.GcIWA0kLXKOFBeSqya15UoM3pO5NAZt8eGNEn.N
```

```
HX6E1Imtc N4mifh.VuMQq3Yd6b2hons1Hb7LY lmtN4BNWWs0-&v=2; expires=Thu, 26-
Sep-2013 23:02:04 GMT; path=/; domain=www.yahoo.com
Set-Cookie: fpps=deleted; expires=Tue, 27-Sep-2011 23:02:03 GMT; path=/;
domain=www.yahoo.com
Set-Cookie: CH=deleted; expires=Tue, 27-Sep-2011 23:02:03 GMT; path=/;
domain=www.yahoo.com
Set-Cookie: CH=AqBOY4kOAA3fEAAOYRAAJu8OABtxEAAv7BAAEBOOABhkEAAiGRAAO80OADN6;
expires=Fri, 26-Oct-2012 23:02:04 GMT; path=/; domain=.yahoo.com
Set-Cookie:
fpt=d=ZcicxhLXecy2.2vWofusZDFdMvG4aheFEWj.7 JDywand.kdllG1P7ZDaPFfa1WgDaXDCwm
TsjYjxfz1CIuDXtA6 C6qd77.4i7QZDW4OOhmklIVYYeTs0jFfBw8XE4ka4DUDtTZ1bsnMnAxEreY
QWxWCsy0qXXNVxOz5wFMm7wOwwqJ0XsXdwF3g8I 4Pb6SSFwXWOM 9nsLxo0nUf0CigkKcqC fI9b
fa7uJfPG7rUDGR6z43t4Kw9ib42QJdElx4yU 9mSFYPPQRfWkArLybtEF8zHzLOdh7BCZHWPu zLX
zIW5qyc3Q6PhnGUGYTCiw5NbtTqMRL.AwRt61oXqNi0CHTey6FscxddH0z3hie1qp2 9BBlcsPSKq
WcLhrrVbUOMtVB6Cz1HY1tzHVeHV6FkfroyYBiVh4kRo_FcOOopJnuiWidHhh38zGidjMzKh4I5NG
ZMgZohQXbZUEAXTfochpq2wMO6NVMplxzGvM5j04ySYK3cuPT0S09AP5lyAJR1scYOjOTdo-&v=1;
path=/; domain=www.yahoo.com
Set-Cookie: fpms=p 13923988=%7B%22rkse%22%3A1%2C%22showMore2%22%3A2%7D;
expires=Thu, 26-Sep-2013 23:02:04 GMT; path=/; domain=www.yahoo.com
fpc s=d=veUComsWpnQcQ1qR8WEGI9AiB7dDQyDz3Z5k oR3Y10V9VB AWjGptvihRGhPJ.nxqCR5
FYo7d7mhgSrj435h0 K7ukQ3a.LgFlnF5UzLm2yGjopurecuTqvZs7NADOZr3Uz3DhF0.7wSFO0qh
eL5kgBhe114yOv6Lr1alLr3lkYGyL.49Zfa.72dPj2pCPI1HptVEBRumAdK9qe6zB1ryn6owdFJRc
KLn2XdcWWIaulj.cQluIyqIxvbZKElwzLrZynFl0PVvH4ZAJGd5CoDjbvvGpjIXi0Xyqkry8vTopD
mti5gjKjL80 9EQ-&v=2; path=/; domain=www.yahoo.com
P3P: policyref="http://info.yahoo.com/w3c/p3p.xml", CP="CAO DSP COR CUR ADM
DEV TAI PSA PSD IVAI IVDI CONI TELO OTPI OUR DELI SAMI OTRI UNRI PUBI IND PHY
ONL UNI PUR FIN COM NAV INT DEM CNT STA POL HEA PRE LOC GOV"
Cache-Control: private
x-frame-options: SAMEORIGIN
Vary: Accept-Encoding
Content-Type: text/html;charset=utf-8
Content-Encoding: gzip
Age: 1
Transfer-Encoding: chunked
Connection: keep-alive
Server: YTS/1.20.13
Transaction 3
http://l.yimg.com/a/i/mntl/ww/events/p.gif
GET /a/i/mntl/ww/events/p.gif HTTP/1.1
Host: 1.yimg.com
User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:15.0) Gecko/20100101
Firefox/15.0.1
Accept: image/png,image/*;q=0.8,*/*;q=0.5
Accept-Language: en-us,en;q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://www.yahoo.com/?s=https
HTTP/1.1 200 OK
Date: Sun, 23 Sep 2012 22:49:01 GMT
Cache-Control: max-age=315360000
Expires: Wed, 21 Sep 2022 22:49:01 GMT
```

Last-Modified: Tue, 05 Oct 2010 18:34:20 GMT Accept-Ranges: bytes Content-Length: 43 Content-Type: image/gif Age: 259988 Connection: keep-alive Via: http/1.1 114.ycs.s2e.yahoo.com (ApacheTrafficServer/3.2.0) Server: ATS/3.2.0 Transaction 4 http://l.yimg.com/zz/combo?nn/lib/metro/g/uicontrib/yui/yui 3.4.2.js GET /zz/combo?nn/lib/metro/g/uicontrib/yui/yui 3.4.2.js HTTP/1.1 Host: 1.yimg.com User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:15.0) Gecko/20100101 Firefox/15.0.1Accept: */* Accept-Language: en-us,en;q=0.5 Accept-Encoding: gzip, deflate Connection: keep-alive Referer: http://www.yahoo.com/?s=https HTTP/1.1 200 OK Vary: Accept-Encoding Cache-Control: max-age=315360000 Last-Modified: Mon, 24 Sep 2012 16:42:18 GMT Content-Type: application/x-javascript Expires: Sat, 05 Sep 2026 00:00:00 GMT Content-Encoding: gzip Date: Mon, 24 Sep 2012 16:42:18 GMT Age: 195592 Server: ATS/3.2.0 Content-Length: 20327 Connection: keep-alive Via: http/1.0 114.ycs.s2e.yahoo.com (ApacheTrafficServer/3.2.0) ______ Transaction 5 http://l.yimg.com/dh/ap/default/120926/andywilliams ac.jpg GET /dh/ap/default/120926/andywilliams ac.jpg HTTP/1.1 Host: 1.yimq.com User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:15.0) Gecko/20100101 Firefox/15.0.1Accept: image/png,image/*;q=0.8,*/*;q=0.5 Accept-Language: en-us, en; q=0.5 Accept-Encoding: gzip, deflate Connection: keep-alive Referer: http://www.yahoo.com/?s=https HTTP/1.1 200 OK Date: Wed, 26 Sep 2012 15:11:16 GMT

Content-Length: 4280 Accept-Ranges: bytes

Last-Modified: Wed, 26 Sep 2012 14:29:36 GMT

```
Expires: Sat, 05 Sep 2026 00:00:00 GMT
Content-Type: image/jpeg
Age: 28258
Via: HTTP/1.1 web2.mobstor.sk1.yahoo.com (YahooTrafficServer/1.19.11 [c sSf
]), http/1.0 16.ycs.s2e.yahoo.com (ApacheTrafficServer/3.2.0)
Server: ATS/3.2.0
x-ysws-request-id: 2cfc8c08-5829-4834-8d28-ce97be355362
Connection: keep-alive
Transaction 6
http://l.yimg.com/cv/eng/abc/120926/e/abc 972x250.swf
GET /cv/eng/abc/120926/e/abc 972x250.swf HTTP/1.1
Host: 1.yimg.com
User-Agent: Mozilla/5.0 (Windows NT 5.1; rv:15.0) Gecko/20100101
Firefox/15.0.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-us, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
Referer: http://www.yahoo.com/?s=https
HTTP/1.1 200 OK
Date: Wed, 26 Sep 2012 15:53:43 GMT
Content-Length: 5858
Accept-Ranges: bytes
Last-Modified: Wed, 26 Sep 2012 15:48:55 GMT
Etag: "YM:1:cc8d47e3-c440-42aa-90fa-18f98f62974e0004ca9cc29a8e8f"
Cache-Control: max-age=567648000, public
Expires: Sat, 05 Sep 2026 00:00:00 GMT
Content-Type: application/x-shockwave-flash
Age: 25715
Via: HTTP/1.1 web4.usw7.mobstor.s2e.yahoo.com (YahooTrafficServer/1.19.11 [c
sSf ]), http/1.0 l14.ycs.s2e.yahoo.com (ApacheTrafficServer/3.2.0)
Server: ATS/3.2.0
x-ysws-request-id: d6376e40-ff1f-4678-a125-281227ad98c8
Connection: keep-alive
______
Each of the following questions is worth 4 points.
11. [4 pts] How many web servers are involved in these HTTP
transactions and what are their names?
Answer: YTS/1.20.13, ATS/3.2.0, Apache Traffic Server/3.2.0
12. [4 pts] How many cookies are being set in these transactions and
what are their names?
```

Answer: 10, B, IU, PH, MSC, fpc, fpps, CH, fpt, fpm, fpc s

Etag: "YM:1:5da6de9d-28d4-408f-b721-c12f090de5500004ca9ba6f09f4d"

Cache-Control: max-age=567648000, public

13. [4 pts] What is the name and version of the browser used in these transactions?

Answer: Firefox version 15.0.1

14. [4 pts] What character set is used in these transactions?

Answer: utf-8

15. [4 pts] Are any transactions returning compressed data? If so, which ones?

Answer: Transaction 2, Transaction 4

16. [4 pts] Some transactions are returning "301 Moved Permanently". What does that mean?

Answer: the browser must load a new page given by location = http://www.yahoo.com/?s=https

Web Server Questions [16 pts]

Below is a replica of an actual httpd.conf file from a real website. Each line has been numbered. Answer the questions immediately after the end of the file.

- 2. ### General Settings
- 3. ##################################
- 4. ServerType standalone
- 5. ServerRoot "/usr/local/apache"
- 6. PidFile "/var/run/httpd.pid"
- 7. ScoreBoardFile "/var/log/apache/httpd.scoreboard"
- 8. Timeout 300
- 9. KeepAlive Off
- 10. MaxKeepAliveRequests 100
- 11. KeepAliveTimeout 15
- 12. MinSpareServers 10
- 13. MaxSpareServers 20
- 14. StartServers 10
- 15. MaxClients 256
- 16. MaxRequestsPerChild 0
- 17. Port 80
- 18. HostnameLookups Off
- 19. ServerSignature Off
- 20. ErrorDocument 403 /link error.php
- 21. ErrorDocument 404 /link error.php
- 22. ErrorDocument 500 /link error.php
- 23. User nobody
- 24. Group nobody
- 25. ServerAdmin webmaster@mp3xyz.com

```
26. ServerName SERVER-IP
```

- 27. NameVirtualHost SERVER-IP
- 28. DocumentRoot "/usr/local/apache/htdocs"
- 29. ServerTokens ProductOnly
- 30. Include conf/vhosts.conf
- 31. Include conf/vhosts_ssl.conf
- 32. #LoadModule sql log module libexec/mod log sql.so
- 33. LoadModule php5 module libexec/libphp5.so
- 34. <Directory "/usr/local/apache/htdocs">
- 35. Options FollowSymLinks
- 36. AllowOverride None
- 37. Order deny, allow
- 38. Allow from all
- 39. </Directory>
- 40. ScriptAlias /cgi-bin/ "/usr/local/apache/cgi-bin/"
- 41. <Directory "/usr/local/apache/cgi-bin">
- 42. AllowOverride None
- 43. Options +ExecCGI
- 44. Order allow, deny
- 45. Allow from all
- 46. </Directory>
- 47. <Files ~ "^\.ht">
- 48. Order allow, deny
- 49. Deny from all
- 50. Satisfy All
- 51. </Files>
- 52. DirectoryIndex index.html index.php
- 53. LogLevel warn
- 54. LogFormat "%h %l %u %t \"%r\" %>s %b \"%{Referer}i\" \"%{User-Agent}i\"
- \"%{Cookie}i\"" combined
- 55. LogFormat "%h %l %u %t \"%r\" %>s %b" common
- 56. LogFormat "%{Referer}i -> %U" referer
- 57. LogFormat "%{User-agent}i" agent
- 58. ErrorLog /var/log/apache/error log
- 59. CustomLog /var/log/apache/access_log combined env=!attacks
- 60. CustomLog /var/log/apache/attack log combined env=attacks
- 61. TypesConfig /usr/local/apache/conf/mime.types
- 62. DefaultType text/plain
- 63. AddEncoding x-compress Z
- 64. AddEncoding x-gzip gz tgz
- 65. AddType application/x-tar .tgz
- 66. AddType application/x-httpd-php .php
- 67. AddType application/x-httpd-php-source .phps

```
68. BrowserMatch "Mozilla/2" nokeepalive
```

- 69. BrowserMatch "MSIE 4\.0b2;" nokeepalive downgrade-1.0 force-response-1.0
- 70. BrowserMatch "RealPlayer 4\.0" force-response-1.0
- 71. BrowserMatch "Java/1\.0" force-response-1.0
- 72. BrowserMatch "JDK/1\.0" force-response-1.0
- 73. <Location /server-status>
- 74. SetHandler server-status
- 75. Order Deny, Allow
- 76. Deny from all
- 77. Allow from 10.0.0.0/24
- 78. Allow from 192.168.0.0/16
- 79. Allow from 172.16.200.0/16
- 80. </Location>

Answer the following questions:

17. [2 pts] In what directory is the server installed? /usr/local/apache

18. [2 pts] On startup how many copies of the server are created 10 or 11, both are acceptable (why 11 is acceptable? Startservers=10, but apache may not include the parent process in the count)

19. [2 pts] What is the location of the directory containing the web pages? /usr/local/apache/htdocs

20. [2 pts] What is the purpose of lines 63 - 67? Adding additional mime types and associated programs

21. [2 pts] Does the server provide a status page, and if so where is it located?

Yes, /usr/local/apache/server-status

22. [2 pts] What port does the server run on?

23. [2 pts] What is the purpose of lines 20, 21 and 22 They specify a specific page to return in case of status indicators: 403, 404, and 500

24. [2 pts] What is the location where executable scripts reside

/usr/local/apache/cgi-bin/

DOM QUESTIONs [20 PTS]

Consider the following XML file, test.xml:

```
<Personnel>
  <Employee Type="permanent">
        <Name>Seagull</Name>
        <Id>3674</Id>
        <Age>34</Age>
   </Employee>
  <Employee Type="contract">
        <Name>Robin</Name>
        <Id>3675</Id>
        <Age>25</Age>
    </Employee>
  <Employee Type="permanent">
        <Name>Crow</Name>
        <Id>3676</Id>
        <Age>28</Age>
    </Employee>
</Personnel>
21. [20 pts] Write a JavaScript/ program using DOM functions that inputs the xml file above and creates a list of
Employees as shown below.
Employee Details - Name: Seagull, Type: permanent, Id: 3674, Age: 34.
Employee Details - Name: Robin, Type: contract, Id: 3675, Age: 25.
Employee Details - Name: Crow, Type: permanent, Id: 3676, Age: 28.
Below is the start of the program. Place your answer within the function
named printList below:
<html>
<body onload="xmlDoc=loadXML();printList()">
<script language="JavaScript">
            var xmlDoc;
            function loadXML()
            var URL = "test.xml";
            var loaded;
            if (window.ActiveXObject)
            var xmlDoc = new ActiveXObject("Microsoft.XMLDOM");
            xmlDoc.async="false";
            xmlDoc.load(URL);
else if (document.implementation && document.implementation.createDocument)
      var xmlDoc= document.implementation.createDocument("","doc",null);
                   xmlDoc.async=false;
                   loaded = xmlDoc.load(URL);
if ((window.ActiveXObject && (xmlDoc.parseError.errorCode == 0))||loaded)
                   {
                         return xmlDoc;
                   }
             }
```

<?xml version="1.0" encoding="UTF-8"?>

```
function printList(){
            ELEMENT NODE=1;
            ATTRIBUTE NODE=2;
            root=xmlDoc.documentElement;
            firstLevelNodes=root.childNodes;
            for (i=0;i<firstLevelNodes.length;i++)</pre>
            if(firstLevelNodes[i].nodeType==ELEMENT NODE)
                  document.write(firstLevelNodes[i].nodeName+" Details - ");
                  secondLevelNodes=firstLevelNodes[i].childNodes;
                  for(j=0;j<secondLevelNodes.length;j++){</pre>
                        if (secondLevelNodes[j].nodeType==ELEMENT NODE)
                              if (k>0)
                                     document.write(", ");
      document.write(secondLevelNodes[j].nodeName+":");
      document.write(secondLevelNodes[j].childNodes[0].nodeValue);
                              if (k==0)
            document.write(", "+firstLevelNodes[i].attributes[0].name+":");
            document.write(firstLevelNodes[i].attributes[0].value);
                              k++;
                  document.write(".</br>");
      }
</script> </body> </html>
```

The fonts are not consistent. Do you have any preference on which font type, font size? I checked it and it looks like Courier New 10 everywhere. No?