

INSTITUTION CONFIGURATION

Institution

- Institutions are entities that issue cards and process transactions within this BASE24-eps system.
- Generally, Institution records in the BASE24-eps database will represent Financial Institutions that issue cards using an assigned prefix.
- The Institution component is invoked by the Acquirer component during transaction processing if a prefix record is found in the local prefix data source.



Issuer ID

- Institution records, Interchange records and Host records when added are then available in various drop-down fields for configuration, including Prefix configuration.
- Routing can be determined based on a specific Institution or Issuer configuration.



Issuer ID

EPS Development - ESNCService

File Edit Configure System Operations Customer Management View Window Help

On-Us Prefix Configuration

Prefix: Select/Enter PAN Length: Select/Enter

Issuer ID: [Dropdown Menu]

Card Verification Process: [Dropdown Menu]

EMV General Options EMV Auth Options CAVV

Information Card Track Information PIN Verification

Route Type: ☒ Acquirer and Issuer ☐ Issuer only

System Prefix Configuration - *****

Source Routing Profile: *****

Type	Value	Destination Routing Profile	Issuer ID
INTERCHANGE PREFIX	INTERCHANGE_PREFIX_OLTI	VISA ISSUER	NOFI (NOFI)
DEFAULT	N/A	AFFN ACQ	00001 (RIPLEY'S BANK ONE)
	N/A		


Issuer ID List:

- AFFN_INST (AFFN BANK)
- AUTO_TEST_INST (Auto Test Institution)
- BNK1 (FIRSTSTATEBANK)
- CU24_INST (CU24 BANK)
- DCA_TEST_01 (sftgrfdg)
- DHTEST (FIRSTSTATEBANK)
- DH_00001 (RIPLEY'S BANK ONE)
- HISO93_INST (HISO93 ISSUER)

All Institution, Host and Interchange Interface records are available as Issuers for On-Us or Not-On-Us prefix configuration.

Institution Configuration

- Access the Institution Configuration UI using the Configure drop-down:
- Configure>Institution



Institution UI Configuration

The screenshot shows a web application window titled "Institution Configuration - BNK1". The window contains several input fields and tabs. The "Address and Contacts" tab is selected, showing "Address Information" and "Contact Information" sections.

Address Information:

- Institution ID: BNK1 (dropdown menu)
- Institution Number: 10000000123
- Institution Name: FIRSTSTATEBANK
- Line 1: 330 S. 108TH AVE
- Line 2: (empty)
- City: OMAHA
- Country: USA (dropdown menu)
- Postal Code: 68144
- State / Province: (dropdown menu)

Contact Information:

Contact	Phone	Email	Comments

At the bottom of the window, a status bar displays: "2 - Successful view of Institution ID BNK1."

- The Institution Number is the R/T number or ABA number assigned to this Institution.
- The Address/Contacts information is informational only, not required to add the record to the database.

Institution UI Configuration

The screenshot shows a web application window titled "Institution Configuration - BNK1". The window has a standard toolbar with icons for save, delete, and other actions. The main content area is divided into several sections:

- Institution ID:** A dropdown menu showing "BNK1".
- Institution Number:** A text field containing "100000000123".
- Institution Name:** A text field containing "FIRSTSTATEBANK".
- Tabs:** A set of tabs at the top of the main content area, including "Address and Contacts", "Address and Contacts (Locale)", "Settings", and "Holidays". The "Address and Contacts" tab is currently selected.
- Address Information:** A section containing several text fields for address details:
 - Line 1
 - Line 2
 - City
 - Postal Code
 - Country
 - State / Province
- Contact Information:** A section containing a table with columns for "Contact", "Phone", "Email", and "Comments". The table has one row with empty fields.

At the bottom of the window, there is a status bar that reads "2 - Successful view of Institution ID BNK1."

- Internationalization provides support for different alphabets, syllabic languages and character sets which require two or more (multiple) bytes of data in the representation of a single character. BASE24-eps can store, display and print user entered data in the local/native character set.

Institution UI Configuration

The screenshot shows a window titled "Institution Configuration" with a standard Windows-style title bar. Below the title bar is a toolbar with several icons. The main area contains a form with the following fields and tabs:

- Institution ID:** A dropdown menu with "SELECT/ENTER" as the current selection.
- Institution Number:** A text input field.
- Institution Name:** A text input field.
- Tabs:** "Address and Contacts", "Address and Contacts (Locale)", "Settings" (selected), and "Holidays".
- Check Types:** A section header.
- Destination Routing Profile:** A dropdown menu.
- Currency Code:** A dropdown menu.
- Base Currency Code:** A dropdown menu.
- ATM Balance Flag:** A dropdown menu with "Balance ATMs onc..." as the current selection.
- Settlement Processing Days:** Two radio buttons: "5 - Day (Weekday)" and "7 - Day" (selected).
- Referral Phone:** A text input field.
- ATM Force Balance Flag:** A dropdown menu.
- Balance and Cutover Start Time:** A time selection field set to "12:00 am".
- Balance and Cutover End Time:** A time selection field set to "12:00 am".
- Usages Cutover Offset (minutes):** A text input field set to "0".
- Balance Usage Retention Period:** A text input field set to "5".
- Intra-Day Balance Updates Enabled:** A checkbox.

- The Destination Routing Profile name is placed in a TDE by the Prefix/Institution component, then used by Router component.
 - Dest Routing Profile name in Prefix UI used for routing requests, Dest Routing Profile name in Institution UI used for chargebacks or when PAN is not present.
- The Balance and Cutover End Time is used by EOPP to determine when the Institution and it's ATMs should cutover.

Institution UI Configuration

The screenshot shows the 'Institution Configuration - BNK1' window. The 'Holidays' tab is selected. The 'Institution ID' is 'BNK1', 'Institution Number' is '10000000123', and 'Institution Name' is 'FIRSTSTATEBANK'. The 'Settings' tab is also visible. The 'Holidays' section includes a 'Legend' with 'Holiday' and 'Business Day' buttons, a 'Calendar Year' set to '2011', and three calendar views for December 2010, January 2011, and February 2011. The status bar at the bottom indicates '2 - Successful view of Institution ID BNK1.'

Institution ID: BNK1

Institution Number: 10000000123

Institution Name: FIRSTSTATEBANK

Address and Contacts | Address and Contacts (Locale) | Settings | Holidays

Legend: Holiday Business Day

Calendar Year: 2011

December 2010

Sun	Mon	Tue	Wed	Thu	Fri	Sat
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

January 2011

Sun	Mon	Tue	Wed	Thu	Fri	Sat
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

February 2011

Sun	Mon	Tue	Wed	Thu	Fri	Sat
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28					

2 - Successful view of Institution ID BNK1.


- Using the 5-day Settlement Processing Days configuration on the Settings tab, the Institution may also choose to honor selected holidays configured here.
- The holiday dates must be manually updated.

Institution UI Configuration

- Changes to the Institution configuration table requires rebuilding and reloading the respective OLTP table(s):
 - institution_oltp
 - institution_id_oltp
- OLTP tables can be rebuilt and loaded using Process Control or the OLTP Warmboot Management UI.



Component Interactions



Internal Authorization – Request/Response



INSTITUTION CONFIGURATION

Issuer Transactions Allowed Profile Configuration

Issuer Transactions Allowed

- Issuers configure the transactions they support in the Issuer Transactions Allowed Profile.
- The Issuer Transactions Allowed Profile is used in the Prefix Configuration UI and the Interface Configuration UI.
- These profiles can be shared by multiple issuers or unique profiles can be created for an Issuer based on their processing needs.



Issuer Transactions Allowed


After the Issuer Transactions Allowed Profile is configured and added, it can be assigned in the Prefix Configuration UI and the Interface Configuration UI.

The image displays two screenshots of the ACI configuration interface. The top screenshot shows the 'On-Us Prefix Configuration - 00001 - 16' window. The 'Issuer ID' is set to 'NEGU_INST (NEGATIVE INSTITUTION)'. The 'Issuer Transactions Profile' is set to 'QA_ISS_ALL' (highlighted with a red box). The bottom screenshot shows the 'VisaNet ISO Interface Configuration - VISA_BASE1' window. The 'Issuer Transactions Allowed Profile' is set to 'QA_ISS_ALL' (highlighted with a red box). The 'Interface Name' is 'VISA_BASE1'. The 'Processing' tab is selected. The 'Interface Cutover Time' is '12:00 am'. The 'Statistics Update Interval' is '1'. The 'Settlement Processing Days' are '5-Day (Business Day)' and '7-Day'. The 'Interface Profiles' section shows 'Source Routing Profile' as '*****', 'Acquirer Transactions Allowed Profile' as 'QA_ACQ_TXN', and 'Issuer Transactions Allowed Profile' as 'QA_ISS_ALL'. The 'Context Profile' is 'CTX_VISA'. The bottom right of the interface shows a status message: '2 - Successful view of QA_ISS_ALL'.

Message Category	BASE24-eps Processing Code			Discard Reversals	Settlement Impact	On-Us	Not-On-Us
	Transaction Code	Account Type 1	Account Type 2				
Financial	00 (Purchase)	00 (Default/None)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	00 (Purchase)	10 (Savings)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	00 (Purchase)	20 (Checking)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	00 (Purchase)	30 (Credit)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	00 (Default/None)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	10 (Savings)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	20 (Checking)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	30 (Credit)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	9M (Other)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	02 (Debit Adjustm...	00 (Default/None)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	02 (Debit Adjustm...	10 (Savings)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	02 (Debit Adjustm...	20 (Checking)	00 (Default/None)	☐	1	Internatio...	Internatio...

Testing if the transaction is allowed is not done via script. It is done by IAUT component or the Interface component.

Issuer Transactions Allowed



Issuer Transactions Allowed

EPS Development - ESNService

File Edit Configure System Operations Customer Management View Window Help

Issuer Transactions Allowed Profile Configuration - QA_ISS_ALL

Issuer Transactions Profile: QA_ISS_ALL

Message Category	BASE24-eps Processing Code			Discard Reversals	Settlement Impact	On-Us	Not-On-Us
	Transaction Code	Account Type 1	Account Type 2				
Financial	00 (Purchase)	00 (Default/None)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	00 (Purchase)	10 (Savings)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	00 (Purchase)	20 (Checking)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	00 (Purchase)	30 (Credit)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	00 (Default/None)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	10 (Savings)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	20 (Checking)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	30 (Credit)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	01 (Withdrawal/C...	9M (Other)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	02 (Debit Adjustm...	00 (Default/None)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	02 (Debit Adjustm...	10 (Savings)	00 (Default/None)	☐	1	Internatio...	Internatio...
Financial	02 (Debit Adjustm...	20 (Checking)	00 (Default/None)	☐	1	Internatio...	Internatio...

2 - Successful view of QA_ISS_ALL.

280 - Desktop bounds(0,0,1022,718)

Lab Exercise

BASE24-eps Institution Configuration Lab

Lab 4



A grayscale photograph of the Golden Gate Bridge in San Francisco, viewed from a distance across the water. The bridge's iconic towers and suspension cables are visible against a hazy background.

ACI UNIVERSAL
PAYMENTS.

Abstract geometric shapes consisting of several overlapping triangles in light blue and light gray, arranged in a way that suggests movement or a stylized mountain range.

MEETS THE CHALLENGE OF CHANGE