Curled Website

A hacker curled our domain seemingly to get info for the later attack.

Our network logs caught 3 logs related to our old website, which would seemingly be attacked later. These logs were printed in the same way as Oxygen Sabotage, but someone spilled coffee on some of the identifying information.

Unfortunately the logs were knocked into the shredded by a rogue AI. Leaving us with a blank of information. Garry's friend in business managed to recompile everything that wasn't a shared field between logs, and left us with a complete set of things he remembers about the remaining fields as well as the times certain people were on certain devices.

Engineer was on 172.16.0.15 at 1:40-5:00 PM today
IT was on 172.16.0.16 at 1:00-5:30 PM today
Pilot was on 172.16.0.16 at 5:30-6:45 PM today
Chef was on 172.16.0.15 at 5:00-8:30 PM today

Figure out who did the malicious attack

Use the clues and bank to fill out the logs [blank] to solve who did this

Clues
Proto:
Standard proto for said service

Response Ports:
The responder ports are the standard/typical ports for said service

Time:
The timestamp of the log that uses UDP is 1792780800.0
The log representing encrypted information has a timestamp of 1792780900.0
A log with the respond IP 93.184.216.34 has a timestamp of 1792798800.0

Response IP:
The log that occurs 1:40pm our time is the log with a 203.0.113.53 response IP

Incoming Ports:
The log with a recursion desired flag set has an incoming port of 49822
The log with a responder port of 443 has an incoming port of 55109
The log that with over 30 packets passed back and forth has an incoming port of 46378

Origin Ports:
A log with a 4 and a 8 in its port number has a UID of CHhAvVGS1DHFjwGM9
A log with a timestamp ending in 800.0 has a UID of C5bLoe2Mvxqhawzqqd
A log with a response IP of 203.0.113.53 cannot have the UID CsukF91Bx9mrqdEaH9
A log with a response an incoming port beginning in 5 doesn't have a UID with "suk" in it

Origin IP:
The log with a UID of CHhAvVGS1DHFjwGM9 corresponds with 172.16.0.15
The log with a UID of CsukF91Bx9mrqdEaH9 corresponds with 172.16.0.15
The log with a UID of C5bLoe2Mvxqhawzqqd corresponds with 172.16.0.16

Bank:

1792780800.0
1792780900.0
1792798800.0

CHhAvVGS1DHFjwGM9
C5bLoe2Mvxqhawzqqd
CsukF91Bx9mrqdEaH9

172.16.0.15
172.16.0.15
172.16.0.16

49822
46378
55109

53
80
443

203.0.113.53
93.184.216.34
93.184.216.34

udp
tcp

Logs


```
{
  "ts": "[blank]",
  "uid": "[blank]",
  "id.orig_h": "[blank]",
  "id.orig_p": "[blank]",
  "id.resp_h": "[blank]",
  "id.resp_p": "[blank]",
  "proto": "[blank]",
  "trans_id": 54060,
  "query": "DuckCompany.archived.oldwebsite.com",
  "qclass": 1,
  "qclass_name": "C_INTERNET",
  "qtype": 28,
  "qtype_name": "AAAA",
  "rcode": 0,
  "rcode_name": "NOERROR",
  "AA": false,
  "TC": false,
  "RD": true,
  "RA": false,
  "Z": 2,
  "rejected": false,
  "opcode": 0,
  "opcode_name": "query"
}
```

```
{
  "ts": "[blank]",
  "uid": "[blank]",
  "id.orig_h": "[blank]",
  "id.orig_p": "[blank]",
  "id.resp_h": "[blank]",
  "id.resp_p": "[blank]",
  "proto": "[blank]",
  "trans_depth": 1,
  "method": "GET",
  "host": "DuckCompany.archived.oldwebsite.com",
  "uri": "/",
  "version": "1.1",
  "user_agent": "curl/7.47.0",
  "request_body_len": 0,
  "response_body_len": 39,
  "status_code": 200,
  "status_msg": "OK",
  "tags": [],
  "resp_fuids": [
    "FEEsZS1w0Z0VJIb5x4"
  ],
  "resp_mime_types": [
    "text/plain"
  ]
}
{
  "ts": "[blank]",
  "uid": "[blank]",
  "id.orig_h": "[blank]",
  "id.orig_p": "[blank]",
  "id.resp_h": "[blank]",
  "id.resp_p": "[blank]",
  "proto": "[blank]",
  "service": "ssl",
  "duration": 0.497269868850708,
  "orig_bytes": 929,
  "resp_bytes": 31113,
  "conn_state": "SF",
  "missed_bytes": 0,
  "history": "ShADadfF",
  "orig_pkts": 37,
  "orig_ip_bytes": 2861,
  "resp_pkts": 34,
  "resp_ip_bytes": 32889 }
```