# LAPORAN PRAKTIKUM ARSITEKTUR DAN ORGANISASI KOMPUTER



# Disusun Oleh:

Nama : Wahyu Pramana

NIM 09030582226003

Kelas: TK3A

Dosen : Adi Hermansyah, S.KOM., M.T.

FAKULTAS ILMU KOMPUTER UNIVERSITAS SRIWIJAYA PALEMBANG 2023

## 1. Login ubuntu

```
Ubuntu 20.04.1 LTS ubuntu tty2
ubuntu login: wahyup
Password:
```

# 2. Cek konfigurasi ip address

```
auto enp0s8
iface enp0s8 inet static
    address 192.168.111.1
    netmask 255.255.25.0
    network 192.168.111.0
    broadcast 192.168.111.254
```

# 3. Instal openssh-server

```
[1]+ Stopped nano /etc/network/interfaces
wahyup@ubuntu:~$ sudo su
[sudo] password for wahyup:
root@ubuntu:/home/wahyup# apt-get install openssh-server
Reading package lists... Done
Building dependency tree
```

# 4. Cek status

```
14 ubuntu systemd[1]: Starting OpenBSD Secure Shell server...
14 ubuntu sshd[3039]: Server listening on 0.0.0.0 port 22.
14 ubuntu sshd[3039]: Server listening on :: port 22.
14 ubuntu systemd[1]: Started OpenBSD Secure Shell server.
home/wahyup#_
```

#### 5. SSh sudah terinstal

```
256 SHA256:gQ36UUmMlaNaOjbMWle1GzLHBfh/ZUjlhvRil/?nsWO root@ubuntu (ED25519)
Created symlink /etc/systemd/system/sshd.service → /lib/systemd/system/ssh.service.
Created symlink /etc/systemd/system/multi-user.target.wants/ssh.service → /lib/system
rvice.
Processing triggers for systemd (245.4-4ubuntu3.2) ...

Processing triggers for man-db (2.9.1-1) ...

Processing triggers for ufw (0.36-6) ...

root@ubuntu:/home/wahyup# /etc/init.d/
 apache2
                                       dbus
                                                                               multipath-tools
                                                                                                                       resolvconf
apache-htcacheclean grub-common
apparmor hwclock.sh
                                                                               mysql
named
                                                                                                                       rsunc
                                                                                                                        rsyslog
                                       irqbalance
iscsid
keyboard-setup.sh
kmod
 apport
atd
                                                                                networking
open-iscsi
                                                                                                                        screen-cleanup
                                                                                                                        ssh
                                                                               open-vm-tools
 console-setup.sh
                                                                                                                       udev
                                                                                                                       ufw
 cron
cron kmod plymouth ufw
cryptdisks lvm2 plymouth-log unattended-upgrades
cryptdisks-early lvm2-lvmpolld procps unidd
root@ubuntu:/home/wahyup# /etc/init.d/ssh status
- ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/lib/systemd/system/ssh.service; enabled; vendor preset: enabled
Active: active (running) since Mon 2022-11-07 17:38:04 WIB; 54s ago
Docs: man:sshd(8)
     man.sshd_config(5)
Main PID: 5570 (sshd)
Tasks: 1 (limit: 1648)
Memory: 1.2M
          CGroup: /system.slice/ssh.service

-5570 sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups
Nov 07 17:38:04 ubuntu systemd[1]: Starting OpenBSD Secure Shell server
```