
Nama: WAHYU PRAMANA

NIM: 09030582226003

Kelas: TK3A

LINK: <a href="https://wokwi.com/projects/383368038694233089">https://wokwi.com/projects/383368038694233089</a>



```
int ledPins[] = {7, 8, 9, 10, 11, 12, 13}; // Pin LED yang akan digunakan
int numLeds = 7; // Jumlah LED
int delayTime = 1000;

void setup() {
  for (int i = 0; i < numLeds; i++) {
    pinMode(ledPins[i], OUTPUT);
  }
}

void loop() {
  //1. led akan hidup kelap kelip
  blinkled();
  // 2. Hidup Barengan
  allLedOn();
  // 3. Hidup dengan Delay yang Berbeda
  LedDelay();</pre>
```

```
// 4. Hidup Bergantian dari Kiri ke Kanan dan Sebaliknya
 rightToleftLeds();
// 5. Hidup bergantian dari redup ke terang
 fadeTobrightLeds();
  void blinkled() {
  for (int i = 0; i < numLeds; i++) {</pre>
    digitalWrite(ledPins[i], HIGH);
    delay(500);
  for (int i = 0; i < numLeds; i++) {</pre>
    digitalWrite(ledPins[i], LOW);
    delay(500);
  void allLedOn() {
  for (int i = 0; i < numLeds; i++) {</pre>
   digitalWrite(ledPins[i], HIGH);
  delay(2000);
  for (int i = 0; i < numLeds; i++) {</pre>
   digitalWrite(ledPins[i], LOW);
  delay(1000);
  void LedDelay() {
  int delays[] = {500, 1000, 1500, 2000, 2500, 3000, 3500};
  for (int i = 0; i < numLeds; i++) {</pre>
    digitalWrite(ledPins[i], HIGH);
    delay(delays[i]);
    digitalWrite(ledPins[i], LOW);
  }
  void rightToleftLeds(){
  for (int i = 0; i < numLeds; i++) {</pre>
   digitalWrite(ledPins[i], HIGH);
    delay(delayTime);
   digitalWrite(ledPins[i], LOW);
  for (int i = numLeds - 1; i >= 0; i--) {
    digitalWrite(ledPins[i], HIGH);
   delay(delayTime);
```

```
digitalWrite(ledPins[i], LOW);
}

void fadeTobrightLeds(){
  for (int i = 0; i < numLeds; i++) {
    digitalWrite(ledPins[i], HIGH);
    delay(delayTime);
    digitalWrite(ledPins[i], LOW);
}

for (int i = numLeds - 1; i >= 0; i--) {
    digitalWrite(ledPins[i], HIGH);
    delay(delayTime);
    delay(delayTime);
    digitalWrite(ledPins[i], LOW);
}
```