STORE CLASS:				
METHODS:	Store Interaction:	Shopping Cart Inter-	Item Interaction:	TextUI Interaction:
		action:		
Store(string filename)	Constructor of store	None	None	None
	class, takes in file and			
	initializes store			
string DisplayInventory()	Displays inventory of	None	Interacts with	Used in RouteChoice
	store		item.cpp's ToString	to Displays inventory
			function	
map <int, string=""> Items()</int,>	Maps item ids to	none	Item ids are mapped	Used in RouteChoice
	strings for items in		with string versions	to get string versions
	the inventory			of elements in Items()
				to add
map <int, string=""> Car-</int,>	Maps item ids to	Item ids mapped to	Item ids are mapped	Used in RouteChoice
tItems()	strings for items in	shopping cart	with string versions	to get string versions
	the cart			of elements in Car-
				tItems() to remove
void AddItemToCart(int	Adds item to cart	Adds item to in_cart_	Item is copied and	Used in RouteChoice
item_id)			added to the cart	to add users choice
				item to the cart
void RemoveItemFrom-	Removes item from	Removes Item from	Item removed from	Used in RouteChoice
Cart(int item_id)	cart	_in_cart	cart	to remove users
				choice item from the
				cart
string DisplayCart()	Displays contents of	Items in _in_cart are	items string versions	Called in Route-
	the cart	displayed	are displayed	Choice to display
				cart
double Checkout()	Calculates the cost of	clear cart is called	Items in the cart are	Called in Route-
	all items in cart and	and the shopping cart	used to calculate cost	Choice when users
	clears the cart	is cleared		input to checkout
void ClearCart()	Cleats the shopping	_in_cart is cleared	Items that were	Called in Route-
	cart		added to the cart are	Choice from Check-
			cleared from it	out and leaving
string get_name()	Gets name of store	none	none	none

SHOPPING CART CLASS:				
METHODS:	Store Interaction:	Shopping Cart Inter-	Item Interaction:	TextUI Interaction:
		action:		
void AddItem(Item * to_add)	Store items are added	Adds items to	Uses an item as a pa-	Called to add item to
	to cart	_in_cart	rameter	cart
void RemoveItem(Item *	Store items are re-	removes items from	Uses an item as a pa-	Called to remove item
to_remove)	moved from cart	_in_cart	rameter	from cart
string DisplayCart()	Items from store cart	Displays _in_cart	Items string versions	Called to display
	that were added to		in cart are displayed	shopping cart 004
	shopping cart are dis-			
	played			
void ClearCart()	Called from Checkout	clears cart	Items in cart are	none
			cleared	
$vector < Item * > get_items()$	Used to loop through	Used to find item	none	none
	items			
vector <item *=""> in_cart_</item>	Holds store items in	Used as item storage	Used as item storage	none
	in_cart_	of the users shopping	of the users shopping	
		cart	cart	

TEXTUI CLASS:				
METHODS:	Store Interaction:	Shopping Cart Inter-	Item Interaction:	TextUI Interaction:
		action:		
TextUI()	none	none	none	constructor for Tex-
				tUI object
string MainMenu()	none	none	none	Used to diplay main
				menu
void RouteChoice(Store s,	User input effects	User input effects	none	Calls functions based
string choice)	Store class	Shopping Cart class		on user input
int ItemMenu(Store s,	User input effects	User input effects	none	Menu of items
map <int, string=""> items)</int,>	Store class	Store class		
vector <string> main_menu_</string>	none	none	none	Is the main menu
				that is displayed

ITEM CLASS:					
METHODS:	Store Interaction:	Shopping Cart Inter-	Item Interaction:	TextUI Interaction:	
		action:			
Item(int id, string type, dou-	none	none	Constructor for item	none	
ble cost, int initial_quantity)			object		
int get_id()	Item ids are used to	Item ids are used to	Gets item id	none	
	for items in Store	for items in Shop-			
		pingCart			
int get_quantity()	Used to check items	Used to check if item	Gets item quantity	none	
	availability	is in the cart			
int get_cost()	Each item has a cost.	Each item has a cost.	Get item's cost	none	
	Called in Checkout	Called in Checkout			
string get_type()	Called in checkout to	none	Get item's type	none	
	alter store file				
void IncreaseQuantity(int	Called in RemoveIt-	Used in AddItem to	Increases Item quan-	none	
amount)	emFromCart to re-	increase the quantity	tity		
	vert quantity back	of an item			
void DecreaseQuantity(int	Called in AddItem-	Used in RemoveItem	Decreases Quantity	none	
amount)	ToCart to lower	to decrease the quan-			
	quantity in Store	tity of an item			
string ToString()	Uses string versions	Uses string versions	Create string versions	none	
			of items		
Item* Clone()	Used in AddItemTo-	Used in AddItemTo-	copies and creates a	none	
	Cart, to clone and	Cart, to clone and	new pointer		
	add the item to the	add the item to the			
	cart	cart			