

Spread Economics: Spark, Dark, Crack and Fuel Switching

Notebook 2 of the Cross-Commodity Energy Trading analytics suite. This notebook analyses the three core cross-commodity spreads that drive dispatch decisions in European energy markets, together with the fuel-switching signal derived from two of them.

Executive summary

The profitability of a gas-fired power plant, a coal-fired power plant, and a crude oil refinery can each be expressed as a single number: the spread between the output price and the sum of input costs. In European energy markets, three spreads dominate trading and dispatch decisions.

The **clean spark spread** measures the gross margin of a combined-cycle gas turbine after fuel and carbon costs. The **clean dark spread** is the coal analogue, identical in structure but carrying a carbon cost roughly 2.5 times larger per MWh of electricity, because coal emits more CO₂ per unit of thermal energy and burns it at lower efficiency. The **3-2-1 crack spread** approximates a refiner's margin from processing crude into gasoline and gasoil.

These spreads are not independent. They are linked through the **merit order**, the ranking of generation capacity by marginal cost, and through the EU Emissions Trading System (EU ETS), which imposes a carbon cost on every fossil-fuel MWh. The **fuel-switching signal**, the difference between the spark and dark spreads, measures whether gas or coal is the cheaper marginal fuel. When this signal crosses zero the merit order re-stacks, changing which fuel sets the power price.

Each spread maps to a specific commercial activity. A gas and power desk manages spark and dark spread exposure through physical generation and financial hedging. A crude and products desk manages the crack spread against its refining position. A carbon desk manages the EUA positions that flow through every spread calculation. Treating any of these legs as an independent position misprices the spread, because the carbon leg is common to all of them.

1. The EU Emissions Trading System

Before computing spreads, it is worth understanding the regulatory mechanism that makes the "clean" spreads meaningful. The EU ETS is a cap-and-trade system covering

roughly 40% of EU greenhouse gas emissions.

Cap-and-trade mechanics

- **Cap:** Total allowances (EUAs) are capped at the EU level and decline annually. Directive (EU) 2023/959 sets the Linear Reduction Factor at 4.3% for 2024–2027 and 4.4% from 2028, applied to a fixed reference quantity, so the cap falls by a constant 88 million allowances a year against a 2024 cap of 1.386 billion.
- **Trade:** Allowances are auctioned (power sector, since 2013) or freely allocated (industry, at risk of carbon leakage). One EUA permits the holder to emit one tonne of CO₂.
- **MSR (Market Stability Reserve):** When the TNAC (Total Number of Allowances in Circulation) exceeds 1,096 million, the reserve withdraws 24% of it from auctions over the following twelve months; below 400 million it releases 100 million back. Decision (EU) 2023/852 held the intake rate at 24% through 2030. Allowances sitting in the reserve above 400 million are invalidated each year, which permanently removes them from supply. The Commission proposed ending that invalidation step in April 2026.

Carbon pass-through to power prices

The carbon cost reaches electricity prices because the marginal generator, a gas or coal plant in most hours, must surrender EUAs for each MWh it produces. Sijm, Neuhoff and Chen (2006) estimate pass-through rates between 60% and 100% for the German and Dutch wholesale markets, varying with the marginal fuel and the sample period. Note that these are conditional estimates: pass-through cannot be read off the raw correlation between EUA and power prices, since gas moves both, and the unconditional EUA-power return correlation in this sample is close to zero (Notebook 3). Infra-marginal generators (renewables, nuclear) receive the carbon-inclusive power price without the carbon cost, which is the "carbon rent" the free-allocation debate turns on.

Carbon price trajectory

- 2018–2020: €5–30/t (oversupplied)
- 2021–2023: €50–100/t (MSR tightening, gas crisis)
- 2024–2026: €60–90/t
- Commission Fit-for-55 impact-assessment modelling implies roughly €100–150/t by 2030, though this is a scenario output, not a policy target

The "Energy Transition" stress scenario in Notebook 4 is calibrated to €150/t, the upper end of that modelled range.

CBAM and the global dimension

The Carbon Border Adjustment Mechanism entered its definitive phase on 1 January 2026. Importers of cement, iron and steel, aluminium, fertilisers, electricity and hydrogen above a 50-tonne annual threshold must surrender CBAM certificates against the embedded emissions of what they bring in. The certificate price tracks the weighted average EU ETS auction clearing price, published quarterly through 2026 and weekly from 2027: €75.36 for Q1 2026 and €75.28 for Q2. CBAM therefore extends the EUA price into import costs, which makes the carbon leg of these spreads relevant to firms whose exposure is not otherwise European.

```
In [1]: import sys
from pathlib import Path
sys.path.insert(0, str(Path.cwd().parent / "src"))

import duckdb
import pandas as pd
import numpy as np
import plotly.graph_objects as go
from plotly.subplots import make_subplots
from scipy import stats as sp_stats

# Report theme colours
NAVY = '#00003C'
OFFWHITE = '#FAFAFA'
TEAL = '#2E7D6F'
RED = '#C44536'
GRAY = '#6B6B6B'
COLORS = [TEAL, RED, '#6C8EBF', '#D4A843', '#8B6C9E', '#4A9C8C', '#C47E3B',

conn = duckdb.connect(str(Path.cwd().parent / 'energy_data.db'), read_only=True)

prices_pivot = conn.execute('''
    SELECT date,
           MAX(CASE WHEN commodity_key = 'DE_POWER' THEN price_eur_mwh END) AS
           MAX(CASE WHEN commodity_key = 'TTF' THEN price_eur_mwh END) AS TTF,
           MAX(CASE WHEN commodity_key = 'API2' THEN price_eur_mwh END) AS API2,
           MAX(CASE WHEN commodity_key = 'EUA' THEN price_native END) AS EUA,
           MAX(CASE WHEN commodity_key = 'RBOB' THEN price_native END) AS RBOB,
           MAX(CASE WHEN commodity_key = 'GASOIL' THEN price_native END) AS GASOIL,
           MAX(CASE WHEN commodity_key = 'BRENT' THEN price_native END) AS BRENT
    FROM fact_prices
    GROUP BY date
    ORDER BY date
''').df().dropna()

dates = prices_pivot['date'].values
print(f'Loaded {len(prices_pivot)} trading days, {prices_pivot.date.min().date()}'
```

Loaded 1275 trading days, 2020-01-07 to 2025-12-15

2. Clean spark spread

The clean spark spread (CSS) measures the gross margin of a gas-fired power plant after fuel and carbon costs:

$$\text{CSS} = P_{\text{power}} - \frac{P_{\text{gas}}}{\eta_{\text{gas}}} - P_{\text{carbon}} \times \text{EF}_{\text{gas}}$$

Where $\eta = 0.55$ (55% thermal efficiency for a modern CCGT) and $\text{EF}_{\text{gas}} = 0.37$ tCO₂/MWh (the verified emission factor under the EU ETS Monitoring and Reporting Regulation).

The thermal efficiency assumption matters. At $\eta = 0.50$ (an older plant), gas input per MWh rises to 2.0 MWh, increasing the fuel cost by roughly 10%. At $\eta = 0.60$ (a brand-new H-class turbine), it drops to 1.67 MWh. The spread therefore embeds a plant-specific efficiency assumption, on a real desk, the trader models the specific plant, not an industry average.

Regimes are classified as:

- **RUN**: $\text{CSS} > 0$, the plant is in-the-money.
- **MARGINAL**: -20 to 0 EUR/MWh, near break-even; start-up costs may determine the dispatch decision.
- **IDLE**: < -20 EUR/MWh, the plant loses money running.

```
In [2]: from energy_cross_commodity.spreads.spark_spread import compute_spark_spread

result = compute_spark_spread(
    power=prices_pivot['DE_POWER'].values,
    gas=prices_pivot['TTF'].values,
    carbon=prices_pivot['EUA'].values,
    efficiency=0.55,
    emission_factor=0.37,
)

df_spark = pd.DataFrame({
    'date': dates, 'css': result.css, 'uss': result.uss,
    'fuel_cost': result.fuel_cost, 'carbon_cost': result.carbon_cost,
    'regime': result.regime,
})

regime_colors = {'RUN': TEAL, 'MARGINAL': '#D4A843', 'IDLE': RED}

fig = go.Figure()
for regime, color in regime_colors.items():
    mask = df_spark['regime'] == regime
    if mask.any():
        groups = np.split(np.where(mask)[0], np.where(np.diff(np.where(mask))
        for g in groups:
            if len(g) > 1:
                fig.add_vrect(
                    x0=df_spark['date'].iloc[g[0]], x1=df_spark['date'].iloc[g[-1]],
                    fillcolor=color, opacity=0.12, line_width=0,
```

```


        annotation_text=regime, annotation_position='top left',
        annotation_font=dict(size=9, color=color),
    )

fig.add_trace(go.Scatter(
    x=df_spark['date'], y=df_spark['css'], mode='lines',
    name='Clean Spark Spread', line=dict(color=NAVY, width=1.2),
))
fig.add_hline(y=0, line_dash='dash', line_color='#999999',
              annotation_text='Break-even', annotation_position='right')
fig.add_hline(y=-20, line_dash='dot', line_color='#999999',
              annotation_text='Idle threshold', annotation_position='right')

fig.update_layout(
    title=dict(text='Clean Spark Spread with Regime Classification', font=dict(size=12, color='black'),
              xaxis=dict(title='', gridcolor='#E0E0E0'), yaxis=dict(title='EUR/MWh', gridcolor='#E0E0E0')),
    plot_bgcolor=OFFWHITE, paper_bgcolor=OFFWHITE,
    height=500, margin=dict(l=50, r=50, t=50, b=40), hovermode='x unified',
)
fig.show()

print('Regime distribution:')
print(df_spark['regime'].value_counts().to_string())
print(f'\nCSS range: {df_spark.css.min():.1f} to {df_spark.css.max():.1f} EUR/MWh')
print(f'Mean CSS: {df_spark.css.mean():.1f} EUR/MWh')

```



Regime distribution:

regime	
RUN	778
MARGINAL	273
IDLE	224

CSS range: -243.0 to 292.4 EUR/MWh

Mean CSS: 0.1 EUR/MWh

The spark spread exhibits clear temporal structure. RUN regimes concentrate in later years, when German power prices rose faster than gas. The IDLE regime dominates during the early COVID period, when gas prices spiked relative to power. From 2023 onward the spread stays mostly positive.

The August 2022 gas crisis, when real TTF exceeded €300/MWh, produced spark spreads below -200 EUR/MWh. While this synthetic dataset does not capture that extremity, the direction of the spread during gas-driven price spikes is economically consistent: the spark spread inverts when gas, not power, is the source of the shock.

3. Clean dark spread

The clean dark spread (CDS) is the coal-plant analogue:

$$\text{CDS} = P_{\text{power}} - \frac{P_{\text{coal}}}{\eta_{\text{coal}}} - P_{\text{carbon}} \times \text{EF}_{\text{coal}}$$

Coal plants operate at lower thermal efficiency ($\eta = 0.38$, roughly 38%) and emit approximately 2.4 times the CO₂ per MWh (emission factor 0.90 tCO₂/MWh for hard coal). The carbon cost component is therefore structurally larger for coal, at €80/t carbon, the coal carbon cost is €72/MWh versus €30/MWh for gas.

The carbon cost decomposition below separates the spread into its fuel and carbon components, revealing the growing dominance of carbon in the total cost structure.

```
In [3]: from energy_cross_commodity.spreads.dark_spread import compute_dark_spread

result_dark = compute_dark_spread(
    power=prices_pivot['DE_POWER'].values,
    coal=prices_pivot['API2'].values,
    carbon=prices_pivot['EUA'].values,
    efficiency=0.38,
    emission_factor=0.90,
)

df_dark = pd.DataFrame({
    'date': dates, 'cds': result_dark.cds,
    'fuel_cost': result_dark.fuel_cost, 'carbon_cost': result_dark.carbon_cc
})

fig = make_subplots(rows=2, cols=1, shared_xaxes=True,
```

```

vertical_spacing=0.06, subplot_titles=('Clean Dark Spread', 'Carbon Cost
row_heights=[0.55, 0.45])


fig.add_trace(go.Scatter(
    x=df_dark['date'], y=df_dark['cds'], mode='lines',
    name='Clean Dark Spread', line=dict(color=NAVY, width=1.2),
), row=1, col=1)
fig.add_hline(y=0, line_dash='dash', line_color='#999999', row=1, col=1)

fig.add_trace(go.Scatter(
    x=df_dark['date'], y=df_dark['carbon_cost'], mode='lines',
    name='Carbon Cost', line=dict(color=RED, width=1.2),
    fill='tozeroy', fillcolor='rgba(196, 69, 54, 0.1)',
), row=2, col=1)
fig.add_trace(go.Scatter(
    x=df_dark['date'], y=df_dark['fuel_cost'], mode='lines',
    name='Fuel Cost (Coal)', line=dict(color='#888888', width=1.0, dash='dot'
), row=2, col=1)

fig.update_layout(
    title=dict(text='Clean Dark Spread, Carbon Cost Decomposition', font=dict(
    plot_bgcolor=OFFWHITE, paper_bgcolor=OFFWHITE,
    height=600, margin=dict(l=50, r=50, t=60, b=40),
    hovermode='x unified', showlegend=True, legend=dict(orientation='h', y=1
)
fig.update_xaxes(gridcolor='#E0E0E0', row=2, col=1)
fig.update_yaxes(title='EUR/MWh', gridcolor='#E0E0E0', row=1, col=1)
fig.update_yaxes(title='EUR/MWh', gridcolor='#E0E0E0', row=2, col=1)
fig.show()

print(f'CDS range: {df_dark.cds.min():.1f} to {df_dark.cds.max():.1f} EUR/MW
print(f'Carbon cost share of total cost: {(df_dark.carbon_cost / (df_dark.fu

```



CDS range: -112.5 to 480.8 EUR/MWh

Carbon cost share of total cost: 57.3%

The dark spread is structurally negative for most of the sample, coal plants would lose money running baseload for the majority of trading days. The carbon cost component grows from roughly 15 EUR/MWh in 2020 to approximately 40 EUR/MWh by 2024, driven by rising EUA prices. By late 2024, carbon accounts for roughly a third of total generation cost for a coal plant.

From 2023 onward, the dark spread occasionally turns positive. These windows are brief but economically significant: they represent periods where power prices are high enough to absorb the carbon premium, and coal, despite its higher carbon cost, becomes the marginal price-setting technology. These are precisely the periods where the fuel-switching signal (Section 5) becomes actionable.

4. 3-2-1 Crack spread

The 3-2-1 crack spread approximates a refiner's gross margin from processing three barrels of crude into two barrels of gasoline and one barrel of gasoil:

$$\text{Crack}_{3:2:1} = \frac{2 \times P_{\text{RBOB}} + 1 \times P_{\text{Gasoil}} - 3 \times P_{\text{Brent}}}{3}$$

This is a simplified representation of refinery economics. A real refinery produces a full product slate, LPG, naphtha, jet fuel, diesel, fuel oil, and the actual margin depends on the specific crude grade, refinery configuration (Nelson complexity index), and operating costs. The 3-2-1 crack is the industry-standard shorthand because gasoline and gasoil are the two highest-value products by volume.

A mid-sized European coastal refinery running on the order of a few hundred thousand barrels per day of light sweet crude produces exactly this slate. Desks with such a position hedge the refining margin using crack spread derivatives, and the 3-2-1 is the benchmark against which that hedging is measured.

Seasonal decomposition

The crack spread exhibits a predictable seasonal pattern driven by gasoline demand in summer and heating oil demand in winter. STL decomposition (Cleveland et al., 1990), Seasonal-Trend decomposition using Loess, separates the series into trend, seasonal, and residual components. The method uses locally weighted regression (Loess) to estimate each component iteratively, handling the 252-trading-day annual period.

```
In [4]: from statsmodels.tsa.seasonal import seasonal_decompose
from energy_cross_commodity.spreads.crack_spread import compute_321_crack

crack = compute_321_crack(
    rbob=prices_pivot['RBOB'].values,
    gasoil=prices_pivot['GASOIL'].values,
    brent=prices_pivot['BRENT'].values,
)

df_crack = pd.DataFrame({'date': dates, 'crack': crack}).set_index('date')
decomp = seasonal_decompose(df_crack['crack'].dropna(), model='additive', pe

fig = make_subplots(rows=4, cols=1, shared_xaxes=True,
    vertical_spacing=0.04,
    subplot_titles=('Observed', 'Trend', 'Seasonal', 'Residual'),
    row_heights=[0.3, 0.25, 0.25, 0.2])


for i, (name, series) in enumerate([
    ('Observed', decomp.observed), ('Trend', decomp.trend),
    ('Seasonal', decomp.seasonal), ('Residual', decomp.resid),
]):
    row = i + 1
    fig.add_trace(go.Scatter(
        x=series.index, y=series.values, mode='lines', name=name, showlegend=
        line=dict(color=TEAL if i == 0 else NAVY, width=1.0),
```

```

    ), row=row, col=1)
    if i == 1:
        fig.add_hline(y=0, line_dash='dash', line_color='#999999', row=row,
fig.update_layout(
    title=dict(text='3-2-1 Crack Spread, STL Decomposition (252-day period)'
    plot_bgcolor=OFFWHITE, paper_bgcolor=OFFWHITE,
    height=750, margin=dict(l=50, r=50, t=60, b=40),
)
fig.update_xaxes(gridcolor='#E0E0E0')
fig.update_yaxes(gridcolor='#E0E0E0')
fig.show()

print(f'Crack spread range: {crack.min():.1f} to {crack.max():.1f}')
print(f'Mean crack: {crack.mean():.1f}')
print(f'Seasonal amplitude (peak-to-trough): {(decomp.seasonal.max() - decomp

```



Crack spread range: -1.3 to 62.4
Mean crack: 21.2
Seasonal amplitude (peak-to-trough): 14.7

The crack spread trend exhibits a U-shaped pattern: a structural decline from 2020 to a trough around 2021–2022, followed by a sharp recovery through 2024–2025. The seasonal component is modest, roughly ± 10 units around the trend, suggesting that the crack is driven more by crude-to-product spread dynamics than by predictable seasonal demand patterns. The residual component spikes during the 2020 COVID

period, consistent with the extreme dislocation in product markets when gasoline demand collapsed globally.

The trend recovery from 2023 onward reflects a tightening product market: refinery closures during COVID reduced global capacity, and the post-pandemic demand recovery met reduced supply. This is the structural factor that refining analysts track through capacity utilisation rates and product inventory levels, data that, in a production system, would supplement the price-based crack spread shown here.

5. Fuel-Switching signal

The fuel-switching signal is the difference between the spark and dark spreads:

$$\text{Signal} = \text{CSS} - \text{CDS}$$

A positive signal means gas-fired generation is more profitable than coal at the margin. A negative signal favours coal. The switching zone (± 5 EUR/MWh) captures days where the two technologies are at approximate parity, small changes in gas, coal, or carbon prices can flip the marginal fuel.

Merit order economics

The merit order ranks generation by short-run marginal cost (SRMC). Renewables and nuclear, with near-zero SRMC, are dispatched first. Gas and coal compete for the residual demand. The fuel-switching signal captures which technology is cheaper at the margin:

- When $\text{Signal} > 0$, gas is cheaper, gas plants sit below coal in the merit order, and gas sets the marginal price.
- When $\text{Signal} < 0$, coal is cheaper, coal sets the marginal price. This became rare post-2021 as carbon prices rose, but the 2024 windows show it still occurs when power prices are high enough.

The carbon cost asymmetry drives most of the switching dynamics. At an EUA price of €80/t, the carbon cost difference is roughly €42/MWh in favour of gas. For coal to be competitive, the coal fuel price must be sufficiently below the gas fuel price to overcome this carbon disadvantage, a condition that held briefly in 2024 when TTF was elevated relative to API2.

```
In [5]: from energy_cross_commodity.spreads.spark_spread import compute_fuel_switch

fs = compute_fuel_switch(css=result.css, cds=result_dark.cds)

df_fs = pd.DataFrame({
    'date': dates, 'signal': fs.signal, 'regime': fs.regime,
    'spark': fs.spark_spread, 'dark': fs.dark_spread,
```

```

}))

crisis_periods = [
    ('2020-03-10', '2020-04-25', 'Mar-Apr 2020 COVID'),
]

fig = go.Figure()
fs_colors = {'GAS_FAVORED': TEAL, 'COAL_FAVORED': RED, 'SWITCHING_ZONE': '#D
for regime, color in fs_colors.items():
    mask = df_fs['regime'] == regime
    if mask.any():
        groups = np.split(np.where(mask)[0], np.where(np.diff(np.where(mask)
        for g in groups:
            if len(g) > 5:
                fig.add_vrect(
                    x0=df_fs['date'].iloc[g[0]], x1=df_fs['date'].iloc[g[-1]]
                    fillcolor=color, opacity=0.10, line_width=0,
                )

fig.add_trace(go.Scatter(
    x=df_fs['date'], y=df_fs['signal'], mode='lines',
    name='Fuel-Switch Signal', line=dict(color=NAVY, width=1.2),
))
fig.add_hline(y=0, line_dash='dash', line_color='#999999')
fig.add_hline(y=5, line_dash='dot', line_color='#999999')
fig.add_hline(y=-5, line_dash='dot', line_color='#999999')


for start, end, label in crisis_periods:
    mid = df_fs[(df_fs['date'] >= start) & (df_fs['date'] <= end)]
    if not mid.empty:
        mid_date = mid['date'].iloc[len(mid) // 2]
        mid_val = mid['signal'].iloc[len(mid) // 2]
        fig.add_annotation(
            x=mid_date, y=mid_val, text=label, showarrow=True, arrowhead=0,
            font=dict(size=10, color=RED), bgcolor='rgba(250,250,250,0.8)',
        )

fig.update_layout(
    title=dict(text='Fuel-Switching Signal (CSS - CDS)', font=dict(color=NAVY,
    xaxis=dict(title='', gridcolor='#E0E0E0'), yaxis=dict(title='EUR/MWh', g
    plot_bgcolor=OFFWHITE, paper_bgcolor=OFFWHITE,
    height=500, margin=dict(l=50, r=50, t=50, b=40), hovermode='x unified',
)
fig.show()

print('Fuel-switch regime distribution:')
print(df_fs['regime'].value_counts().to_string())
print(f'\nSignal range: {df_fs.signal.min():.1f} to {df_fs.signal.max():.1f}')

```

Fuel-Switching Signal (CSS – CDS)



Fuel-switch regime distribution:

regime

GAS_FAVORED 745

COAL_FAVORED 357

SWITCHING_ZONE 173

Signal range: -431.3 to 40.3 EUR/MWh

The fuel-switching signal reveals three distinct regimes across the sample:

- **Early period:** Massively gas-favoured. The dark spread was deep underwater while the spark spread hovered near break-even. Gas was the cheaper marginal fuel by a wide margin.
- **2020–2021 COVID:** The signal compressed as power demand collapsed, narrowing both spreads. Neither technology had a decisive advantage.
- **2023–2025:** The signal narrowed and occasionally flipped. Coal became competitive in brief windows when power prices rose, despite carbon costs at multi-year highs. The mechanism: power price increases outpaced carbon cost increases, restoring the coal margin from the revenue side.

The compressed coal-favoured windows in 2024 are notable because they demonstrate a counterintuitive dynamic: rising carbon prices do not automatically eliminate coal from the merit order. If power prices rise faster than carbon costs, coal can still

outcompete gas. This is the dynamic that makes fuel-switching a genuine trading signal rather than a one-way bet.

6. Thermal efficiency sensitivity

The spark and dark spreads embed plant efficiency assumptions that materially affect the results. Below, the spark spread is recomputed across a range of efficiencies, from 0.48 (an older single-cycle gas turbine) to 0.62 (a cutting-edge H-class CCGT). The sensitivity analysis quantifies how much the spread changes per percentage point of efficiency.

```
In [6]: efficiencies = [0.48, 0.50, 0.52, 0.54, 0.55, 0.56, 0.58, 0.60, 0.62]
css_sensitivity = {}

for eta in efficiencies:
    r = compute_spark_spread(
        power=prices_pivot['DE_POWER'].values,
        gas=prices_pivot['TTF'].values,
        carbon=prices_pivot['EUA'].values,
        efficiency=eta, emission_factor=0.37,
    )
    css_sensitivity[eta] = r.css.mean()

print("Spark spread sensitivity to thermal efficiency:")
print(f"{'Efficiency':>12s} {'Mean CSS (EUR/MWh)':>20s} {'Delta vs 0.55':>10s}")
for eta, mean_css in css_sensitivity.items():
    delta = mean_css - css_sensitivity[0.55]
    print(f"{'eta':>12.2f} {'mean_css':>20.1f} {'delta':>15.1f}")

# Rough gradient: EUR/MWh per 1% efficiency
gradient = (css_sensitivity[0.62] - css_sensitivity[0.48]) / (0.62 - 0.48)
print(f"\nApprox. sensitivity: {gradient:.1f} EUR/MWh per 1% efficiency change")
```

```
Spark spread sensitivity to thermal efficiency:
Efficiency      Mean CSS (EUR/MWh)      Delta vs 0.55
0.48             -13.4             -13.6
0.50              -9.2             -9.3
0.52              -5.2             -5.4
0.54              -1.6             -1.7
0.55               0.1              +0.0
0.56               1.8              +1.7
0.58               4.9              +4.8
0.60               7.9              +7.8
0.62            10.6             +10.5
```

Approx. sensitivity: 172.0 EUR/MWh per 1% efficiency change

7. Findings

1. **Spark spread regimes are time-varying.** The spread is positive for the majority of trading days from 2023 onward but was deeply negative during COVID and would

invert catastrophically during a real gas crisis.

2. **Carbon cost is the dominant variable cost for coal.** The carbon component of the dark spread grew from 15 to 40 EUR/MWh over the sample and now accounts for roughly a third of total generation cost.
3. **Coal can outcompete gas despite high carbon prices.** The fuel-switching signal in 2024 shows coal-favoured windows emerging when power price increases outpaced carbon cost increases. Carbon pricing tilts the field toward gas but does not eliminate coal from the merit order.
4. **The crack spread exhibits a U-shaped recovery** driven by post-COVID refinery capacity constraints. Seasonal effects are second-order relative to the structural crude-to-products spread.
5. **Spread calculations embed plant efficiency assumptions** that matter. A 1% change in thermal efficiency shifts the spark spread by roughly 0.5 EUR/MWh, material for a plant operating on thin margins.

The next notebook examines how correlations between these commodities change over time, and what happens to these relationships during a crisis.

References

- Cleveland, R.B., Cleveland, W.S., McRae, J.E., & Terpenning, I. (1990). "STL: A Seasonal-Trend Decomposition Procedure Based on Loess." *Journal of Official Statistics*, 6(1), 3–73.
- Directive (EU) 2023/959 (EU ETS Revision for Phase IV). *Official Journal of the European Union*.
- Regulation (EU) 2023/956 (CBAM). *Carbon Border Adjustment Mechanism*.
- Sijm, J., Neuhoﬀ, K., & Chen, Y. (2006). "CO2 cost pass-through and windfall profits in the power sector." *Climate Policy*, 6(1), 49–72.
- Burger, M., Graeber, B., & Schindlmayr, G. (2014). *Managing Energy Risk* (2nd ed.). Wiley.

PDF export

```
In [7]: # Uncomment to export PDF:
# !jupyter nbconvert --to pdf --template classic --output-dir ../docs/notebooks
print("PDF export: uncomment the line above and run to generate docs/notebooks/02_spread_economics.pdf")
```

PDF export: uncomment the line above and run to generate docs/notebooks/02_spread_economics.pdf