



Lakukan translasi ER Model berikut ke dalam Relational Model:



Trainer=(nama,jenisKelamin,exp)
Pokemon=(idPokemon,nama,rarity)
Tipe-Pokemon=(idPokemon, tipe)
Kekuatan=(idPokemon, nomorUrut, nama, tipe,
besarSerangan)
Barang=(idBarang, namaBarang, tipe,
deskripsiKegunaan)
BatuKekuatan=(idBarang, durasi)
Pokeball=(idBarang, level)
Memelihara=(nama-trainer, idPokemon)
Bertarung=(nama-trainer1, idPokemon1, nama-
trainer2, idPokemon2, waktu, tempat)
Memiliki=(nama-trainer, idBarang)

FK:

Tipe-Pokemon(idPokemon)→Pokemon(idPokemon)
Kekuatan(idPokemon)→Pokemon(idPokemon)
BatuKekuatan(idBarang)→Barang(idBarang)
Pokeball(idBarang)→Barang(idBarang)
Memelihara(nama-trainer)→Trainer(nama)
Memelihara(idPokemon)→Pokemon(idPokemon)
Bertarung(nama-trainer1,
idPokemon1)→Memelihara(nama-trainer, idPokemon)
Bertarung(nama-trainer2, idPokemon2) →
Memelihara(nama-trainer, idPokemon)
Memiliki(nama-trainer)→Trainer(nama)
Memiliki(idBarang)→Barang(idBarang)

