

9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 1 Chemical Product and Company Identification

Product Identifier Muriatic Acid
Product Number IR-PRO3060

General Use Used to deoxidize photoengraving metal plates

Company UEI Systems®, a UEI Group Company

Address 9090 Nieman Road

Overland Park, KS 66214 USA

Phone +1 800 221 9059 or +1 913 541 0503

Emergency Contact Number CHEMTEL – Available 24 hours/day, 7 days/week

Domestic North America: +1 800 255 3924

International: +1 813 248 0585

Section 2 Hazards Identification

GHS Classification

Hazard Class	Hazard Category	Route of Exposure
Corrosive to metals	1	_
Skin Corrosion	1B	_
Serious Eye Damage	1	_
Specific Target Organ Toxicity	3	Respiratory

GHS Labeling

Contains Hydrogen Chloride (7647-01-0) (Hydrochloric Acid)





Danger

Hazard Statements May be corrosive to metals

Causes severe skin burns and eye damage

Causes serious eye damage May cause respiratory irritation

Precautionary Statements Keep only in original container

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response If Swallowed Rinse mouth. Do not induce vomiting

If On Skin Immediately remove all contaminated clothing. Rinse skin with water/shower. **If Inhaled** Remove victim to fresh air and keep at rest in a comfortable position for breathing.

Immediately call a **Poison Center** or doctor/physician. **If In Eyes**: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a **Poison Center** or doctor/ physician. Wash contaminated clothing and wash before reuse.

Absorb spillage to prevent material damage.



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 2	Hazards Identification, continu	ed			
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant stainless steel container with a resistant inner liner.				
Disposal	Dispose of contents/container to an approved waste disposal plant.				
Section 3	Hazardous Ingredients / Identit	y Informatio	n		
	Hazardous Components	CAS No.	%		
	Hydrogen Chloride (Hydrochloric Acid)	7647-01-0	20		
Section 4	First Aid Measures				
	In all cases, call a physician immediate	ly.			
Inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.				
Skin Contact	Immediately take off contaminated clothing and shoes. Wash off with soap and plenty of water. Consult a physician.				
Eye Contact	Immediately flush eyes with large amounts of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.				
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.				
Acute and Delayed Symptoms	The most important know symptoms an	d effects are des	cribed in Section 2 and/or Section 1		
Section 5	Firefighting Measures				
Section 5 Extinguishing Media	Firefighting Measures Use water spray, alcohol-resistant foam,	dry chemical, o	r carbon dioxide		
Extinguishing Media	Use water spray, alcohol-resistant foam,	dry chemical, o	r carbon dioxide		
Extinguishing Media Flammable/Combustible Properties	Use water spray, alcohol-resistant foam,	·			
Extinguishing Media Flammable/Combustible Properties	Use water spray, alcohol-resistant foam, Hydrogen chloride gas	·			
Extinguishing Media Flammable/Combustible Properties Firefighting Equipment/Instructions	Use water spray, alcohol-resistant foam, Hydrogen chloride gas Wear self-contained breathing apparatu	s for firefighting	ı, if necessary d breathing vapors, mist or gas.		
Extinguishing Media Flammable/Combustible Properties Firefighting Equipment/Instructions Section 6	Use water spray, alcohol-resistant foam, Hydrogen chloride gas Wear self-contained breathing apparatu Accidental Release Measures Wear respiratory protection. Avoid dust	s for firefighting	ı, if necessary d breathing vapors, mist or gas.		
Extinguishing Media Flammable/Combustible Properties Firefighting Equipment/Instructions Section 6 Personal Precautions	Use water spray, alcohol-resistant foam, Hydrogen chloride gas Wear self-contained breathing apparatu Accidental Release Measures Wear respiratory protection. Avoid dust Evacuate personnel to safe areas. Avoid to	for firefighting formation. Avoioreathing dust. F	g, if necessary d breathing vapors, mist or gas. or personal protection, see Section (
Extinguishing Media Flammable/Combustible Properties Firefighting Equipment/Instructions Section 6 Personal Precautions Environmental Precautions Methods for Cleaning Up	Use water spray, alcohol-resistant foam, Hydrogen chloride gas Wear self-contained breathing apparatu Accidental Release Measures Wear respiratory protection. Avoid dust Evacuate personnel to safe areas. Avoid bo not let product enter drains. Soak up with inert absorbent material a	for firefighting formation. Avoioreathing dust. F	d breathing vapors, mist or gas. or personal protection, see Section		
Extinguishing Media Flammable/Combustible Properties Firefighting Equipment/Instructions Section 6 Personal Precautions Environmental Precautions	Use water spray, alcohol-resistant foam, Hydrogen chloride gas Wear self-contained breathing apparatu Accidental Release Measures Wear respiratory protection. Avoid dust Evacuate personnel to safe areas. Avoid to not let product enter drains. Soak up with inert absorbent material a closed containers for disposal.	for firefighting formation. Avoi oreathing dust. F	g, if necessary d breathing vapors, mist or gas. or personal protection, see Section hazardous waste. Keep in suitable		



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 8	Component Exposure Li	mits			
Control Parameters	Hazardous Components	CAS No.	%	OSHA (PEL/TWA)	ACGIH TLV
	Hydrogen Chloride (Hydrochloric Acid)	7647-01-0	20	5 ppm (ceiling)	2 ppm (ceiling)
Appropriate Engineering Controls	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Eye/Face Protection	Wear face shield and safety glasses				
Skin Protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.				
Personal Protection	Wear complete body suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.				
Respiratory Protection	Where risk assessment shows air-purifying respirators are appropriate, use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).				
Control of Environmental Exposure	Do not let product enter drains.				

Section 9	Physical and Chemic	al Properties		
Appearance/Odor	Liquid/light yellow/Pungent Odor Threshold		No data available	
рН	No data available	Melting Point	22° F (-30° C)	
Boiling Point Range	>212° F° (>100° C)	Solubility (H ₂ O)	Soluble	
Specific Gravity	(Water = 1) 1.25 to 1.41	Relative Density	1.18 g/mL at 77°F (25° C)	
Octanol/H ₂ O Coefficient	No data available	Evaporation Rate	No data available	
Decomposition Temperature	No data available	Oxidizing Properties	No data available	
Auto Ignition	No data available	Lower Flammability Limit	No data available	
Flash Point	Not applicable	Upper Flammability Limit	No data available	
Vapor Density	No data available	Vapor Pressure	226.636 hPa (169.991 mmHg) at 70.0° F (21.1° C)	
Explosive Properties	No data available		546.596 hPa (409.981 mmHg) at 99.9° F (37.7° C)	
Viscosity	No data available	Flammability Class	No data available	
Section 10	ction 10 Chemical Stability and Reactivity			
Reactivity	No data available			
Chemical Stability	Stable under recommended storage conditions			
Possibility of Hazardous Reactions	No data available			
Conditions to Avoid	No data available			
Incompatibility	Bases, Amines, Alkali metals, Metals, Permanganates, e.g. Potassium Permanganate, Fluorine, Metal Acetylides, Hexalithium Disilicide			

Other decomposition products – No data available. In the event of fire, see Section 5.

Hazardous Decomposition/

By-Products



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Acute Toxicity No data available

Acute Inhalation No data available

Skin Corrosion/Irritation Rabbit: Causes burns

Serious Eye Damage/Eye Irritation Rabbit: Corrosive to eyes

Respiratory/Skin Sensitization No data available

Germ Cell Mutagenicity No data available

Carcinogenicity This product is or contains a component that is not classifiable as to its carcinogenicity

based on its IARC, ACGIH, NTP or EPA classification.

IARC: 3 – Group 3: Not classifiable as to its carcinogenicity to humans.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified

as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified

as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity No data available

Specific Target Organ Toxicity

Single Exposure The substance or mixture is classified as specific target organ toxicant, single exposure,

category 3 with respiratory tract irritation.

Specific Target Organ Toxicity

Repeated Exposure No data available
Aspiration Hazard No data available

Additional Information RTECS: MW4025000

Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and

upper respiratory tract, eyes and skin.

Section 12 Ecological Information

Toxicity to Fish

Component	Species	Exposure Time	LC50/EC50/IC50
Hydrochloric Acid (7647-01-0)	Gambusia affinis (mosquito fish)	96 hrs	LC50 282 mg/l

Persistence/Degradability No data available
Bioaccumulative Potential No data available

Mobility in Soil No data available

Results of PBT and vPvB Assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other Adverse Effects No data available



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 13 Disposal Considerations

Waste Treatment Methods Offer surplus and non-recyclable solutions to a licensed disposal company.

Packaging Disposal Instructions Dispose of as an unused product.

Section 14	Transportation Information				
DOT (US)		IMDG		IATA	
UN number	1789	UN number	1789	UN number	1789
Class	8	Class	8	Class	8
Packing group	II	Packing group	II	Packing group	II
Proper shipping name		EMS-No	F-A, S-B	Proper shipping name	
Hydrochloric Acid		Proper shipping name		Hydrochloric Acid	
Reportable Quantity (RQ)		Hydrochloric Acid			
Poison Inhalation Hazard	No				

Section 15	Regulatory Information
------------	------------------------

SARA 302 Components No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 313 Components The following components are subject to reporting levels established by SARA Title III,

Section 313:

	Right To Know Components	CAS-No	Revision Date	
Massachusetts	Hydrochloric Acid	7647-01-0	1993-04-24	
Pennsylvania	Water Hydrochloric Acid	7732-18-5 7647-01-0	- 1993-04-24	
New Jersey	Water Hydrochloric Acid	7732-18-5 7647-01-0	– 1993-04-24	

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer,

birth defects, or any other reproductive harm.



9090 Nieman • Overland Park, KS 66214 • (913) 541-0503 • Toll Free: 800-221-9059 • sales@ueisystems.com • ueisystems.com

Section 16 Other Information

UEI Systems® provides the information contained herein in good faith. It is believed to be correct. However it is not all-inclusive and should be used only as a guide. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. UEI Systems shall not be held liable for any damage resulting from handling or from contact with this product. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources.

Abbreviations PEL Permissible Exposure Limit

TLV Threshold Limit Value

End Notes

1. SARA - Signed into law in 1986, the Superfund Amendments and Reauthorization Act (SARA) is an extension of CERCLA, and is intended to encourage and support local and state emergency planning efforts. SARA provides citizens and local governments with information about potential chemical hazards, and calls for facilities that store hazardous materials to provide officials and citizens with data on the type and amount on hand at specific locations. This field states whether a material is listed or not listed in section 372.65 of SARA. EHS - This states if a material is listed or not listed in Appendix B to part 355, the SARA Extremely Hazardous Substances (EHS) section. RQ is the reportable quantity. TPQ is the Threshold Planning Quantity.

2. RCRA - The Resource Conservation and Recovery Act enacted in 1976 and subsequently amended, controls solid-waste disposal and encourages recycling. This states whether a material is listed or not listed under this regulation. If listed the Hazardous Waste Number and waste characterization assigned by RCRA is also provided.

3. CERCLA - Enacted in 1980 and amended thereafter, the Comprehensive Environmental Response, Compensation, and Liability Act provides for identification and cleanup of hazardous materials released on land, into the air, waterways, and groundwater. It covers areas affected by newly released materials and older leaking or abandoned dump sites. This states whether a material is listed or not listed in CERCLA Table 302.4. If listed the section(s) that it is listed under and the Reportable Quantity (RQ) are also provided.

4. TSCA - The Toxic Substances Control Act controls the exposure to and use of raw industrial chemicals not subject to other laws. This states whether the chemical is listed or not listed under this regulation.

Revision 27 April 2020 Supersedes 22 October 2015