

Scan BoxEaty: Programming Barcodes for DS2278

Configuration name in Utility :	Scan BoxEaty
Last Modified :	09-avr.-21
Windows Filename :	Configuration DS22.scncfg
Plug-in Name :	DS2278-STANDARD SR MODELS + CRADLE-032
Report Type :	Only parameters changed from defaults shown



Scan BoxEaty: Programming Barcodes for DS2278

Configuration name in Utility : Scan BoxEaty
Last Modified : 09-avr.-21
Windows Filename : Configuration DS22.scncfg
Plug-in Name : DS2278-STANDARD SR MODELS + CRADLE-032
Report Type : Only parameters changed from defaults shown



Set Defaults

Symbology (bar code type) Settings

Other 2D Symbologies

GS1-QR Code Enable

Bluetooth

Bluetooth HID Options

Fast HID Keyboard Fast HID Disable

Modify Data- Advanced Data Formatting

Suffix 1 Enter

7

0

1

3

Scan Data Transmission Format <Data><Suffix 1>

General Parameter Settings

System

keyboard country type French (France)

Scan BoxEaty: Programming Barcodes for DS2278

Configuration name in Utility : Scan BoxEaty
Last Modified : 09-avr.-21
Windows Filename : Configuration DS22.scncfg
Plug-in Name : DS2278-STANDARD SR MODELS + CRADLE-032
Report Type : Only parameters changed from defaults shown



Country Code Page	UTF-8
-------------------	-------

Beeper

Beeper Volume	Low
Beeper Tone	OFF
Beep After Good Decode	Do Not Beep
Configuration File	Scan BoxEaty

Firmware:

SAADFS00-002-R07

Supported Scanner Models for Plug-in :

CR2278-PC10004CN
CR2278-PC10004WW
DS2278-SR00006ZZWW
DS2278-SR00007ZZCN
DS2278-SR00007ZZWW
DS2278-SR00007ZZY
DS2278-SR7U2100PRC