

⚠ Document version 0.5

The document is not finished; this is a working draft. Places marked <...> and **TODO** need to be filled in with real values (URLs, credentials, sample responses). Assumptions are explicitly flagged in the text.

WebService – Product API

Purpose of this document: A complete description of the SWS/I6 (CyberSoft) WebService for the purposes of handover and integration under ALSO. The document covers the architecture, authentication, request and response formats, naming conventions, and the full catalog of available exports.

Contents

- [1. Overview](#)
- [2. Base URL](#)
- [3. Request format](#)
 - [3.1 Reading data – Default.asmx](#)
 - [3.2 Authentication](#)
 - [3.3 Writing data – Order.asmx](#)
- [4. Comparison with the ALSO Product API](#)
- [5. Export catalog](#)
 - [5.1 Most-used exports](#)
 - [5.2 Examples of the most-used exports](#)
 - [5.2.1 StoltemBase](#)
 - [5.2.2 StoltemQtyFree](#)
 - [5.2.3 StoltemSiv](#)
 - [5.2.4 SPresentTree](#)
 - [5.2.5 DocTrInv](#)
 - [5.2.6 StoltemPriceOrd](#)
 - [5.2.7 CpsStiVal](#)
 - [5.2.8 AttSti](#)
 - [5.2.9 CpsSti](#)
- [6. Special exports](#)

1. Overview

The SWS WebService gives partners machine access to the data of the **I6 ERP system (CyberSoft)**. It covers product information (Stoltem), stock levels, prices, images, attributes, presentation trees (categories), documents (invoices, delivery notes), and orders.

The service is built as an **ASP.NET Web Service (.asmx)** and is operated as the application directory `/i6ws/` on the distributor's eShop. The service can be communicated with using the **SOAP** protocol; for methods with simple parameters (exports) also via **HTTP GET/POST** – exports can therefore be downloaded with a plain link (URL).

2. Base URL

The web service is operated as the application directory `/i6ws/` on the distributor's eShop:

Country	Base URL
CZ	<code>https://terminal.sws.cz/i6ws/</code>
CZ	<code>https://www.sws.cz/i6ws/</code>
SK	<code>https://www.swsi.sk/i6ws/</code>
SK	<code>https://www.alsotechnology.sk/i6ws/</code>

Main endpoints:

Endpoint	Purpose
<code>Default.asmx</code>	Universal data reading (exports) – methods <code>GetResult</code> (for all products), <code>GetResultByCode</code> (for a single product), <code>GetResultByFromTo</code>
<code>Order.asmx</code>	Creating and managing orders – method <code>Create</code>
<code>ResultTypeInfo.ashx</code>	Overview of all available exports with descriptions and schemas

3. Request format

3.1 Reading data – `Default.asmx`

Three methods are available, all accessible via HTTP GET (and SOAP).

```
GET https://USER:PASSWORD@HOST/i6ws/Default.asmx/GetResult?
resultType=<RESULT_TYPE>
GET https://USER:PASSWORD@HOST/i6ws/Default.asmx/GetResultByCode?
resultType=<RESULT_TYPE>&code=<CODE>
GET https://USER:PASSWORD@HOST/i6ws/Default.asmx/GetResultByFromTo?
resultType=<RESULT_TYPE>&from=<FROM>&to=<TO>
```

Method	Description	Parameters
<code>GetResult</code>	Returns the complete export (all products, everything in stock, etc.)	<code>resultType</code>
<code>GetResultByCode</code>	Filters the export by code – returns a single record for the given product	<code>resultType</code> , <code>code</code>
<code>GetResultByFromTo</code>	Filters the export by from/to date – typically by the recorded change of the record	<code>resultType</code> , <code>from</code> , <code>to</code>

`GetResultByFromTo` usage statistics over the last 30 days

CodePrefix	Requests	Used by companies	Note
DocTrInv	11909	18	Invoice
Order	8629	2	Order
DocTrExp	1398	3	
DocTrDel	643	3	Delivery note
StoltemBase	243	6	Detailed product description. Not sure why they use it here, probably a mistake.
X-Cybex	175	1	TODO
CpsStiVal	58	3	Product parameters

GetResultByFromTo is used for downloading documents for a given period. Better statistics on OneDrive.

Parameters:

Parameter	Type	Required	Description
resultType	String	Yes	Export name, e.g. <code>StoItemBase</code> (see catalog below)
code	String	For <code>GetResultByCode</code>	Filter – product code, tree IdP, condition... Prefix <code>{PartNo}</code> = search by PartNo
from	String/Date	For <code>GetResultByFromTo</code>	Start of range – format <code>YYYY-MM-DD</code> or <code>YYYY-MM-DD HH:MM:SS</code>
to	String/Date	For <code>GetResultByFromTo</code>	End of range

Note on the `code` parameter: Searching by PartNo is activated with the `{PartNo}` prefix:

```
GetResultByCode?resultType=StoItemQtyFree&code={PartNo}600623
```

Filtering via `GetResultByCode` — `code` prefixes

This export supports **extended searching** by code type. A prefix at the start of the `code` parameter determines which field is filtered on (no prefix = main code `StiCode`):

Prefix	Filters by	Example
(none)	Main stock code (<code>StiCode</code>)	<code>code=0320663</code>
<code>{StiId}</code>	Internal product ID	<code>code={StiId}685699</code>
<code>{PartNo}</code>	Part number	<code>code={PartNo}GU605CX-QR149</code>

Prefix	Filters by	Example
{PartNo2}	Second part number	code={PartNo2}90NR0M65-M007X0
{CodeEAN}	EAN	code={CodeEAN}4711636262347
{ManName}	Manufacturer name (category of type MAN)	code={ManName}ASUS
{CodeAll}	Any recorded product code (StoItemCode)	code={CodeAll}...

Usage statistics over the last 30 days

CodePrefix	Requests	Used by companies
PartNo	1104	2
ManName	120	1

Bulk query: Multiple values separated by a tab (`\t`) can be inserted into `code` — records for all of them are returned. The prefix is stated once at the start and applies to the whole batch.

Usage statistics over the last 30 days

\t	Requests	Used by companies
\t	22053	14

3.2 Authentication

Access is tied to the **partner's account** (the same credentials as for the distributor's eShop) and uses **HTTP Basic authentication**. Credentials can be passed in two ways:

- **Via HTTP header** `Authorization: Basic <base64(user:password)>` — recommended for integrations,
- **Directly in the URL** — `https://USER:PASSWORD@HOST/i6ws/...` (see the examples in section 3.1); suitable for quick testing in a browser or a script.

The account's permissions also determine the **scope of returned data** — product visibility, price levels (**PriceFullIs**, see **StoItemPriceOrd**), and the restriction of documents to the partner's own company (see **DocTrInv**).

TODO: add the procedure for setting up access and test credentials `<...>`.

3.3 Writing data – `Order.asmx`

Order creation happens through the `Order.asmx` endpoint (method `Create`). The description is out of scope for this document — see the separate document [orders.md](#).

4. Comparison with the ALSO Product API

The ALSO Product API offers 7 methods. Below is a mapping of which SWS exports cover the same functionality.

#	ALSO Product API method	Description (ALSO)	Corresponding SWS export(s)	Note
1	<code>AllProducts</code>	Basic info about all products available in the e-shop	<code>StoItemBase</code>	SWS returns prices, stock, and images (only <code>Id</code> ; the URL is composed from <code>UrlBase*</code>) in a single export.
2	<code>AllOfflineProducts</code>	Products in the partner's catalog that are not online	—	TODO — no direct equivalent <code><verify></code>
3	<code>ProductFullInfo</code>	Complete product detail – description, attributes, images, prices	<code>StoItemBase</code> + <code>CpsSti/CpsStiVal</code> + <code>AttSti</code>	SWS requires a combination of several exports for the same result
4	<code>ProductNow</code>	Current stock, price, and availability for one product	<code>StoItemSiv</code> , or availability and price separately: <code>StoItemQtyFree</code> + <code>StoItemPriceOrdCur</code>	Called via <code>GetResultByCode</code> with the product code
5	<code>AllProductsNow</code>	Stock, price, and availability for all products	<code>StoItemSiv</code> , or availability and price separately: <code>StoItemQtyFree</code> + <code>StoItemPriceOrdCur</code>	Called via <code>GetResult</code> for all products
6	<code>ProductImages</code>	Available product images	<code>StoItemBase</code> or <code>AttSti</code>	SWS returns URLs composed from <code>UrlBase*</code> + <code>Id</code> ; types distinguished by a tag
7	<code>Categories</code>	Complete e-shop category hierarchy	<code>SPresentTree</code> , <code>SCategorySys</code>	SWS uses a flat list with parent ID and a sort key (3 chars per level)

5. Export catalog

Each export exists in three variants — they differ only in the suffix of `resultType`:

Suffix	Description	Example
<code>(none)</code>	Data as XML attributes — more compact	name
<code>_El</code>	Data as XML elements — more readable	name_El

Suffix	Description	Example
<code>_Schema</code>	XSD schema of the export	<code>name_Schema</code>

Example — the same data, three variants (`StoItemQtyFree`):

`https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
code=ASC00511&resultType=StoItemQtyFree`

```
<!-- Attributes (default) -->
<?xml version="1.0" encoding="utf-8"?>
<Result>
  <StoItem Id="685699" Code="ASC00511" PartNo="GU605CX-QR149" PartNo2="90NR0M65-M007X0" EAN="4711636262347" EAN2="" QtyFree="2" />
</Result>
```

`https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
code=ASC00511&resultType=StoItemQtyFree_El`

```
<!-- Elements (_El) -->
<?xml version="1.0" encoding="utf-8"?>
<Result>
  <StoItem>
    <Id>685699</Id>
    <Code>ASC00511</Code>
    <PartNo>GU605CX-QR149</PartNo>
    <PartNo2>90NR0M65-M007X0</PartNo2>
    <EAN>4711636262347</EAN>
    <EAN2></EAN2>
    <QtyFree>2</QtyFree>
  </StoItem>
</Result>
```

`https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
code=ASC00511&resultType=StoItemQtyFree_Schema`

```
<!-- Schema (_Schema) – definition of all fields and their data types -->
<?xml version="1.0" encoding="utf-8"?>
<Schema name="Schema1" xmlns="urn:schemas-microsoft-com:xml-data"
xmlns:dt="urn:schemas-microsoft-com:datatypes">
  <ElementType name="Result" content="eltOnly" model="closed" order="many">
    <element type="StoItem" maxOccurs="*" />
    <AttributeType name="Void" dt:type="string" />
    <attribute type="Void" />
  </ElementType>
  <ElementType name="StoItem" content="empty" model="closed">
    <AttributeType name="Id" dt:type="i4" />
    <AttributeType name="Code" dt:type="string" />
```

```

    <AttributeType name="Code2" dt:type="string" />
    <AttributeType name="PartNo" dt:type="string" />
    <AttributeType name="PartNo2" dt:type="string" />
    <AttributeType name="EAN" dt:type="string" />
    <AttributeType name="EAN2" dt:type="string" />
    <AttributeType name="QtyFreeIs" dt:type="boolean" />
    <AttributeType name="QtyFree" dt:type="i4" />
    <attribute type="Id" />
    <attribute type="Code" />
    <attribute type="Code2" />
    <attribute type="PartNo" />
    <attribute type="PartNo2" />
    <attribute type="EAN" />
    <attribute type="EAN2" />
    <attribute type="QtyFreeIs" />
    <attribute type="QtyFree" />
  </ElementType>
</Schema>

```

5.1 Most-used exports

#	ResultType	No. of companies	Description
1	StoItemBase	130	Complete product catalog
2	StoItemQtyFree	104	Current free quantity in stock
3	StoItemSiv	57	Purchase price and stock status
4	SPresentTree	56	Hierarchical tree of product categories
5	DocTrInv	51	Invoices
6	StoItemPriceOrd	36	Purchase price
7	CpsStiVal	27	Product attributes including parameter definitions
8	StiRelation	19	Relationships between products (accessories, alternatives)
9	StoItemBase_El	18	Complete product catalog — output as XML elements
10	AttSti	16	Product attachments (images, documents)
11	CpsSti	16	Product parameters
12	StoItemQtyFree_El	16	Current free quantity in stock — output as XML elements
13	StrStiSync	12	Product tree synchronization

5.2 Examples of the most-used exports

Type legend (applies to all field tables below): **i2/i4/i8** = integer (16/32/64 bit) · **ui1** = byte (0–255) · **fixed.14.4 / number / money** = decimal number · **string** = text · **boolean** = 0/1.

5.2.1 StoItemBase

In a single call it returns product descriptions, prices, VAT, stock availability, logistics data, and image information. Corresponds to the **AllProducts** method (or **ProductFullInfo**) of the ALSO Product API.

resultType: **StoItemBase** · **StoItemBase_El** · **StoItemBase_Schema**

Example:

`https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
resultType=StoItemBase&code=TCL00117`

```
<?xml version="1.0" encoding="utf-8"?>
<Result UrlBase="https://terminal.sws.cz/default.asp?cls=stoitem&stiid="
UrlBaseThumbnail="https://terminal.sws.cz/img.asp?
attname=thumbnail&attpedid=52&attsrcid="
UrlBaseImg="https://terminal.sws.cz/img.asp?stiid="
UrlBaseEnlargement="https://terminal.sws.cz/img.asp?
attname=enlargement&attpedid=52&attsrcid="
UrlBaseImgGalery="https://terminal.sws.cz/img.asp?attid=" CouCode="CZ"
TaxRateLow="12" TaxRateHigh="21">
  <StoItem Id="673242" Code="TCL00117" PartNo="65Q6C" PartNo2="5901292526665"
EAN="5901292526665" Name="TCL 65Q6C SMART TV 65" QLED/4K UHD/Mini
LED/144Hz/4xHDMI/USB/LAN/GoogleTV" NameAdd="4100 PPI/Dolby Vision
IQ/HDR10+/HDR10/HLG" NameE="TCL 65Q6C" ManName="TCL" CouCode="CN"
UrlExt="https://www.tcl.com/cz/cs/" PriceEU="15467.1600" PriceDea="12638.0000"
PriceOrd="12638.0000" PriceRef="215.1000" RefProName="ASEKOL" RefCode="2.03."
PriceRef2="0.0000" RefProName2="Autorský fond CZ" RefCode2="9.99"
WeightRef="17.20000" TaxRate="21.0000" CutCode="85287240" QtyFree="20"
WarDur="744" WarDurEU="744" SNTrack="1" Weight="20.30000" XXL="1" ScaId="1487"
ThumbnailIs="1" ThumbnailSize="2197" ImgIs="1" ImgSize="111285"
NoteShort="Televize – Google TV, Mini LED, 165cm, 4K Ultra HD, 100/120 Hz (144 Hz
– herní režim), HDR10+, Dolby Vision, lokální stmívání, antireflexní obraz, DVB-
T2/S2/C, 4x HDMI, 1x USB, LAN, WiFi, Bluetooth, DLNA, Chromecast, Miracast, HbbTV
2.0.3, herní režim, hl" Note="Televize – Google TV, Mini LED, ..."
  <ImgGal Id="53098456" Name="Image1" Tag="sys-gal-enl" Sort="1"
Size="37866" />
  <ImgGal Id="53098457" Name="Image1" Tag="sys-gal-enl" Sort="2"
Size="54590" />
  <ImgGal Id="53098458" Name="Image1" Tag="sys-gal-enl" Sort="3"
Size="54279" />
  <ImgGal Id="53098459" Name="Image1" Tag="sys-gal-enl" Sort="4"
Size="31121" />
  <ImgGal Id="53098460" Name="Image1" Tag="sys-gal-enl" Sort="5"
Size="35862" />
  <ImgGal Id="53098461" Name="Image1" Tag="sys-gal-enl" Sort="6"
Size="43787" />
  <ImgGal Id="53098462" Name="Image1" Tag="sys-gal-enl" Sort="7"
Size="34645" />
```



```

    <ImgGal Id="53098463" Name="Image1" Tag="sys-gal-enl" Sort="8"
Size="50589" />
    <ImgGal Id="53098464" Name="Image1" Tag="sys-gal-enl" Sort="9" Size="8323"
/>
    <ImgGal Id="53098465" Name="Image1" Tag="sys-gal-enl" Sort="10"
Size="8246" />
    <ImgGal Id="53098466" Name="Image1" Tag="sys-gal-enl" Sort="11"
Size="5792" />
    <ImgGal Id="53098470" Name="Image1" Tag="sys-gal-enl" Sort="12"
Size="39502" />
    <ImgGal Id="53099139" Name="Image1" Tag="sys-gal-thu" Sort="1" Size="8767"
/>
    <ImgGal Id="53099140" Name="Image1" Tag="sys-gal-thu" Sort="2"
Size="26486" />
    <ImgGal Id="53099141" Name="Image1" Tag="sys-gal-thu" Sort="3"
Size="26191" />
    <ImgGal Id="53099142" Name="Image1" Tag="sys-gal-thu" Sort="4" Size="6463"
/>
    <ImgGal Id="53099143" Name="Image1" Tag="sys-gal-thu" Sort="5"
Size="12486" />
    <ImgGal Id="53099144" Name="Image1" Tag="sys-gal-thu" Sort="6"
Size="14240" />
    <ImgGal Id="53099145" Name="Image1" Tag="sys-gal-thu" Sort="7" Size="7019"
/>
    <ImgGal Id="53099146" Name="Image1" Tag="sys-gal-thu" Sort="8" Size="9174"
/>
    <ImgGal Id="53099147" Name="Image1" Tag="sys-gal-thu" Sort="9" Size="3782"
/>
    <ImgGal Id="53099148" Name="Image1" Tag="sys-gal-thu" Sort="10"
Size="4006" />
    <ImgGal Id="53099149" Name="Image1" Tag="sys-gal-thu" Sort="11"
Size="3555" />
    <ImgGal Id="53099150" Name="Image1" Tag="sys-gal-thu" Sort="12"
Size="15306" />
  </StoItem>
</Result>

```

Attributes of the **Result** element (envelope, once per document)

Field	Type	Description
UrlBase	string	Base URL of the eshop/website
UrlBaseThumbnail	string	Base URL for thumbnails — final URL = <code>UrlBaseThumbnail</code> + <code>StoItem.Id</code>
UrlBaseImg	string	Base URL for images — final URL = <code>UrlBaseImg</code> + <code>StoItem.Id</code>
UrlBaseEnlargement	string	Base URL for enlargements
UrlBaseImgGalery	string	Base URL for gallery images — combined with <code>ImgGal.Id</code>
CouCode	string	Default country code

Field	Type	Description
TaxRateLow	ui1	Low VAT rate (%)
TaxRateHigh	ui1	Standard/high VAT rate (%)
Void	string	<verify> (reserved/empty attribute)

Attributes of the **StoItem** element

Field	Type	Description
Id	i4	Internal product ID in i6
Code	string	Main SWS stock code (e.g. ASC00511)
Code2	string	Alternative/second code <verify>
PartNo	string	Manufacturer's catalog (part) number
PartNo2	string	Second manufacturer part/order number
EAN	string	EAN
EAN2	string	Second EAN
Name	string	Product name
NameAdd	string	Name supplement (extending text) <verify>
NameE	string	Name in English
NameDoc	string	Name used on documents
NameShort	string	Shortened name
NameSeo	string	SEO name (for URLs / search engines)
ManName	string	Manufacturer name
CouCode	string	Country of origin code
UrlExt	string	External URL (e.g. product page at the manufacturer) <verify>
PriceEU	fixed.14.4	MSRP, list price
PriceB2CMin	fixed.14.4	Minimum B2C selling price (MAP)
PriceDea	fixed.14.4	Dealer price
PriceOrd	fixed.14.4	Order (purchase) price
PriceRef	fixed.14.4	Copyright fee
PriceRefInfo	fixed.14.4	Informational value of the reference fee <verify>
RefProName	string	Reference product name <verify>
RefCode	string	Reference product code <verify>

Field	Type	Description
PriceRef2	fixed.14.4	Recycling fee ‹verify›
PriceRef2Info	fixed.14.4	Informational value of the second ref. fee ‹verify›
RefProName2	string	Name of the second reference product ‹verify›
RefCode2	string	Code of the second reference product ‹verify›
WeightRef	number	Reference weight (for fee calculation?) ‹verify›
MeasureRef2	number	Reference measure/quantity ‹verify›
TaxRate	fixed.14.4	Product VAT rate (%)
TatCodeE	string	‹verify›
CutCode	string	‹verify – customs tariff / code?›
QtyFreeIs	boolean	Flag whether the available quantity is recorded/valid
QtyFree	i4	Free (available) quantity in stock
QtyPack	number	Quantity per pack (carton)
WarDur	i4	Warranty length (months)
WarDurEU	i4	Warranty length for the end customer / EU (months) ‹verify›
SNTrack	ui1	Serial number tracking (0 = no / tracking type)
NonDivQty	number	Non-divisible (minimum order) quantity ‹verify›
Weight	number	Weight (kg)
XXL	boolean	Oversized goods
XXS	boolean	‹verify›
ScaId	i4	‹verify›
ThumbnailIs	boolean	Thumbnail exists
ThumbnailSize	i8	Thumbnail size (B)
ImgIs	boolean	Main image exists
ImgSize	i8	Main image size (B)
EnlargementIs	boolean	Enlargement exists
EnlargementSize	i8	Enlargement size (B)
SisName	string	‹verify›
SitId	ui1	‹verify›
NonMater	ui1	Non-material product flag (service/license/ESD)? ‹verify›
SttId	ui1	‹verify›

Field	Type	Description
NoteShort	string	Short note
StiDemIdDis	string	⟨verify⟩
EprelId	i4	Record ID in the EU EPREL database (energy labels)
Note	string	Note (longer text)

Nested **ImgGal** elements (image gallery, 0..N per product)

Field	Type	Description
Id	i4	Gallery image ID; URL = UrlBaseImgGalery + Id
Name	string	Image name/file
Tag	string	Image type/tag (distinguishes the kind of image)
Sort	i2	Display order
Size	i8	Image size (B)

5.2.2 StoItemQtyFree

Returns only the product identification and the free quantity — without prices, names, or images. Suitable for frequent stock queries (smaller data volume than **StoItemBase**). Corresponds to the **AllProductsNow** / **ProductNow** method of the ALSO Product API.

resultType: **StoItemQtyFree** · **StoItemQtyFree_El** · **StoItemQtyFree_Schema**

Example:

See the introduction of the **Export catalog** section — **StoItemQtyFree** is used there as an example of all three output variants (**attributes**, **_El**, **_Schema**), including the call URL.

Attributes of the **StoItem element**

Field	Type	Description
Id	i4	Internal product ID in i6
Code	string	Main SWS stock code (e.g. ASC00511)
Code2	string	Alternative/second code ⟨verify⟩
PartNo	string	Manufacturer's catalog (part) number
PartNo2	string	Second manufacturer part/order number
EAN	string	EAN
EAN2	string	Second EAN

Field	Type	Description
<code>QtyFreeIs</code>	boolean	Flag
<code>QtyFree</code>	i4	Free (available) quantity in stock

5.2.3 StoItemSiv

A combined availability-and-price export — it returns stock, order price, and basic identification plus logistics data in a single call, without the image gallery and extended names. A compromise between the lightweight `StoItemQtyFree` and the full `StoItemBase`. Corresponds to the `ProductNow` method (via `GetResultByCode`) or `AllProductsNow` (via `GetResult`) of the ALSO Product API — it covers both availability and price in a single export.

resultType: `StoItemSiv · StoItemSiv_El · StoItemSiv_Schema`

Example:

```
<?xml version="1.0" encoding="utf-8"?>
<Result UrlBase="https://terminal.sws.cz/default.asp?cls=stoitem&stiid="
UrlBaseImg="https://terminal.sws.cz/img.asp?stiid="
  <StoItem Id="230726" Code="578307" Code2="ZB0788" PartNo="A76/01B"
EAN="8711500802521" EAN2="4895229106093" Name="Philips baterie knoflíková A76,
alkalická - 1ks (LR44)" ManName="Philips" SiuCode="ks" UrlSuffix="230726"
UrlExt="http://www.consumer.philips.com/c/zvlastni-baterie/alkalicke-
a76_01b/prd/cz/" QtyFree="9" PriceEU="28.1000" PriceOrd="11.5000"
PriceRef="0.0000" PriceRef2="0.0000" WarDur="744" ImgSize="16384"
CutCode="85065030" Weight="0.00400" />
</Result>
```

Attributes of the `Result` element (envelope)

Field	Type	Description
<code>UrlBase</code>	string	Base URL of the eshop/website
<code>UrlBaseImg</code>	string	Base URL for the main image — final URL = <code>UrlBaseImg + StoItem.Id</code>
<code>Void</code>	string	<code><verify></code> (reserved/empty attribute)

Attributes of the `StoItem` element

Field	Type	Description
<code>Id</code>	i4	Internal product ID in i6; used to build the image URL
<code>Code</code>	string	Main SWS stock code
<code>Code2</code>	string	Alternative/second code <code><verify></code>

Field	Type	Description
PartNo	string	Manufacturer's catalog (part) number
PartNo2	string	Second manufacturer part/order number
EAN	string	EAN (barcode)
EAN2	string	Second EAN
Name	string	Product name
ManName	string	Manufacturer name
SisName	string	<verify>
SiuCode	string	<verify – unit-of-measure code (pcs/pack)?>
UrlSuffix	string	Suffix appended to UrlBase (completes the product URL) <verify>
UrlExt	string	External URL <verify>
QtyFreeIs	boolean	Flag whether the available quantity is recorded/valid
QtyFree	i4	Free (available) quantity in stock
PriceEU	fixed.14.4	<verify – end/recommended price (MSRP)?>
PriceOrd	fixed.14.4	Order (purchase) price
PriceRef	fixed.14.4	Price of the linked reference fee (recycling/copyright?) <verify>
PriceRefInfo	fixed.14.4	Informational value of the reference fee <verify>
PriceRef2	fixed.14.4	Price of the second reference fee <verify>
PriceRef2Info	fixed.14.4	Informational value of the second ref. fee <verify>
WarDur	i4	Warranty length (months)
ImgSize	i8	Main image size (B); 0 = no image
SitId	ui1	<verify>
NonMater	ui1	Non-material product flag (service/license/ESD)? <verify>
CutCode	string	<verify – customs tariff / code?>
Weight	number	Weight (kg)
XXL	boolean	Oversized goods
XXS	boolean	<verify>

5.2.4 SPresentTree

Export of the presentation (category) tree. It returns a **flat list of tree nodes**, where the hierarchy is reconstructed on the client side from the sort key — **each level has 3 reserved characters** (AAA = level 1, AAABBB = level 2, etc.). The parent relationship is carried by IdP (empty = root node). Top-level nodes

correspond to *tree types* (price-list trees), and their **Id** is derived as a negative value (`-2147483648 + type`). Corresponds to the **Categories** method of the ALSO Product API.

Thanks to **FOR XML AUTO**, the structure is **two-level**: a **SPresentTree** node contains 0..N nested **StoItem** elements — i.e. the products placed directly in that node. Categories without products that also have no product beneath them (at any sub-level) are removed from the output.

resultType: **SPresentTree** · **SPresentTree_El** · **SPresentTree_Schema**

Filtering via GetResultByCode: the **code** parameter = **IdP** (node ID) — returns the given subbranch of the tree. A negative **code** filters by *tree type*.

Example:

```
<?xml version="1.0" encoding="utf-8"?>
<Result UrlBase="https://terminal.sws.cz/default.asp?cls=sresenttrees&strid="
UrlBaseImg="https://terminal.sws.cz/img.asp?strid="
  <SPresentTree Id="21224" IdP="12695" Sort="001Z6WKCC" Name="5G/LTE">
    <StoItem Code="447665" Id="640646"/>
    <StoItem Code="ZXL00038" Id="666764"/>
    <StoItem Code="ZXL00105" Id="686879"/>
    <StoItem Code="ZXL00109" Id="691042"/>
    <StoItem Code="ZXL00123" Id="697709"/>
  </SPresentTree>
  <SPresentTree Id="21409" IdP="21353" Sort="001ZBW126" Name="Acar">
    <StoItem Code="398242" Id="561103"/>
    <StoItem Code="398423" Id="561108"/>
  </SPresentTree>
</Result>
```

Attributes of the **Result** element (envelope)

Field	Type	Description
UrlBase	string	Base URL of the category; final URL = UrlBase + SPresentTree.Id (link ... default.asp?cls=sresenttrees&strid=)
UrlBaseImg	string	Base URL of the product image; final URL = UrlBaseImg + StoItem.Id (or Code)
Void	string	Reserved empty attribute (always NULL)

SPresentTree element (tree node / category)

Field	Type	Description
Id	i4	Node ID (StrId). For top-level tree types it is derived as <code>-2147483648 + type</code>
IdP	i4	Parent node ID; empty/NULL = root level
Sort	string	Sort key for ordering and hierarchy reconstruction — 3 chars per nesting level

Field	Type	Description
Name	string	Category name (localized — the language applied per the logged-in partner)
Tag	string	Optional node label/tag (only if filled in)
ImgSize	i8	Category image size in B (only if an image is present)
NameSEO	string	SEO category name (for URLs / search engines)
Note	string	Note on the node
NameAdd	string	Supplementary name / extending text
StrWWW	string	Custom WWW link of the category (if set)

Nested **StoItem** element (products in the node, 0..N)

Field	Type	Description
Id	i4	Internal product ID (StiId); for building the image URL
Code	string	Product stock code (StiCode)

Content note: Only products that pass the standard WebService visibility filters (product stock/sale flags, partner row-level permissions) enter the output. The set of products may therefore differ between partners depending on their permissions.

5.2.5 DocTrInv

Invoice transfer format — "**Document Transfer – Invoice**", per the export definition intended for **import into another I6 instance** (inter-system document exchange). It returns the complete invoice including the VAT recapitulation, line items, serial numbers (warranties), linked delivery notes, and the order including end-customer details in the case of dropshipment.

Unlike the product exports, it uses **FOR XML EXPLICIT** — the output is therefore strictly **hierarchical** (nested elements with attributes), not a flat list:

```
Result
├─ Invoice (invoice - header)
│   ├── DocTaxSum    (VAT recapitulation - 0..N)
│   ├── InvItem      (invoice line items - 0..N)
│   ├── Warranty     (serial numbers / warranties - 0..N)
│   ├── Delivery     (delivery notes - 0..N)
│   └─ Order         (order + dropshipment end customer - 0..N)
```

resultType: DocTrInv · DocTrInv_El · DocTrInv_Schema

Filtering and scope

Call	Behavior
GetResultByCode	code = invoice number (InvCode, e.g. CRDC120009)
GetResultByFromTo	from/to filters by invoice creation date (InvC) and by the last confirmed DN (DelDateConf)
GetResult (no params.)	Returns only invoices created in the last ~1–2 days (InvC >= today - 1)

The export is always **restricted to the logged-in partner's company** (InvComId) and returns only **completed, non-internal** invoices (InvState = 1, InvInt = 0). A partner thus sees only their own documents.

Example:

[https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
code=FV26092791&resultType=DocTrInv](https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?code=FV26092791&resultType=DocTrInv)

```
<?xml version="1.0" encoding="utf-8"?>
<Result>
  <Invoice Id="8272021" Code="FV26092791" CodeO="26092791" SymCon="0008"
  Tag="AUTO" OrdId="6936129" OrdCode="OP26106050" OrdCodeO="4500565843" OrdC="2026-
  07-01T11:18:00" Type="73" DateAcc="2026-07-01T00:00:00" DateDue="2026-09-
  29T00:00:00" CurCode="CZK" Val="44310.9300" ValCur="44310.9300" ValRnd="0.0000"
  ValRndCur="0.0000" ValPaid="0.0000" ValPaidCur="0.0000" C="2026-07-01T12:08:00">
    <DocTaxSum Id="22299964" TaxRate="21.0000" Base="36620.6000"
    ValTax="7690.3300" BaseCur="36620.6000" ValTaxCur="7690.3300" />
    <InvItem Id="45450960" StiId="514671" StiCode="777806"
    StiCode2="KABCT1K30" StiPartNo="CB-DP-HDMI-3" StiEAN="8594125009847" StiEAN2=""
    StiName="C-TECH Kabel DisplayPort/HDMI, 3m, černý" OrdId="6936129"
    OrdCode="OP26106050" OrdCodeO="4500565843" OriC="2026-07-01T11:18:00" Qty="3.000"
    TaxRate="21.0000" Prc="160.0000" PrcTax="33.6000" CurCode="CZK" PrcCur="160.0000"
    PrcTaxCur="33.6000" PrcRefCur="0.1000" RefCode="5-32-4" RefProCode="REM"
    PrcRefCur2="0.0000" RefCode2="9.99" RefProCode2="AFcz" />
    <InvItem Id="45450961" StiId="674126" StiCode="GMB00027" StiPartNo="CC-DP-
    HDMI-6" StiPartNo2="8716309082082" StiEAN="8716309082082" StiEAN2=""
    StiName="GEMBIRD Kabel DisplayPort na HDMI, M/M, 1,8m" OrdId="6936129"
    OrdCode="OP26106050" OrdCodeO="4500565843" OriC="2026-07-01T11:18:00" Qty="10.000"
    TaxRate="21.0000" Prc="64.0000" PrcTax="13.4400" CurCode="CZK" PrcCur="64.0000"
    PrcTaxCur="13.4400" PrcRefCur="0.1000" RefCode="5.84.(P)" RefProCode="ASE"
    PrcRefCur2="0.0000" RefCode2="9.99" RefProCode2="AFcz" />
    <InvItem Id="45450962" StiId="695888" StiCode="LNM01353"
    StiPartNo="40BF0100EU" StiPartNo2="40BF0100EU" StiEAN="0195892132486" StiEAN2=""
    StiName="Lenovo ThinkPad USB4 Dock 5000 - 65W - EU" OrdId="6936129"
    OrdCode="OP26106050" OrdCodeO="4500565843" OriC="2026-07-01T11:18:00" Qty="10.000"
    TaxRate="21.0000" Prc="3549.1700" PrcTax="745.3300" CurCode="CZK"
    PrcCur="3549.1700" PrcTaxCur="745.3300" PrcRefCur="0.7600" RefCode="5.55."
    RefProCode="ASE" PrcRefCur2="0.0000" RefCode2="9.99" RefProCode2="AFcz" />
    <InvItem Id="45450963" StiId="81640" StiCode="RECFEE" StiEAN="" StiEAN2=""
    StiName="Recyklační příspěvek" Qty="1.000" TaxRate="21.0000" Prc="0.3000"
    PrcTax="0.0600" CurCode="CZK" PrcCur="0.3000" PrcTaxCur="0.0600" RefIs="1" />
  </Invoice>
</Result>
```

```

    <InvItem Id="45450964" StiId="176570" StiCode="RECFEEAS" StiEAN=""
    StiEAN2="" StiName="Recyklační příspěvek ASEKOL" Qty="1.000" TaxRate="21.0000"
    Prc="8.6000" PrcTax="1.8100" CurCode="CZK" PrcCur="8.6000" PrcTaxCur="1.8100"
    RefIs="1" />
    <Warranty Id="97240435" Qty="10.000" StiId="674126" StiCode="GMB00027"
    Dur="744" />
    <Warranty Id="97240445" Qty="1.000" SerialNo="SYEU0225E" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240446" Qty="1.000" SerialNo="SYEU02291" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240447" Qty="1.000" SerialNo="SYEU0222Y" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240448" Qty="1.000" SerialNo="SYEU0221T" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240449" Qty="1.000" SerialNo="SYEU0221X" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240450" Qty="1.000" SerialNo="SYEU022FZ" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240451" Qty="1.000" SerialNo="SYEU02236" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240452" Qty="1.000" SerialNo="SYEU0223C" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240453" Qty="1.000" SerialNo="SYEU022CA" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240454" Qty="1.000" SerialNo="SYEU022BT" StiId="695888"
    StiCode="LNM01353" Dur="1116" />
    <Warranty Id="97240566" Qty="3.000" StiId="514671" StiCode="777806"
    Dur="744" />
    <Delivery Id="9794587" Code="DV26128360" OrdId="6936129"
    OrdCode="OP26106050" CstId="244945" CstName="HPTronic Zlín, spol. s r.o."
    CstNameAdd="OD Prior Zlín" CstNameAdd2="IT oddělení" CstStreet="náměstí Práce
    2523" CstCity="Zlín" CstPostCode="76001" CstCouName="Česká republika" />
    <Order Id="6936129" Code="OP26106050" CodeO="4500565843" C="2026-07-
    01T11:18:00" OrwName="Internetem" CstId="244945" CstName="HPTronic Zlín, spol. s
    r.o." CstNameAdd="OD Prior Zlín" CstNameAdd2="IT oddělení" CstStreet="náměstí
    Práce 2523" CstCity="Zlín" CstPostCode="76001" CstCouName="Česká republika" />
  </Invoice>
</Result>

```

Invoice element (invoice header)

Attribute	Type	Description
Id	i4	Internal invoice ID (InvId)
Code	string	Invoice number
ZCode	string	Invoice number for the dropship/end customer (only if present) verify
CodeO	string	External invoice number (number at the customer, only if present)
SymCon	string	Payment matching/variable symbol verify

Attribute	Type	Description
Tag	string	Invoice label/flag (only if present)
OrdId	i4	ID of the linked order
OrdCode	string	Number of the linked order
OrdCode0	string	External order number
OrdC	datetime	Order creation date
Type	—	Invoice type (code list; e.g. invoice/credit note) ‹verify values›
DateAcc	date	Accounting/taxable supply date (DUZP) ‹verify›
DateDue	date	Due date
CurCode	string	Currency code (ISO, UsdCodeE)
Val	fixed.14.4	Total value in home currency
ValCur	fixed.14.4	Total value in invoice currency
ValRnd	fixed.14.4	Rounding (home currency)
ValRndCur	fixed.14.4	Rounding (invoice currency)
ValPaid	fixed.14.4	Paid (home currency)
ValPaidCur	fixed.14.4	Paid (invoice currency)
ZVal	fixed.14.4	Value for the end customer (dropship) ‹verify›
C	datetime	Invoice creation date (created)
IdC	i4	ID of the related invoice (for a credit note, the original invoice)
CodeC	string	Number of the related invoice (for a credit note, the original invoice)

DocTaxSum element (VAT recapitulation, 0..N)

Attribute	Type	Description
Id	i4	Recapitulation line ID (DtsId)
TaxRate	fixed.14.4	VAT rate (%)
Base	fixed.14.4	Tax base (home currency)
ValTax	fixed.14.4	Tax amount (home currency)
BaseCur	fixed.14.4	Tax base (invoice currency)
ValTaxCur	fixed.14.4	Tax amount (invoice currency)

InvItem element (invoice line items, 0..N)

Attribute	Type	Description
Id	i4	Invoice item ID (IniId)
StiId	i4	Product ID
StiCode	string	Product stock code
StiCode2	string	Alternative product code
StiPartNo	string	Part number
StiPartNo2	string	Second part number
StiEAN	string	EAN (populated per the partner's WsEAN parameter, otherwise empty)
StiEAN2	string	Second EAN
StiName	string	Product name (stock)
Name	string	Name on the invoice item (custom item text, only if present)
OrdId	i4	Order ID of the item
OrdCode	string	Order number of the item
OrdCode0	string	External order number of the item
Oric	datetime	Order item creation date
Qty	number	Quantity
TaxRate	fixed.14.4	Item VAT rate (%)
Prc	fixed.14.4	Unit price excl. VAT (home currency)
PrcTax	fixed.14.4	Unit price incl. VAT (home currency)
CurCode	string	Item currency code
PrcCur	fixed.14.4	Price excl. VAT (invoice currency)
PrcTaxCur	fixed.14.4	Price incl. VAT (invoice currency)
PrcRefCur	fixed.14.4	Recycling fee (invoice currency)
RefCode	string	Recycling fee code
RefProCode	string	Recycling fee product code
PrcRefCur2	fixed.14.4	Second recycling fee (invoice currency)
RefCode2	string	Second recycling fee code
RefProCode2	string	Product code of the second fee
ZPrc	fixed.14.4	Price excl. VAT for the end customer (dropship)
ZPrcTax	fixed.14.4	Price incl. VAT for the end customer
ZPrcRef	fixed.14.4	Recycling fee – dropship

Attribute	Type	Description
ZPrCRef2	fixed.14.4	Second recycling fee – dropship
RefIs	boolean	Flag that the line is a recycling fee (not a product)

Warranty element (serial numbers / warranties, 0..N)

Attribute	Type	Description
Id	i4	Warranty ID (WarId)
Qty	number	Quantity for the given serial number
SerialNo	string	Serial number (only for SN-tracked products)
StiId	i4	Product ID
StiCode	string	Product stock code
Dur	i4	Warranty length (days; NULL = not specified)

Delivery element (delivery notes, 0..N)

Attribute	Type	Description
Id	i4	Delivery note ID (DelId)
Code	string	Delivery note number
ZCode	string	DN number for dropship (only if present)
OrdId	i4	Order ID
OrdCode	string	Order number
CstId	i4	Delivery address ID; if delivered to the company HQ = -ComId
CstName	string	Delivery address name (otherwise the customer's company name)
CstNameAdd	string	Name supplement
CstNameAdd2	string	Second name supplement
CstStreet	string	Street
CstCity	string	City
CstPostCode	string	Postal code
CstCouName	string	Country

Order element (order + dropshipment end customer, 0..N)

The **Cst*** address = the order's delivery address. The **ZCm*** / **ZCst*** prefix = the details of the **end customer** in direct dropshipment (where goods are delivered in the partner's name).

Attribute	Type	Description
Id	i4	Order ID (OrdId)
Code	string	Order number
Code0	string	External order number (from the customer)
Tag	string	Order label
NoteExt	string	External note on the order
C	datetime	Order creation date
OrwName	string	Order status / processing method <verify>
CstId	i4	Order delivery address ID (-ComId = company HQ)
CstName	string	Delivery address name
CstNameAdd	string	Name supplement
CstNameAdd2	string	Second name supplement
CstStreet	string	Street
CstCity	string	City
CstPostCode	string	Postal code
CstCouName	string	Country
ZDirect	—	Direct dropshipment flag (shipment straight to the end customer)
ZIPrn	—	Flag to print the invoice into the shipment <verify>
ZDPrn	—	Flag to print the delivery note into the shipment <verify>
ZCmId	i4	End customer ID (dropship)
ZCmRegId	string	End customer's company registration number (IČO)
ZCmTaxNum	string	End customer's VAT number (DIČ)
ZCmName	string	End customer's name
ZCmNameAdd	string	Name supplement
ZCmStreet	string	Street
ZCmCity	string	City
ZCmPostCode	string	Postal code
ZCmTitle	string	Salutation / title
ZCmFName	string	First name
ZCmLName	string	Last name
ZCmTel	string	Phone

Attribute	Type	Description
ZCmTelMob	string	Mobile
ZCmFax	string	Fax
ZCmEMail	string	E-mail
ZCstName	string	Dropship delivery address – name (if it differs from ZCm*)
ZCstNameAdd	string	Name supplement
ZCstNameAdd2	string	Second name supplement
ZCstStreet	string	Street
ZCstCity	string	City
ZCstPostCode	string	Postal code
ZCstCouName	string	Country

5.2.6 StoItemPriceOrd

A price export — the partner's **order (purchase) prices**. It returns the order price, reference (recycling and copyright) fees, and the VAT rate. Per the export definition.

It covers the price part of the **ProductNow** / **AllProductsNow** methods of the ALSO Product API (availability is handled by **StoItemQtyFree**).

resultType: **StoItemPriceOrd** · **StoItemPriceOrd_El** · **StoItemPriceOrd_Schema**

Example:

```
<?xml version="1.0" encoding="utf-8"?>
<Result>
  <StoItem Id="685699" Code="ASC00511" PartNo="GU605CX-QR149" PartNo2="90NR0M65-
M007X0" EAN="4711636262347" PriceOrd="81144.2200" PriceEU="90900.8300"
PriceRef="11.3400" PriceRef2="33.0000" TaxRate="21.0000" />
</Result>
```

Attributes of the **StoItem element**

Field	Type	Description
Id	i4	Internal product ID (StiId)
Code	string	Main SWS stock code
Code2	string	Alternative/second code
PartNo	string	Part (catalog) number

Field	Type	Description
PartNo2	string	Second part number
EAN	string	EAN
EAN2	string	Second EAN
PriceOrd	money	Order (purchase) price of the partner — the main price of this export
PriceEU	money	End/recommended price (converted to the partner's currency, if set) <verify meaning – MSRP?>
PriceRef	money	Recycling fee linked to the product
PriceRefInfo	money	Informational value of the recycling fee
PriceRef2	money	Second recycling fee
PriceRef2Info	money	Informational value of the second fee
TaxRate	fixed.14.4	VAT rate (%); in the cross-border regime recalculated per the destination country (TaxMeCouId)
PriceFullIs	boolean	Flag that the partner is authorized to see the full set of fixed prices (Price*)
PriceList	money	List (fixed) price — only with special permission , otherwise empty
Price0	money	Fixed price level 0 — only with special permission
Price1	money	Fixed price level 1 — only with special permission
Price2	money	Fixed price level 2 — only with special permission
Price3	money	Fixed price level 3 — only with special permission
Price4	money	Fixed price level 4 — only with special permission
Price5	money	Fixed price level 5 — only with special permission
PriceB2CMin	money	Minimum B2C selling price (MAP), converted to the partner's currency

Notes on prices

- Prices are returned only for products with a **positive order price** (**PriceOrd** > 0).
- Depending on the partner's setting (**WsPriceCur**), prices may be converted to their **currency** at the current exchange rate; in that case **PriceEU** and **PriceB2CMin** are converted to the same currency.
- PriceFullIs** = 1 signals that the **PriceList/Price0–5** fields are available (subject to permission). Without permission these fields are empty even when **PriceFullIs** = 0.

Note for ALSO: A standard partner receives **PriceOrd**, **PriceRef***, **TaxRate**, and **PriceB2CMin**; the **PriceList/Price0–5** set is an add-on tied to special permission.

5.2.7 CpsStiVal

Export of **product parameters (attributes)** — technical specifications in **name × value** format. Per the export definition: "Export parameters of StolItems – Name × Value only (filtered by Code of StolItem)." Each element corresponds to a single parameter of a single product; a product with N parameters returns N elements. Together with **StoItemBase** it covers the **ProductFullInfo** method of the ALSO Product API (the attribute part).

resultType: CpsStiVal · CpsStiVal_El · CpsStiVal_Schema

Usage recommendation: The export is primarily intended for **filtering by product code** (**GetResultByCode**). Via **GetResult** it returns the parameters of all products — which may be a large volume of data.

Example:

[https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
code=TCL00117&resultType=CpsStiVal](https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?code=TCL00117&resultType=CpsStiVal)

```
<?xml version="1.0" encoding="utf-8"?>
<Result>
  <Row Id="21133925" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="79" Code="PUP"
Grp="NTB" Name="Počet USB portů (NTB, TV)" NameAdd="Porty" Single="1" Ord="1000"
Value="1" ValueAdd="1" Measure="1.0000" />
  <Row Id="21133926" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="198"
Code="Vyr" Grp="TVZ" Name="Výrobce (TV)" Single="1" Value="TCL" />
  <Row Id="21133933" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="661"
Code="VES" Grp="MON" Name="Podpora VESA (monitory, TV)" Single="1" Ord="200"
Value="Ano" Measure="1.0000" />
  <Row Id="21133934" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="730"
Code="OST" Grp="TVZ" Name="Operační systém (TV)" Single="1" Value="Google TV" />
  <Row Id="21133935" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="731"
Code="OBR" Grp="TVZ" Name="Tvar obrazovky (TV)" Single="1" Value="Rovná" />
  <Row Id="21133936" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="732"
Code="TNR" Grp="TVZ" Name="Typ tuneru" Value="DVB-T2" />
  <Row Id="21133937" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="732"
Code="TNR" Grp="TVZ" Name="Typ tuneru" Value="DVB-S2" />
  <Row Id="21133938" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="732"
Code="TNR" Grp="TVZ" Name="Typ tuneru" Value="DVB-C" />
  <Row Id="21133939" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="733"
Code="DLN" Grp="TVZ" Name="Podpora DLNA (TV)" Single="1" Value="Ano"
Measure="1.0000" />
  <Row Id="21133940" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="734"
```

```
Code="WIF" Grp="TVZ" Name="Wi-Fi (TV)" Single="1" Value="Ano" Measure="1.0000" />
  <Row Id="21133941" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="735"
Code="ETH" Grp="TVZ" Name="Ethernet LAN (TV)" Single="1" Value="Ano"
Measure="1.0000" />
  <Row Id="21133943" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="737"
Code="TEU" Grp="TVZ" Name="Třída energetické účinnosti (TV)" Single="1" Value="F"
/>
  <Row Id="21133944" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="738"
Code="P3D" Grp="TVZ" Name="Podpora 3D (TV)" Single="1" Value="Ne" Measure="2.0000"
/>
  <Row Id="21133945" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="739"
Code="BVR" Grp="TVZ" Name="Barva rámečku (TV)" Single="1" Value="Šedá" />
  <Row Id="21133946" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="741"
Code="FRQ" Grp="TVZ" Name="Frekvence panelu (TV)" Single="1" Value="288 Hz"
Measure="288.0000" />
  <Row Id="21133947" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="742"
Code="VRP" Grp="TVZ" Name="Výkon reproduktorů (TV)" Single="1" Value="2x10 W +
20W" />
  <Row Id="21133948" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="743"
Code="CIS" Grp="TVZ" Name="CI/CI+ slot (TV)" Single="1" Value="CI+" />
  <Row Id="21133949" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="847"
Code="RUH" Grp="TVZ" Name="Úhlopříčka (TV)" Single="1" Value="65";"
Measure="650.0000" />
  <Row Id="21133950" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1116"
Code="AA2" Grp="TVZ" Name="Apple Airplay 2" Single="1" Value="Ano"
Measure="1.0000" />
  <Row Id="21133951" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1117"
Code="PHR" Grp="TVZ" Name="Podpora HDR" Value="Dolby Vision IQ" />
  <Row Id="21133952" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1118"
Code="HFc" Grp="TVZ" Name="Herní funkce" Value="AMD FreeSync Premium Pro" />
  <Row Id="21133953" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1119"
Code="TTV" Grp="TVZ" Name="Technologie (TV)" Single="1" Value="LED (Mini LED
podsvícení)" />
  <Row Id="21133954" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1120"
Code="RTV" Grp="TVZ" Name="Rozlišení (TV)" Single="1" Value="3840x2160 (UHD)"
Measure="38402160.0000" />
  <Row Id="21133955" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1132"
Code="HTV" Grp="TVZ" Name="Hotelový mód (TV)" Single="1" Value="Ne"
Measure="2.0000" />
  <Row Id="21133959" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
```

```

StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="10184"
Code="HDM" Grp="MON" Name="HDMI počet (monitory, TV)" Single="1" Ord="70"
Value="4" Measure="4.0000" />
  <Row Id="21625513" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" CpaId="1207"
Code="GSR" Name="GPSR" Single="1" Value="TCL EUROPE SAS;15 rue Rouget de
Lisle,Issy-les-Moulineaux,92130,France;CZsupport@tcl.com,+420 225 341 059" />
</Result>

```

Attributes of the **Row** element (one product parameter)

Field	Type	Description
Id	i4	ID of the specific parameter value for the product (CpsId) — the row's unique key
StiId	i4	Internal product ID
StiCode	string	Main product stock code
StiCode2	string	Alternative product code
StiPartNo	string	Part number
StiPartNo2	string	Second part number
StiEAN	string	EAN (populated per the partner's WsEAN parameter, otherwise empty)
StiEAN2	string	Second EAN
CpaId	i4	Parameter definition ID (shared by all products with the same parameter)
Code	string	Parameter code (CpaCode) — the machine identifier of the parameter
Grp	string	Parameter group (CpaGrp) for grouping into sections (only if filled in)
Name	string	Parameter name (localized) — e.g. "Diagonal", "Weight"
NameAdd	string	Supplementary parameter description (only if present)
Single	—	Flag that the parameter has only one value (only if non-zero) <verify>
Ord	i4	Parameter order for sorting in the listing (only if non-zero)
Value	string	Parameter value — either from the code list (CpvValue) or free text (CpsTag)
ValueAdd	string	Supplementary value / note on the value (only if present)
Measure	number	Unit of measure / numeric measure of the value (only if non-zero) <verify – unit vs. numeric value?>
CprOrd	i4	Order of the value within the parameter's code list (only if non-zero)

5.2.8 AttSti

Export of **product attachments** — images, datasheets, documentation, and other files linked to a product. Each element = one attachment; a product with N attachments returns N elements. It covers the **ProductImages** method of the ALSO Product API (and, generally, non-media attachments too, if they are recorded for the product).

resultType: **AttSti** · **AttSti_El** · **AttSti_Schema**

It supports the same set of prefixes as **StoItemPriceOrd** (see **Request format**): without a prefix **StiCode**, plus **{StiId}**, **{PartNo}**, **{PartNo2}**, **{CodeEAN}**, **{ManName}**, **{CodeAll}**. Multiple values can be separated by a tab (**\t**).

Building the attachment URL

The **Url** field is returned **ready-made**, but it is produced in two ways depending on the attachment type:

- **External attachment** (**AttUrl** contains **://**) → **Url** = the external link directly.
- **Internal attachment** (a file in i6) → **Url** = **UrlBaseImgGalery** + **Id** (i.e. **.../img.asp?attid=<Id>**). The client can therefore use **Url** directly without composing it.

Example:

https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?
code=TCL00117&resultType=AttSti

```
<?xml version="1.0" encoding="utf-8"?>
<Result>
  <AttSti Id="53098456" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_1A.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098456" Size="37866" Sort="1" />
  <AttSti Id="53098457" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_2.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098457" Size="54590" Sort="2" />
  <AttSti Id="53098458" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_3.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098458" Size="54279" Sort="3" />
  <AttSti Id="53098459" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_5.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098459" Size="31121" Sort="4" />
  <AttSti Id="53098460" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_6.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098460" Size="35862" Sort="5" />
  <AttSti Id="53098461" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_7.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098461" Size="43787" Sort="6" />
  <AttSti Id="53098462" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
```

```
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_8.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098462" Size="34645" Sort="7" />
<AttSti Id="53098463" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_9.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098463" Size="50589" Sort="8" />
<AttSti Id="53098464" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_10.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098464" Size="8323" Sort="9" />
<AttSti Id="53098465" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_11.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098465" Size="8246" Sort="10" />
<AttSti Id="53098466" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_12.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098466" Size="5792" Sort="11" />
<AttSti Id="53098470" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-enl" File="TCL_65_Q6C_4.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53098470" Size="39502" Sort="12" />
<AttSti Id="53099123" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Thumbnail"
Tag="sys-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099123" Size="2197" />
<AttSti Id="53099139" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099139" Size="8767" Sort="1" />
<AttSti Id="53099140" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099140" Size="26486" Sort="2" />
<AttSti Id="53099141" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099141" Size="26191" Sort="3" />
<AttSti Id="53099142" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099142" Size="6463" Sort="4" />
<AttSti Id="53099143" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099143" Size="12486" Sort="5" />
<AttSti Id="53099144" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099144" Size="14240" Sort="6" />
<AttSti Id="53099145" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
```



```

attid=53099145" Size="7019" Sort="7" />
  <AttSti Id="53099146" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099146" Size="9174" Sort="8" />
  <AttSti Id="53099147" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099147" Size="3782" Sort="9" />
  <AttSti Id="53099148" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099148" Size="4006" Sort="10" />
  <AttSti Id="53099149" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099149" Size="3555" Sort="11" />
  <AttSti Id="53099150" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Name="Image1"
Tag="sys-gal-thu" File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?
attid=53099150" Size="15306" Sort="12" />
  <AttSti Id="53099166" StiId="673242" StiCode="TCL00117" StiPartNo="65Q6C"
StiPartNo2="5901292526665" StiEAN="5901292526665" StiEAN2="" Tag="sys-thu-big"
File="TCL00117.jpg" Url="https://terminal.sws.cz/img.asp?attid=53099166"
Size="20461" />
</Result>

```

Attributes of the **AttSti** element (one attachment)

Field	Type	Description
Id	i4	Attachment ID (AttId); also used to build the Url for internal attachments
StiId	i4	Internal product ID
StiCode	string	Main product stock code
StiCode2	string	Alternative product code
StiPartNo	string	Part number
StiPartNo2	string	Second part number
StiEAN	string	EAN (populated per the partner's WsEAN parameter, otherwise empty)
StiEAN2	string	Second EAN
Name	string	Attachment name (only if filled in) — e.g. "Thumbnail", "Enlargement", a caption
Tag	string	Attachment label/type (only if present) — distinguishes the kind of attachment <verify values>
File	string	Attachment file name (without path; the directory is stripped from AttUrl)

Field	Type	Description
Url	string	Ready-made attachment URL — an external link, or the internal <code>.../img.asp?attid=<Id></code>
Size	i8	Attachment size in bytes (may be empty for external attachments)
Sort	i2	Attachment order for sorting (only if non-zero)

5.2.9 CpsSti

Export of **product parameters including their definitions** — the normalized (relational) variant of `CpsStiVal`. Per the export definition: *"Export parameters of Stoltems include parameter's definition."* Unlike `CpsStiVal`, which repeats the name and value on every row, `CpsSti` returns the **parameter definitions and the value code list separately**, and the assignment to products merely references them by ID. Suitable when the client wants to build its own parameter database (download the definitions once; products reference them). Together with `StoItemBase` it covers the attribute part of the `ProductFullInfo` method of the ALSO Product API.

resultType: `CpsSti · CpsSti_El · CpsSti_Schema`

⚠ **CpsStiVal vs. CpsSti:** If you just need a plain list of "product → parameter → value", use `CpsStiVal` (simpler, flat). Use `CpsSti` only when you also need the **definition metadata** (types, code lists, language variants, links to categories).

Output structure

The output is **hierarchical** (FOR XML EXPLICIT). Under the `Result` root there are five separate collections, each with `Row` elements distinguished by level:

```

Result
├── ConPar      → Row (parameter definitions)      [level 7]
├── ConParValue → Row (value code list)             [level 8]
├── ConParRange → Row (permitted values of a parameter) [level 9]
├── ConParSet   → Row (value assignments to products) [level 10]
└── ConParStr   → Row (parameter-to-category links)  [level 11]
```

Example:

<https://terminal.sws.cz/i6ws/default.aspx/GetResult?resultType=CpsSti>

```

<?xml version="1.0" encoding="utf-8"?>
<Result>
  <ConPar>
    <Row Id="74" Type="0" Single="1" Code="Bch" Grp="NTB" Ord="1000" Name="TPM
chip (NTB)" AddName="Funkce" />
    <Row Id="75" Type="0" Single="1" Code="Sop" Grp="NTB" Ord="1000"
Name="Snímač otisku prstu (NTB)" AddName="Funkce" />
  
```

```

    <Row Id="76" Type="0" Single="1" Code="THD" Grp="NTB" Ord="60" Name="Typ
disku (NTB)" AddName="Disk" />
    <Row Id="77" Type="0" Single="1" Code="Pza" Grp="NTB" Ord="1000"
Name="Polohovací zařízení (NTB)" />
    <Row Id="79" Type="0" Single="1" Code="PUP" Grp="NTB" Ord="1000"
Name="Počet USB portů (NTB, TV)" AddName="Porty" />
    <Row Id="81" Type="0" Single="1" Code="ReP" Grp="NTB" Ord="80"
Name="Replikátor portů (NTB)" AddName="Porty" />
    <Row Id="82" Type="0" Single="1" Code="Opm" Grp="NTB" Ord="1000"
Name="Optická mechanika (NTB)" AddName="Funkce" />
    <Row Id="94" Type="0" Single="1" Code="Pis" Grp="MED" Ord="0"
Name="Přepisovatelné (médiá)" />
    <Row Id="98" Type="0" Single="1" Code="Tec" Grp="MED" Ord="0"
Name="Technologie (médiá)" />
    <Row Id="99" Type="0" Single="1" Code="Pri" Grp="NSt" Ord="0"
Name="Připojení (NAS Storage)" />
    <Row Id="102" Type="0" Single="1" Code="Sto" Grp="NSt" Ord="0"
Name="Možnost rozšíření (NAS Storage)" />
    ...
<ConParValue>
    <Row Id="291" Measure="0.0000" Code="THD" Value="SSD" />
    <Row Id="293" Measure="0.0000" Code="Pza" Value="Touchpad" />
    <Row Id="295" Measure="0.0000" Code="Pza" Value="Touchpad+trackpoint" />
    <Row Id="296" Measure="0.0000" Value="DVD±RW" />
    <Row Id="297" Measure="0.0000" Value="Blu-ray" />
    ...
<ConParRange>
    <Row Id="191" CpaId="10018" CpvId="10116" />
    <Row Id="196" CpaId="10018" CpvId="10710" />
    <Row Id="203" CpaId="10022" CpvId="10145" />
    <Row Id="211" CpaId="10023" CpvId="10149" />
    ...
<ConParSet>
    <Row Id="201505" StiId="44661" CpaId="10037" CpvId="10216"
StiCode="501217" Value="Epson" />
    <Row Id="201506" StiId="44661" CpaId="10040" CpvId="10251"
StiCode="501217" Value="Jehličková" />
    <Row Id="201507" StiId="44661" CpaId="10043" CpvId="10247"
StiCode="501217" Value="A4" Measure="2.0000" />
    <Row Id="201509" StiId="44661" CpaId="10047" CpvId="10250"
StiCode="501217" Value="Ne" Measure="2.0000" />
    <Row Id="201511" StiId="44661" CpaId="10048" CpvId="10250"
StiCode="501217" Value="Ne" Measure="2.0000" />
    <Row Id="201513" StiId="44661" CpaId="10045" CpvId="10250"
StiCode="501217" Value="Ne" Measure="2.0000" />
    ...

    <Row Id="5897" StrId="17940" CpaId="1208" StrSort="0008N9124" />
    <Row Id="5898" StrId="16514" CpaId="1208" StrSort="0008N96C0" />
    <Row Id="5899" StrId="49" CpaId="1208" StrSort="0008N9AL4" />
    <Row Id="5906" StrId="17940" CpaId="1214" StrSort="0008N9124" />
    <Row Id="5907" StrId="16514" CpaId="1214" StrSort="0008N96C0" />

```



```
<Row Id="5908" StrId="49" CpaId="1214" StrSort="0008N9AL4" />
</ConParStr>
</Result>
```

Client-side linking: `ConParSet.CpaId` → `ConPar.Id`, `ConParSet.CpvId` → `ConParValue.Id`; `ConParRange` restricts which values (`CpvId`) belong to which parameter (`CpaId`); `ConParStr` maps a parameter onto a presentation-tree node (see `SPresentTree`).

`ConPar` → `Row` — parameter definition

Field	Type	Description
<code>Id</code>	i4	Parameter ID (<code>CpaId</code>)
<code>Type</code>	ui1	Parameter type (<code>CpaType</code> ; types 0 and 2 are returned) <code><verify values></code>
<code>Single</code>	—	Flag that the parameter has a single value <code><verify></code>
<code>Code</code>	string	Machine code of the parameter
<code>Grp</code>	string	Parameter group (for grouping into sections)
<code>Ord</code>	i4	Parameter order for sorting
<code>Name</code>	string	Parameter name (localized)
<code>AddName</code>	string	Supplementary name (note: in the <code>Row!7!AddName</code> attribute = <code>CpaNameAdd</code>)
<code>NameE</code>	string	Name in English
<code>NameAddE</code>	string	Supplementary name in English
<code>Note</code>	string	Note on the parameter

`ConParValue` → `Row` — code-list value

Field	Type	Description
<code>Id</code>	i4	Value ID (<code>CpvId</code>)
<code>Measure</code>	number	Unit of measure / value measure <code><verify></code>
<code>Code</code>	string	Machine code of the value
<code>Value</code>	string	Value (localized)
<code>ValueAdd</code>	string	Value supplement
<code>ValueE</code>	string	Value in English
<code>ValueAddE</code>	string	Value supplement in English

`ConParRange` → `Row` — permitted parameter value

Field	Type	Description
Id	i4	Link ID (CprId)
CpaId	i4	Parameter ID (ConPar.Id)
CpvId	i4	Permitted value ID (ConParValue.Id)

ConParSet → Row — value assignment to a product

Field	Type	Description
Id	i4	Assignment ID (CpsId)
StiId	i4	Product ID
CpaId	i4	Parameter ID (ConPar.Id)
CpvId	i4	Value ID from the code list (ConParValue.Id); empty = the value is free text
StiCode	string	Product stock code
Value	string	Value — from the code list (CpvValue), or free text (CpsTag)
Measure	number	Numeric measure of the value (only if non-zero) <verify>

ConParStr → Row — parameter-to-category link

Field	Type	Description
Id	i4	Link ID (CosId)
StrId	i4	Presentation-tree node ID (SPresentTree.Id)
CpaId	i4	Parameter ID (ConPar.Id)
StrSort	string	Node sort key (3 chars/level) — determines the category the parameter is used with

6. Special exports

6.1 Alza - export X-StolItemQtyFreeRealX

Example:

sample for a single product TCL00117

<https://terminal.sws.cz/i6ws/default.asmx/GetResultByCode?code=TCL00117&resultType=X-StolItemQtyFreeRealX>

```
<?xml version="1.0" encoding="utf-8"?>
<items>
  <item>
    <Pricing>
```

```
<PriceWithFee>11607.6000</PriceWithFee>
<PriceWithoutFee>11392.5000</PriceWithoutFee>
<RecycleFee>215.1000</RecycleFee>
<CopyrightFee>0.0000</CopyrightFee>
<Currency>CZK</Currency>
</Pricing>
<Storage>
  <StoredQuantity>565</StoredQuantity>
</Storage>
<Product>
  <Name>TCL 65Q6C SMART TV 65" QLED/4K UHD/Mini
LED/144Hz/4xHDMI/USB/LAN/GoogleTV</Name>
  <DealerCode>TCL00117</DealerCode>
  <PartNumber>65Q6C</PartNumber>
  <Ean>5901292526665</Ean>
</Product>
</item>
</items>
```

Format required by Alza:

6.2 HP Tronik