

AMS equations and scientific notation

STIX Two / locally bundled mathematical fonts

AMS matrices, blackboard bold, and Fraktur

$$A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}, \qquad x \in \mathbb{R}, \qquad \mathfrak{g} \subset \mathfrak{gl}(n)$$
$$f(x) := \int_0^x e^{-t^2} \, \mathrm{d}t$$

Physics enabled per equation

$$\frac{\partial \psi}{\partial t} = -\frac{i}{\hbar} \hat{H} |\psi\rangle \qquad \langle \psi | H | \psi \rangle$$

Rare symbols remain vector outlines

$$x + \mathcal{H} + \mathfrak{G} + \lesssim + \mathbb{O}1 + \mathcal{F}$$

AMS equations and scientific notation

Fira Math / locally bundled mathematical fonts

AMS matrices, blackboard bold, and Fraktur

$$A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}, \quad x \in \mathbb{R}, \quad \mathfrak{g} \subset \mathfrak{gl}(n)$$
$$f(x) := \int_0^x e^{-t^2} \, dt$$

Physics enabled per equation

$$\frac{\partial \psi}{\partial t} = -\frac{i}{\hbar} \hat{H} |\psi\rangle \quad \langle \psi | H | \psi \rangle$$

Rare symbols remain vector outlines

$$\mathcal{X} + \mathcal{H} + \mathfrak{G} + \lesssim + \mathbb{O}1 + \mathcal{F}$$

AMS equations and scientific notation

Latin Modern / locally bundled mathematical fonts

AMS matrices, blackboard bold, and Fraktur

$$A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}, \quad x \in \mathbb{R}, \quad \mathfrak{g} \subset \mathfrak{gl}(n)$$

$$f(x) := \int_0^x e^{-t^2} dt$$

Physics enabled per equation

$$\frac{\partial \psi}{\partial t} = -\frac{i}{\hbar} \hat{H} |\psi\rangle \quad \langle \psi | H | \psi \rangle$$

Rare symbols remain vector outlines

$$x + \lrcorner + \beth + \not\leq + \mathbb{O} \mathbb{1} + \mathcal{F}$$